



STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY
LANSING



JENNIFER M. GRANHOLM
GOVERNOR

STEVEN E. CHESTER
DIRECTOR

October 12, 2007

Ms. Jacklyn Beaudry
City of Ann Arbor
100 North Fifth Avenue
Ann Arbor, Michigan 48108

Dear Ms. Beaudry:

SUBJECT: DEQ File No. 07-81-0014-P
University of Michigan

This letter confirms the arrangements made with you regarding the November 15, 2007, public hearing requested on the above project in your area.

Enclosed are Notices of Public Hearing for your information and posting.

Mr. James Sallee of our Jackson District Office will be the hearing officer and he will be in contact with you prior to November 15, 2007, to make final arrangements. Mr. Sallee will bring his own recording equipment, and would like to have access to the facilities around 6:30 p.m. to set up necessary equipment.

Thank you for your assistance.

Sincerely,

Wendy Fitner, Chief
Permit Consolidation Unit
Land and Water Management Division
517-373-9244

Enclosures

07OCT 18 AM 11:30

ANN ARBOR

STATE OF MICHIGAN
DEPARTMENT OF ENVIRONMENTAL QUALITY

PO Box 30204
Lansing, Michigan 48909

NOTICE OF PUBLIC HEARING

TAKE NOTICE, that the Land and Water Management Division of the Michigan Department of Environmental Quality will hold a public hearing at the City of Ann Arbor, Council Chambers, 100 North Fifth Avenue, Ann Arbor, Michigan, on Thursday, November 15, 2007, at 7:00 p.m.

The purpose of this hearing is to secure the views of interested persons concerning the following application for permit:


Application for Permit 07-81-0014-P under Part 301, Inland Lakes and Streams, of the Natural Resources and Environmental Protection Act, 1994 PA 451, as amended, by University of Michigan, Attn: Timothy R. Cullen; OSEH-CSSB, 1239 Kipke Drive, Ann Arbor, MI 48109. The applicant proposes to relocate approximately 525 linear feet of intermittent stream and fill a total of approximately 0.45 acres of wetland for the purpose of constructing NCAA regulation practice and competition facilities for the men's and women's soccer programs. The work site is located at 2323 South Main Street. Two sections of the relocated stream, 78 and 164 linear feet respectively, will be enclosed in 12 inch diameter pipes. Approximately 380 linear feet of the relocated stream will be left in an open condition. A 48 inch elliptical culvert of 75 linear feet will be installed in wetland beneath a proposed access road. Approximately 4,337 cubic yards of fill will be placed in wetland. Approximately 5 cubic yards of riprap will be placed at the outlet pipe ends. Stormwater collected by the field underdrains will outlet to adjacent wetland. A total of approximately 0.18 acres of forested wetland, 0.14 acres of scrub-shrub, and 0.13 acres of emergent wetland will be impacted. Mitigation is proposed. The project is located in T3S, R6E, Section 5, City of Ann Arbor, Washtenaw County, Michigan.

The application is available for review at the DEQ website, www.deq.state.mi.us/CIWPIS, or may be reviewed in the Land and Water Management Division, DEQ, 301 E. Louis Glick Hwy., Jackson, Michigan 49201-1535, by calling 517-780-7904. The public hearing record will remain open for 10 days after the public hearing date. Any written comments to be submitted for the public hearing record must be received at this address on or before the close of the record.

The hearing will be held pursuant to Section 30105 of the cited statute. The hearing will not be a court-type proceeding; witnesses will not be sworn, and there will be no cross examination. Public hearings are primarily informational and are held to encourage the expression of views and presentation of facts.

The Michigan Department of Environmental Quality will, upon written request, provide a copy of the Department's decision on this application.

MICHIGAN DEPARTMENT OF ENVIRONMENTAL QUALITY

By: 
Wendy Fitzner, Chief
Permit Consolidation Unit
Land and Water Management Division
517-373-9244

Date: October 12, 2007

NOTE: Persons with disabilities needing accommodations for effective participation in this meeting should call the telephone number listed above one week in advance to request mobility, visual, hearing, or other assistance.