



CITY OF ANN ARBOR
CITY CLERK
REC'D

2014 AUG -1 AM 9:32

DTE Energy – MichCon Gas Co.
Data Integrity and Technology
Drafting Department, WCB-1836
One Energy Plaza, 18TH. Floor
City of Detroit, MI 48226

July 30, 2014

Jacqueline Beaudry, City Clerk
City of Ann Arbor
301 E Huron St., P.O. Box 8647
Ann Arbor, MI 48107-8647

RE: File No. 14-0957 Enactment No. R-14-244 Dated: 07/08/2014

The proposed change in property referred to would affect our services as follows:

- Not involved, no gas involved, and no objections. **See Remarks!**
- Involved but withholding action on petition until further notice.
- Involved but have no objection to the property change, provided that an easement of the full width of the street/alley is reserved as shown.
- Involved – nature of services and estimated cost of removing or rerouting such services are:

Remarks;

Not involved, no gas involved, and no objections of the resolution of intent regarding the proposed vacation of two segments: South Side - Seybold Drive (40' from North end), and on the North Side- Vine Court (120' from South End). See enclosed strip print for your use and information.


Please abide by Public Act 53, three (3) working days before you dig, dial toll free MISS DIG at: 1 – 800 – 482 – 7171.

Michcon Gas Leak Emergency Phone Number: 1- 800 – 947 – 5000.

Sincerely,

/s/ Eddie A. Reyes
Senior Drafter
Data Integrity and Technology

EAR/
Enclosure



STATE LAW ACT 53
3 WORKING DAYS
BEFORE YOU DIG
DIAL TOLL FREE
1-800-482-7171
OR 811



ST. JOSEPH CLINIC

501

DEXTER RD

SEYBOLD

1954

1961

73

73

1961

1961

1961

73

1961



PVT

VAC

1 1/4" -PLA-10#

2" -MDX-10#1997 26027332

VINE CT

50

2" MDX-10#1999

6" STL-DEAD

4" MDX-10# 2008

4" UN-DEAD

4" UN-DEAD

4" MDX-10# 2008

4" UN-DEAD

8" STL-100# 1954

4" UN-DEAD

6" STL-2# 1961

4" UN-DEAD

6" STL-2# 1961

4" UN-DEAD

6" STL-2# 1961

4" UN-DEAD

6" STL-2# 1961

4" UN-DEAD

6" STL-2# 1961

4" UN-DEAD