ANN ARBOR HISTORIC DISTRICT COMMISSION

Staff Report

ADDRESS: 335 and 355 Koch Street, Application Number HDC14-015

DISTRICT: Old West Side Historic District

REPORT DATE: March 13, 2014

REPORT PREPARED BY: Jill Thacher, Historic Preservation Coordinator

REVIEW COMMITTEE DATE: Monday, March 10, 2014

OWNER APPLICANT

Name: H2O Properties, LLC J. Bradley Moore & Associates Architects

Address: 208 E Washington St 4844 Jackson Rd #150

Ann Arbor, MI 48104 Ann Arbor, MI 48103

Phone: (734) 276-6256 (734) 930-1500

BACKGROUND: These two vacant lots sit between 1 ½ and 2 ½ story frame single-family houses. All City Directories and Sanborn Fire Insurance Maps show the lots as vacant.

LOCATION: The site is located on the


APPLICATION: The applicant seeks HDC approval to construct a new, 2-1/2 story duplex with two attached garages.

APPLICABLE REGULATIONS

From the Secretary of the Interior's Standards for Rehabilitation:

- (9) New additions, exterior alterations, or related new construction shall not destroy historic
 - materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.
- (10) New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired.

From the Secretary of the Interior's Guidelines for Rehabilitating Historic



Buildings (other SOI Guidelines may also apply):

District/Neighborhood

<u>Not Recommended:</u> Introducing new construction into historic districts that is visually incompatible or that destroys historic relationships within the district or neighborhood.

From the Ann Arbor Historic District Design Guidelines (other Guidelines may apply):

New Residential Construction

<u>Appropriate:</u> Maintaining the existing spacing of front and side yard setbacks along a block as seen from the street.

Orienting the front of a house towards the street and clearly identifying the front door.

Designing a new front façade that is similar in scale and proportion to surrounding buildings that contribute to the overall character of the historic district.

Designing the spacing, placement, scale, orientation, proportion, pattern and size of window and door openings in new buildings to be compatible with surrounding historic buildings.

Selecting materials and finishes that are compatible with historic materials and finishes found in surrounding buildings that contribute to their historic character.

Placing utility connections at the rear or other locations that minimize visibility from the street.

<u>Not Appropriate:</u> Paving a high percentage of a front yard area or otherwise disrupting the landscape pattern within front yard setbacks

Placing a structure outside of the existing pattern of front yard setbacks along a historic residential block

STAFF FINDINGS

- 1. The building reflects the scale and massing of the adjacent properties, and modern materials (cementitious siding, clad windows, fiberglass columns, and Azek railings) are compatible with the historic materials used on some adjacent buildings. Each unit's gable front and full-width front porch is appropriate for the neighborhood setting. The front setback is averaged (per zoning requirements) and therefore aligned with neighboring houses. The side setbacks are similar to adjacent structures.
- 2. Window patterns and styles are appropriate and complimentary. It is not indicated whether muntins will be applied, between the glass, or snapped onto the inside.
- 3. The rear of the house extends into the hill. The garages extend quite far into the backyard, but will be invisible from the house to the west (uphill) because they'll be below grade. The structure does meet zoning requirements. Though the backyard is not huge, each until will have a patio at grade (above the garages) and another one floor up.
- 4. There are a number of retaining walls necessary. These are proposed to be stone.
- 5. The lots will be required to be combined before permits may be issued.

6. It is staff's opinion that the proposed house is generally compatible in exterior design, arrangement, texture, material and relationship to the surrounding neighborhood and meets *The Secretary of the Interior's Standards for Rehabilitation* and *Guidelines*, and the *Ann Arbor Historic District Design Guidelines* for new residential construction.

POSSIBLE MOTIONS: (Note that the motion supports staff findings and is only a suggestion. The Review Committee, consisting of staff and at least two Commissioners, will meet with the applicant on site and then make a recommendation at the meeting.)

I move that the Commission issue a certificate of appropriateness for the application at 335 and 355 Koch Street, a contributing property in the Old West Side Historic District, to permit the construction of a 2-1/2 story duplex with two attached garages, as proposed. The work is compatible in exterior design, arrangement, texture, material and relationship to the surrounding resources and meets *The Secretary of the Interior's Standards for Rehabilitation* and *Guidelines for Rehabilitating Historic Buildings*, in particular standards 9 and 10, and the *Ann Arbor Historic District Design Guidelines*, particularly as they pertain to new residential construction.

MOTION WORKSHEET:

I move that the Commission issue a Certificate of Appropriateness for the work at <u>335 and 355 Koch Street</u> in the <u>Old West Side</u> Historic District

Provided the following condition(S) is (ARE) met: 1) STATE CONDITION(s)

The work is generally compatible with the size, scale, massing, and materials and meets the Secretary of the Interior's Standards for Rehabilitation, standard(S) number(S) (circle all that apply): 1, 2, 3, 4, 5, 6, 7, 8, 9, 10

ATTACHMENTS: application, photos, drawings.



City of Ann Arbor PLANNING & DEVELOPMENT SERVICES — PLANNING SERVICES

301 E. Huron Street | P.O. Box 8647 | Ann Arbor, Michigan 48107-8647 p. 734.794.6265 | f. 734.994.8312 | planning@a2gov.org

ANN ARBOR HISTORIC DISTRICT COMMISSION APPLICATION

Section 1: Property Being Reviewed and Ownership Information	
Address of Property: 335 \$355 Koch	
Historic District: OLD WEST COIDE	
Name of Property Owner (If different than the applicant):	
HZO PROPERTIES LLC	
Address of Property Owner: 208 E WasHINGTON, AWN ARBOR TOLI	
Daytime Phone and E-mail of Property Owner: 734-716-6256 HELEWEHQUENHOMESILC	
Signature of Property Owner:	
Section 2: Applicant Information	
Name of Applicant: - PRADLET HOOR & ARCHITETS INC	
Address of Applicant: 4044 LACKSON PD #150 ANN ARROR 48103	
Daytime Phone: (734)920 1500 Fax:(734)994 1570	
E-mail: PAZADE - PAZADE EMONE, COM	
Applicant's Relationship to Property:ownerX_architectcontactorother	
Signature of applicant:	
10	
Section 3: Building Use Check all that apply)	
Residential Single Family Multiple Family Rental X DUPLEX	
Commercial Institutional	
Section 4: Stille-DeRossett-Hale Single State Construction Code Act (This item MUST BE INITIALED for your application to be PROCESSED)	
Public Act 169, Michigan's Local Historic Districts Act, was amended April 2004 to include the following language: "the applicant has certified in the application that the property where the work will be undertaken has, or will have before the proposed completion date, a a fire alarm or smoke alarm complying with the requirements of the Stille-DeRossett-Hale Single State Construction Code Act, 1972 PA 230, MCL 125.1501 to 125.1531."	
Please initial here:	

Section 5: Description of Proposed Changes (attach additional sheets as necessary)		
Provide a brief summary of proposed changes.	ER ATTACHED	
Provide a description of existing conditions.	DE ATTACHED	
3. What are the reasons for the proposed changes?	COE ATTACHED	
4. Attach any additional information that will further explain or clarify the proposal, and indicate these attachments here. ATACHES		
5. Attach photographs of the existing property, including at least one general photo and detailed photos of proposed work area.		
STAFF USE ONLY		
Date Submitted:		
Project No.: HDC		
Pre-filing Staff Reviewer & Date:		
Application Filing Date:		
Staff signature:	LIDC NTD Staff COA	
Comments:		

Project Memorandum

To: The Ann Arbor Historic District Commission Date: February 21, 2014

301 East Huron St., Ann Arbor, MI 48104

•

Project: New duplex for combined vacant lots 335 & 355 Koch Ave.

Re: Application for Determination of Appropriateness

Section 5: Description of Proposed Changes

1. Provide a brief Summary of Proposed Changes:

A new duplex would be constructed on existing adjacent vacant lots located at 335 & 355 Koch Street (the existing two lots would be combined into one lot)

2. Provide a description of existing conditions:

The Eastern of the two lots (335 Koch) has and existing concrete block, two car, garage that would be demolished. The Western of the two lots (355 Koch) is currently vacant. Both lots slope from a low point at the NE corner up 35 feet to the SW corner steeply.

The neighborhood is Zoned R4B and it backs up to the Knob Hill apartments. There is a 10-12 foot tall concrete retaining wall at the SE corner of the rear of the combined site that sits on the Knob Hill property. There is also a 3 story multi-family apartment building on the other side of Koch.

3. Reason for proposed Changes:

The Owner of the two lots would like to construct a new duplex home on the combined lot rather than build two single family homes (one on each lot) as this would minimize the number of curb cuts on a very steep section on Koch (the proposed duplex will use the existing curb-cut at the NE corner of the site), is more practical given the difficulties of building on such a steeply

sloped lot and will result in greater side setbacks on the east and west (adjacent to two existing neighboring single family homes).

4. Attached additional information that will further explain or clarify the proposal:

The proposed duplex has been designed to incorporate elements common to single family and duplex homes in the Old West Side Historic District. These include; raised, covered, front porches, street facing gabled roof forms, horizontal lapped siding, double hung windows and masonry/stone foundations on the street facade.

The two story with attic form is also in keeping with many homes common to the neighborhood and district. The structure has been design to present at the street as two separate but linked homes. The gabled fronts of the units have widths (22 feet) common to the building modules of many homes in the neighborhood and the street.

The new exterior cladding for the proposed duplex is to be horizontal lapped siding equal to Hardie Board. The building will have Hardie Trim boards around the sided field of the exterior walls and around the windows. The windows will be double hung as well as hopper/and or casement types as and where indicated. They will be wood windows with vinyl or aluminum clad exteriors equal to Andesen or Eagle (with integral storm windows and low-e glazing) and be white in color. The grill pattern in the new windows will be different in each dwelling unit of the duplex.

See attached drawings

The proposed duplex has been designed to be in keeping/compliance with the Secretary of the Interiors Standards as well as the city design guidelines.

From the Secretary of the Interior's Standards for Rehabilitation:

(9) New additions, exterior alterations, or related new construction shall not destroy historic materials that characterize the property. The new work shall be differentiated from the old and shall be compatible with the massing, size, scale, and architectural features to protect the historic integrity of the property and its environment.


(10) New additions and adjacent or related new construction shall be undertaken in such a manner that if removed in the future, the essential form and integrity of the historic property and its environment would be unimpaired



Front (north) elevation of 335 Koch. Existing 2 car garage to be demolished (317 Koch to the let)



Looking uphill (SW) at the front of 355 Koch toward neighboring 2 story home at 375 Koch





4844 Jackson Road #150 • Ann Arbor, MI 48103 • (734) 930-1500

335 - 355 KOCH AVE.

SITE PLAN


JBMA Project No.

214060

©2014

03.05.14

SP1.1





4844 Jackson Road #150 • Ann Arbor, MI 48103 • (734) 930-1500

335 - 355 KOCH AVE. Ann Arbor, MI


CONTEXT PLAN

JBMA Project No.

©2014

03.05.14

214060 | SP1.2



J BRADLEY MOORE & ASSOCIATES

4844 Jackson Road #150 • Ann Arbor, MI 48103 • (734) 930-1500

335 - 355 KOCH AVE.

Ann Arbor, MI

BASEMENT FLOOR PLAN


JBMA Project No.


214060

©2014

03.05.14

A1.0









335 - 355 KOCH AVE.

Ann Arbor, MI

SECOND FLOOR PLAN

JBMA Project No.

214060

©2014

03.05.14

A1.2







EAST ELEVATION

JBMA Project No.
214060
©2014

03.05.14 **A2.2**








EAST ELEVATION

JBMA Project No.
214060
©2014

03.05.14 **A2.2**







SOUTH ELEVATION


JBMA Project No.

214060

©2014

03.05.14

A2.3



Ann Arbor, MI

WEST ELEVATION

BRADLEY MOORE

& ASSOCIATES

4844 Jackson Road #150 • Ann Arbor, MI 48103 • (734) 930-1500

JBMA Project No.

©2014

214060

03.05.14





STREET SCAPE


JBMA Project No.

214060

©2014

03.05.14

A2.5





Railing Detail

JBMA Project No.

214060

©2014

03.05.14

A4.1



Retaining wall & Knob Hill apartments to the south



Apartment across Koch (north side)