Zoning Board of Appeals June 23, 2021 Regular Meeting

STAFF REPORT

Subject: ZBA21-020, 216 Beakes Street

Summary:

EDB Enterprises, INC., property owner, is requesting a variance from Section 5.26.2(C) Fences, in order to install a fence four feet tall and less than 50% opaque at the intersection of Beakes and North Fifth Street. Fences within 25 feet of intersections in residential districts must not exceed 30 inches in height. The property is zoned R4C, Multiple-Family Dwelling District.

Background:

The subject property accommodates a children's daycare center located at the southwest intersection of Beakes Street and North Fifth Avenue.

Description:

The applicants are seeking to replace an existing fence with the same design, height, location and color as the existing fence. The existing fence is four feet tall and approximately 20% opaque.

Section 5.26.2 (C) states: All Fences located within 25 feet of the intersection of two or more street Lot Lines where the minimum Required Front Setback of the zoning district in which the Lot is located is greater than none shall not be higher than 30 inches above the sidewalk Grade.

Standards for Approval- Variance

The Zoning Board of Appeals has all the power granted by State law and by Section 5:99, Application of the Variance Power from the City of Ann Arbor Zoning Ordinance. The following criteria shall apply:

(a). That the alleged hardships or practical difficulties, or both, are exceptional and peculiar to the property of the person requesting the variance and result from conditions which do not exist generally throughout the City.

The business is located at a street intersection where the sidewalk is over 30 feet In width. This enlarged sidewalk right of way provides a much larger barrier from t the street than the other corner lots at the subject intersection.

(b). That the alleged hardships or practical difficulties, or both, which will result from a failure to grant the variance, include substantially more than mere inconvenience, inability to attain a higher financial return, or both.

Zoning Board of Appeals Variance Request June 23, 2021 - Page 2

The fence is required to protect the children's play area and a failure to grant the variance will result in a 30-inch fence that will not provide adequate protection. The applicants state that due to the property layout another location is not possible.

(c). That allowing the variance will result in substantial justice being done, considering the public benefits intended to be secured by this Chapter, the individual hardships that will be suffered by a failure of the Board to grant a variance, and the rights of others whose property would be affected by the allowance of the variance.

The variance will benefit the property owner, clients of the business, the public and all who benefit from the services provided.

(d). That the conditions and circumstances on which the variance request is based shall not be a self- imposed hardship or practical difficulty.

The applicant states that due to the property location, street intersection and the sidewalk installation the practical difficulties are not self-imposed.


(e). A variance approved shall be the minimum variance that will make possible a reasonable use of the land or structure


The 18- inch height variance request is the minimum variance necessary in order to make reasonable use of the land and structure.

Respectfully submitted,

Jon Barrett

Zoning Coordinator, CZO





Terms of use: www.a2gov.org/terms





ZONING BOARD OF APPEALS APPLICATION

City of Ann Arbor Planning Services

City Hall: 301 E Huron Street Ann Arbor, MI 48107-8647

Phone: 734-794-6265 Fax: 734-794-8460 Email: planning@a2gov.org

PROPERTY INFORMATI	ON						
ADDRESS OF PROPERTY					ZIP CODE		
216 Beakes St. Ann Arbor MI				48104			
ZONING CLASSIFICATION	NAME OF PROPERTY OWNER*If different than applicant, a letter of authorization from the property						
Commercial Personal	owner must be provided EDB ENTERPRISES, INC						
PARCEL NUMBER	OWNER EMAIL ADDRESS						
09-90-00-032-000 rbk51		rbk5172	5172@gmail.com				
APPLICANT INFORMAT	ION						
NAME							
EDB ENTERPRISES, INC					1000		
ADDRESS			CITY		STATE	ZIP CODE	
5350 PARK RD			Ann Arbor	Ann Arbor MI 48103			
EMAIL				PHONE	19.00	1	
rbk5172@gmail.com				734-223-687	3		
APPLICANT'S RELATIONSHIP TO P	PROPERTY				and the same		
OWNER					400	-	
REQUEST INFORMATION	ON						
☑ VARIANCE REQUEST	Al		REQUEST T	O ALTER A NON	CONFOR	MING STRUCTURE	
Complete Section 1 of this appli	ication	La Participation	The state of the s	tion 2 of this ap			
REQUIRED MATERIALS				OFFICE USE ONLY			
One hard copy application com			t Fee Paid	Fee Paid: ZBA: 2BA21-020			
be submitted. Digital copies of s					DATE STAMP		
submitted hard copy will only be accepted in PDF format by email or accompanying the hard copy application on a USB flash drive. Required Attachments:							
			147				
☐ Boundary Survey of the property including all existing and proposed			ia ia				
structures, dimensions of property, and area of property.							
☐ Building floor plans showing interior rooms, including dimensions.			ha				
☐ Photographs of the property and any existing buildings involved in the request.			ne				
ACKNOWLEDGEMENT							
All information and material	s submitted with this appli	ication a	re true and	l correct.			
Dormiccion is greated to City	of Ann Arbor Diamina Car	nuices s-	d marshar	fab ·	4 A	10 a a	
Permission is granted to City of Ann Arbor Planning Services and members of the Zoning Board of Appeals to access the subject property for the purpose of reviewing the variance request.							
Property Owner Signature Date: 4/19/21							

Section 1 City of Ann Arbor Planning Services – Zoning Board of Appeals Application

VARIANCE REQUEST	
ARTICLE(S) AND SECTION(S) FROM WHICH A VARIANCE IS RE	QUESTED: (Example: Article 3, Section 5.26)
Fence Guidelines	
REQUIRED DIMENSION: (Example: 40' front setback) Feet: 25 Inches:	PROPOSED DIMENSION: (Example: 32 foot 8 inch front setbal Feet: 0 Inches:
DESCRIPTION OF PROPOSED WORK AND REASON FOR VARIA	NCE:
We are seeking to replace an existing fence. The	now fonce will be of the same design, height
color, and location as the existing fence. The curr	rent regulations require that on corner lots, the fire
25' of fencing must not exceed 30" in height. The	fence is located at a children's center, and needs
to remain at the current 48" height for safety reas	ons.
The City of Ann Arbor Zoning Board of Appeals has the 55, Section 5:29. A variance may be granted by the Zodifficulties or unnecessary hardships when all of the provide a complete response to each of the statement	oning Board of Appeals only in cases involving praction following statements are found to be true. Please
The alleged practical difficulties are exceptional and peculia result from conditions that do not exist generally throughout	
The property exists at a street corner where the si larger distance from the street corner than other c	idewalk is over 30' in width. This creates a much orner lots. (see attached image)
The alleged practical difficulties that will result from a failure mere inconvenience, inability to attain a higher financial returns fence is required to protect the children's play in a fence that is not high enough to protect the play	urn, or both. area. Failure to grant the variance would result ay area. Due to the layout of the property,
installing the fence in another location is not possible	ole.
Allowing the variance will result in substantial justice being d secured by this chapter, the practical difficulties that will be state rights of others whose property would be affected by the This would be beneficial to the public, property owr provided.	suffered by a failure of the Board to grant a variance, and a allowance of the variance.
	and the second s
he conditions and circumstances on which the variance requ	nest is based shall not be a self-imposed practical difficulty.
Due to the layout of the property and sidewalks, this	s is not a self imposed difficulty.
variance approved shall be the minimum variance that will n	make possible a reasonable use of the land or structure.
Ve will install the fence at the minimum variance that and and structure.	at will make possible the reasonable use of the

Page 2 V5 1-8-2020

Section 2 City of Ann Arbor Planning Services – Zoning Board of Appeals Application

REQUEST TO ALTER A NONCONFORMING STRUCTURE

For the purposes of Article VI: Nonconformities Section 5.32.2 Nonconforming Structure, **alteration** is defined as any change in a Building that results in additional Floor Area being fit for occupancy, a greater number of dwelling or rooming units or an increase in the exterior dimensions of the Building.

A nonconforming structure may be maintained or restored, but permission to alter a nonconforming structure will only be approved by the Zoning Board of Appeals upon finding that it complies as nearly as practicable with the requirements of this Chapter and that it will not have a detrimental effect on neighboring property.

In the space below, describe the current use of the property, the proposed alteration, and the impact it would have on neighboring property.


The property is currently used as a children's center. There is an existing fence in the proposed location that is in need of replacement. We are seeking to replace it with a new fence. It will be installed in the same location as the existing fence. It will be of the same height, opacity, color, and design as the existing fence.

There are several reasons we think it would reasonable to approve this variance:

- -This fence is intended to protect the children's play area.
- -There has been a fence in this location for multiple decades.
- The width of the sidewalk (30'+) creates a natural setback from the street corner.
- This corner lot is located at the intersection of two one-way streets, therefor this fence should not impede traffic flow.
- -This fence has a very low opacity (approx 20%) with 3/4" wide pickets and 3 3/4" spacing between each picket.

Please complete the table below as it relates to your request

Requirement	Existing Condition	Code Requirement			
Lot Area					
Lot Width					
Floor Area Ratio					
Setbacks	99	The state of the s			
Parking	See Tribles				
Landscaping					
Other	30" maximum height within first 25' from corner. We are requesting				
	height in that location	. 9			



OBEI,SS. HAL DETAJA JB NO. M-11187

YT: GREAT LAKES FEDERAL SAVINGS


7029. Shelly 994-4000

INL SECOND BAPTIST CHURCH

MORTGAGE REPORT LOTS 91 AND 92 SSESSORS PLAT Nº 29

ATWELL-HICKS, INC. ANN ARBOR

Printer of the Printe DR. CPM SCALE: 1 INCH = 20 FEET



LOTS 91 AND 92 ASSESSOR'S PLAT NO. 29, BEING A REPLAT OF BLOCKS 3 AND 4 NORTH, RANGES 4, 5, AND 6 EAST ON THE PLAT OF THE VILLAGE OF ANN ARBOR, CITY OF ANN ARBOR, WASHTENAW COUNTY, MICHIGAN, RECORDED IN LIBER 9 OF PLATS, PAGE 20 OF WASHTENAW COUNTY RECORDS. TOGETHER WITH AND SUBJECT TO AN 8 FOOT RIGHT-OF-WAY FOR DRIVEWAY PURPOSES, BEING THE SOUTH 4 FEET OF SAID LOT 91, ALONG WITH THE NORTH 4 FEET OF LOT 90 ASSESSOR'S PLAT NO. 29.

I HEREBY CERTIFY THAT I HAVE SURVEYED AND MAPPED THE LAND ABOVE ON MAY 6, 2021 AND THAT THE RATIO OF CLOSURE ON THE UNADJUSTED FIELD OBSERVATIONS OF SUCH SURVEY WAS 1/15000, AND THAT ALL OF THE REQUIREMENTS OF P.A. 132, 1970, AS AMENDED HAVE BEEN COMPLIED WITH.

AMERICAN LANDMARK SURVEY P.L.C.

SURVEY OF LOTS 91 AND 92 ASSESSOR'S PLAT NO. 29, CITY OF ANN ARBOR, WASHTENAW COUNTY, MICHIGAN.

CLIENT: ROBERT KENNEDY

DATE: 5/19/2021

DRAWN BY: GFD


SCALE: 1"= 20'

SHEET 1 OF 1

JOB# 21129


GERALD F. DESLOOVER
PROFESSIONAL SURVEYOR
NO. 45166
P.O. BOX 130043
ANN ARBOR, MI 48113
734-677-7000






LOTS OF AND 92 ASSISAORS PLATING, 29 BERGEA REPLATION BLOCKS 3 AND 4 NORTH BANGER 4.5.
AND 6 HAST ON THE BLAF OF THE VILL ALS OF ANH ABORLETY OF ANN ABBUTE VASHTENAL COURTY, NICHULAN, RECORDS FROM 10 HIS LOS OF THATS, PAGE 10 OF WASHEEN AND ALDED BY RECORDS TO BE WAY FOR DRIVE WASHEEN AND SELECT FO AN \$100T RESHIT OF WAY FOR DRIVE WAY PURBOCHS, BEING THAT SOUTH FEET OF LOTELASSIONS PLATING 29.

FREREY CERTIFY THAT AND JAME ATRAGED AND MARPED FIELD AND ANDVE ON MAY 6, 1921 AND AND THE RATIO OF CLOSURE ON THE UNABBLES BD FIELD OBSERVATIONS OF SUCH STRAYS WAS IN 5000, AND THAT ALL OF THE REQUIRED HATS OF FIA 132, 1970, AS AMENDED FACE SHEW COMELED WHILE.






= existing location of old fence, and proposed location of new fence

*both Beakes and N 5th are one way streets

Exterior Elevations of Element I



Photograph Taken by Wendy Chapman on September 26, 2005



Photograph Taken by Wendy Chapman on September 26, 2005

