

QUOTATION

Wheeled Coach Stock

Wheeled Coach Stock Abel Del Rio DAR

 Rev. Date:
 11/10/2023

 Quote No:
 REV-6

 Job/Order No:
 669700

 11/10/2023 14:43:27

02-01-2122

02-01-3122

MD, Interior Headroom, 72 Inches

Cutaway 170" L x 95" W

MD, Module, Type 3. 170" Body Length, Duraseam Doors,

REF. NO PART NO S **DESCRIPTION** QTY ID == WC-Wheeled Coach Boilerplate - 1.007 05/27/21 == REV ORDER COORDINATOR **REV** 00-00-0018 Order Coordinator - Daphne Ayala Rivera (X-376) BID INFORMATI **REV** 1 **INFORMATION** REV State Contract 00-01-4005 1 REV WARRANTY **REV** WC, Warranty, Conversion, 12 Month 00-02-8710 **REV** 0589998-14 1 WC, Warranty, Paint, 60 month Prorated, Standard 00-02-8720 1 **REV** 0599997-14 WC, Warranty, Structural, 20 Years, Std., Mods 00-02-8730 1 REV 0589996-18 WC, Warranty, Limited Electrical 0589993-14 00-02-8740 **REV** 1 00-02-8750 WC, Warranty, Cabinet Construction **REV** ZZ100701-14 == WC-Type 3 165-170 Module - 1.007 05/27/21 == **REV CERTIFICATIONS REQUIRED REV** This unit built in accordance with KKK-A-1822-F in effect on 00-05-0050 **REV** The date of order with exceptions as noted herein. 00-05-0100 MD, This unit built in accordance with KKK-A-1822F CN 10 Cabinet **REV** Requirements All cabinets shall be labeled as to their capacity Rating. 01- CHASSIS REQUIREMENTS **REV GM CHASSIS REV** WC, 2023 Chevrolet, G4500, 6.6L Gas Cutaway, 159" WB 2023-1 01-01-1211 **REV** 10797890 Auto throttle OEM Alternators OEM Rear Sway Bar OEM **ALTERNATORS REV** 01-03-1181 MD, Alternator, Chevrolet G3500,4500, Nations 270 Amp-Required **REV** 1K-40-3525 1 SUSPENSION **REV** MD, Front Suspension Upgrade, Timbren, GMFK15WCA, G4500 01-07-1605 **REV** 1F-30-1600 Rear Suspension, OEM Springs 01-07-3001 1 REV **HIGH IDLE REV** MD, High Idle Controls, Chevrolet, T1 & T3 01-13-1655 **REV** 1P-50-4600 - To automatically activate when park brake is set and Master Switch is ON. MD, High Idle Controls, OEM Switch in Steering Wheel, Chevrolet Cutaway 9980003 01-13-1673 **REV** FRONT END ALIGNMENT **REV** Front End Alignment, None- QC Check -Standard 01-17-7501 **REV OUTSIDE REAR VIEW MIRRORS REV** 01-20-0104 Mirrors, OEM-STD **REV** WHEEL COVERS **REV** MD, Wheel Covers, Phoenix, Chevrolet Cut-Away, Installed 01-24-2107 **REV** X5-10-3401 - With Air Max Valve Extenders, STD **BASE CONVERSION REV** 01-45-0335 S MD, Conversion, Type III, 170 Module, Chevrolet - 23-1 **REV** 10480074 **CAB EXTENSION REV** MD, 10" Cab Extension 02-01-2015 **REV** 0650010 **MODULE BODIES: REV**

REV

REV

1

1

35-10-0971

WO#: 669700

11/10/2023 14:43	3:27 WO#: 669700	OTV	10	Page 2
PART NO S 02-01-3152	DESCRIPTION MD, Body Width 95" Standard	QTY 1	ID REV	REF. NO
02-01-3152	MD, Aisle Space, 50", Type 3	1	REV	35-10-0066
02-01-3303	(49-50" actual)		I VL V	33-10-0000
	(10 00 00000)			
	STRUCTURAL FRAMING - RFP		REV	
03-01-1505	MD, Type 3, General Body Construction Spec	1	REV	35-05-0122
03-01-1507	MD, Type 3, Vehicle Body Structure Spec	1	REV	35-05-0123
	UNDERCOATING EXTERIOR MODULE CONSTRUCTION		REV REV	
03-03-1042	MD, Stone Guard, Front, Diamond Plate, Type 3, Standard Height	1	REV	4U-11-2040
00-00-10-2	FUEL FILLS & SPLASH PLATE		REV	40-11-20-0
03-03-8033	MD, Housing Fuel Fill, Cast Aluminum, Type III	1	REV	1000774
03-03-8335	MD, Fuel Fill Splash Plate, Stainless, 10in Wide	1	REV	10169532
	- Installed below fuel fill full perimeter to bottom of skirt rail to protect body- attach t	o body	/	
	using double sided tape - NO SCREWS			
	DEAD WOVDLATE			
03-03-9066	REAR KICKPLATE WC, Rear Kick plate,Under-Ride Bumper, w/ Tag recess, No lights	1	REV REV	10524083
03-03-9000	SUB-FLOOR SYSTEM	Į.	REV	10024000
03-04-0165	MD, Flooring, 3/4" Marine Grade Plywood, Type 3/7/9	1		RZ-99-0025
00 01 0100	MODULE ENTRANCE		REV	1 12 00 0020
03-05-0200	MD, Module Access, CS Door standard location	1	REV	
	MODULE DOORS, HANDLES & HOLD OPENS		REV	
03-06-0115	WC, Duraseam Hinged Doors with Hidden Jambs	1	REV	37-00-0710
	- Magnetic door switches, STD			
00 00 0740	MD Hold Ones Been Fotos Deese (2) F FII Coat Orother		DE\/	10 10 1011
03-06-0713	MD, Hold Open Rear Entry Doors, (2) 5.5" Cast Grabber	1	REV	40-10-1611
	- Installed so doors will open as wide as possible - Mount at BOTTOM OF DOORS			
	- Would at BOTTOW OF BOOKS			
03-06-0817	MD, Hold Open - Gas Strut, Curb Side Entry Door, 35#	1	REV	40-10-7750
	New Code Per ECN 1823			
02.06.4027	WC Patient Entry Dear Handles Trimerk Plack/Chrome Pull Handle	1	DEV	311 30 9000
03-06-1027	WC, Patient Entry Door Handles, Trimark Black/Chrome Pull Handle w/"SafePass"	1	REV	3U-30-8000
	- With Round Push button Emergency release TOP and BOTTOM of interior	door		
	panels.	dooi		
	pariolo.			
03-06-1047	WC, Rear Entry Door Trailing Latch, Side release Paddle	1	REV	3U-40-0514
03-06-4201	MD, Electrical Feed to Required Doors, Spring Protector (per Door)	9	REV	10158002
	POWER DOOR LOCKS		REV	
03-06-6120	WC, Power Door Lock, Trimark, Each Entry Door	2	REV	3U-60-1390
	- Module entry doors.			
03-06-6121	WC, Power Door Lock, Trimark, Each Compartment Door	7	REV	3U-60-1400
	- All module compartments(except battery comp) .			
	(unless other specified)			
02.06.6400	MD Switch Momentary Pocker Activate Power Poer Leaks	4	DEV.	1010004
03-06-6130	MD, Switch, Momentary Rocker, Activate Power Door Locks - Installed on C/S wall at head of S/B.	1	REV	1819981
	(unless otherwise specified)			
	(unicas outerwise specifica)			
03-06-6134	MD, Switch, Remote Stealth, Cab/Mod Doors	1	REV	1800026
	- In grille on passenger's side.			
03-06-6137	MD, Relay Control Circuit, Power Door Locks	1	REV	1800027
03-06-6140	MD, Circuit, OEM Door Lock to activate Mod Doors	1	REV	1809918
03-06-7335	WC, Entry Door Panels, Durasafe, S/S,w/ Chevrons & Red Reflective LOGO	1	REV REV	10771191
00-00-7000	- Durasafe Design	I	IV⊏ A	10111191
	- Aluminum Center Panels covered: white/red reflective tape			
	- Logo to be cut in the lower entry door panel with a RED reflective 3M mater	ial (to		
	match the chevron on the lock box) attached to an aluminum panel behind the logo			
	,			
	SIDE DOOR STEP		REV	

11/10/2023 14:4				Page 3
PART NO S	DESCRIPTION	QTY	ID	REF. NO
03-08-2111	MD, Side Entry Step Well, Type III, Aluminum Diamond Plate	1	REV	14600100C
03-08-3056	MD, Light, Side Entry Step well, LED, Whelen #TOCACCCR, 2" WINDOWS	1	REV REV	JP-10-7015
03-09-4109	MD, Window, Upper, CS/Slider, Rr/Fixed, Privacy Tint, PAN	1	REV	3P-10-5201
00-03-4103	MODULE TO CHASSIS MOUNTING SYSTEM		REV	01 -10-0201
03-10-1211	MD, Module to chassis mounting system, Type III	1	REV	
00 .0 .2	REAR BUMPER AND REAR STEP CONSTRUCTION	-	REV	
03-12-2507	MD, Rear Bumper w/ Skids & Flip Up, C3, w/LED DOT lights	1	REV	4F-10-9502
	- W/ Gator Grip on flip up step, STD			
	- Lights in side of bumper pod Steady Burn with lights on			
03-12-2550	MD, Coating, Polyurethane, Rear Bumper Supports	1	REV	3F-70-0525
	Black			
	INSULATION		REV	
03-13-3018	MD, Insulation, Spray Foam, Walls, Ceiling, Floor and Inside Entry & Comp Doors	1	REV	10865605
03-13-3016	wid, insulation, Spray roam, wails, Celling, root and inside Entry & Comp Doors	ı	KEV	10000000
	Spray foam under the module shall be protected by rubberized undercoating.			
	This shall be done at 24/7			
	This shall be done at 24/1			
	RUB RAIL AND FENDER RINGS		REV	
03-15-6650	WC, Rub Rails, Skirt Line, Extruded "C" channel (E-one Style)	1	REV	10422089
03-15-6720	WC, Tape, Reflective, White, For Extruded Skirt rails	1	REV	4U-10-9500
03-15-8356	MD, Fender Flare, Bright Finish Aluminum	1	REV	4A-10-3001
	SPLASH GUARDS AND RUNNING BOARDS	-	REV	
03-16-1721	WC, Mud Flaps, Rear, w/ Wheeled Coach Logo	1	REV	5A-10-1001
03-16-3623	MD, Running Boards, C3, w/Gator Grip	1	REV	4K-10-5611
	DRIP RAILS		REV	
03-17-1020	MD, Drip Rail Trim Moldings Over Door Openings	1	REV	12050100C
	CAB TO MODULE ACCESS		REV	
	CAB TO PATIENT AREA ACCESS		REV	
03-19-2329	MD, Bulkhead Cabinet, Type III Ford, 10" Cab Extension	1	REV	C971817
03-19-2365	MD, Door, Sliding, Bulkhead, w/Sliding Window	1	REV	2100178
	- With sliding Lexan window			
	LICENSE PLATE HOLDER		REV	
03-20-4053	WC, License Plate Holder, Cast LP0002-1 for Under ride Bumper	1	REV	10155382
	- In rear kick plate, centered			
	- License holder comes with (2) LED lights.			
	EXTERIOR COMPARTMENT CONSTRUCTION		DEV	
04-01-0502	MD, Exterior Compartment, Std, Floor 2.5" Drop Down from Door Opening, Each	4	REV REV	37-00-0500
04-01-0302	Compartments:	4	KEV	37-00-0300
	#2, #4, #6 and #6.5 are STD Drop Down Floor			
	#2, #4, #0 and #0.5 are 31b brop bown Floor			
04-01-0504	MD, Exterior Compartment, Sweep out, Each	3	REV	37-00-0600
	- Compartments:			
	#1, #1.5 and #8 are STD Sweep Out			
04-01-3017	MD, Door Sill Protector, Stainless, All Comps	1	REV	1100411
	Door Sill Protection -			
	-Install Stainless Steel sill protector on lower edge of all door frames to preven	t paint		
	damage			
	ND D I II O II	_		
04-01-5106	MD, Polyurethane Coating per compartment	6	REV	3F-70-0520
	-Light gray			
04 04 5440	MD Exterior Rattery Compartment Debuggethene Einich	4	DEV.	27.00.0470
04-01-5110	MD, Exterior Battery Compartment, Polyurethane Finish	1	REV	37-00-0470
04-02-0506	EXTERIOR COMPARTMENT DOORS WC, Compartment Comp Handle, Trimark, Oval Pull Handle, Black/Chrome	8	REV REV	3U-40-0510
04-02-0500	Compartment:	0	N⊏V	30 -4 0-0310
	1,1.5, 2,4,6,6.5,8,8.5			
	1, 1.0, 2, 4 ,0,0.0,0,0.0			
04-02-0514	WC, Compartment Door Latch, Edge Paddle, Trimark, Trailing Door	1	REV	3U-40-0514
0-7-02-00 1 4	- Interior edge style handle comps:	'	1 V = V	50- 1 0-051 1
	"#2"			
				
4				

11/10/2023 14:43		OTV	ID.	Page 4
PART NO S	DESCRIPTION COMPARTMENT DOOR HOLD OPEN	QTY	ID REV	REF. NO
04-02-7751	MD, Hold Open, Gas Strut, Ext Comp, 60lb For compartment - #4 hold open	1	REV	1100514
04-02-7753	MD, Hold Open Gas Strut, Ext Comp, 30lb Compartments: 1, 1.5, 2, 6.5	4	REV	1100512
04-02-7755	MD, Hold Open, Gas Strut, Comp Door Only, 110 Degree, 30lb Compartment 6	1	REV	40-10-7206
04-02-7757	MD, Hold Open, Gas Strut, RF Comp, 30lb - Right Front Compartment	1	REV	1100516
04-03-1479	COMPARTMENT LIGHTING MD, Oxygen Light, 3" Surface mount Whelen LED, Clear - Mounted in Oxygen Compartment: Wall #3	1	REV REV	04-03-1479
04-03-1486	MD, Compartment Lighting, LED Hi-Brite Flex, 160+ Module (new code)	1	REV	JR-50-2885
	both vertical edges near door jambs and across top edge near door jamb, compartments "1","1.5", "2", "4", "6", "6.5", & "8". Standard 3" R O2 light	ound		
04-06-0450 04-06-0478	COMPARTMENT #1 - STREETSIDE FWD MD, Compartment #1, 3/4 High WC, Compartment 1.5, above #1, Additional compartment	1 1	REV REV REV	37-F0-0101 10509550
	to be used for Electrical overflow items such as Suction pump, Inverter, Air compressors Etc.	horn		
04-07-2144 04-07-2634	COMPARTMENT #2 - STREETSIDE FWD WHEELWELL WC, Compartment #2, 50" Aisle, Standard Configuration MD, Compartment #2, Shelf, Adjustable, w/Alum Track, First Shelf COMPARTMENT #4 - STREETSIDE AFT	1 1	REV REV REV	39-E0-0105 1101606
04-09-3245 04-09-4550	MD, Compartment #4, 3/4 Height. MD, Compartment #4, Shelf, Adjustable, w/Aluminum Track, First Shelf - At bottom of cabinet "H" inside/outside access opening.	1 1	REV REV	1101604
04-11-1097 04-11-2090	COMPARTMENT #6 - CURBSIDE AFT MD, Compartment #6, Full Height MD, Compartment #6, First Divider, Vertical, 3/16" Thick, Recessed Adj Track - Vertical Shelf is to be Centered	1	REV REV REV	37-B2-0101 3F-10-1101
04-11-4530 04-11-4531 04-11-4652	MD, Compartment #6, Shelf, Adjustable, First shelf w/Aluminum Track MD, Compartment #6, Shelf, Additional for Alum Track, Each MD, Compartment #6, Equipment Strap, Seat Belt Style, Each - Nylon web strap w/ seat belt buckle and two (2) footman loops	1 1 1	REV REV REV	1101602 1101603 90100210C
	Divider to wall # 1 mid height			
04-11-4665	MD, Compartment #6, Recessed Door Panel, Diamond Plate,for Stair Chair Compartment: #6 Door Panel. Approximately 11.75" of floor near wall #3 to be raised approximately 2.5-3" (for 62 Chair)	1 52 Sta	REV r	1100233
04-11-4666	MD, Compartment #6, Wheel guide for stair chair - Wheel guide is attached to raised Floor for Stair Chair	1	REV	04-11-4666
04-12-0130	COMPARTMENT #6.5 - CURBSIDE AFT WHEELWELL WC, Compartment #6.5, Below Squad Bench Floor Level COMPARTMENT #8 - CURBSIDE UPPER FORWARD	1	REV REV REV	37-B1-0050

11/10/2023 14:4				Page 5
PART NO S 04-14-2150	DESCRIPTION MD, Compartment #8/8.5, Split doors, Type 3	QTY 1	ID REV	REF. NO 37-A0-0251
04-14-8010	MD, Compartment #8, Shelf, Adjustable, RF Cabinet, First shelf w/Aluminum	1	REV	1101600
	Track (1) RF Comp "8"/cabinet "U8" area, Centered.			
04-14-8015	MD, Compartment #8, Shelf, Adjustable, Additional, for Aluminum Track, Each RF Comp "8"/cabinet "L8" area, Centered.	1	REV	1101601
05-01-0105	INTERIOR TRIM AND FEATURES MD, Interior Cabinets, Duralite Construction, Wood, CN10 compliant - All cabinets shall be labeled with their Rated Weight Capacity.	1	REV REV	35-05-2000
05-02-0050	INTERIOR ADJUSTABLE SHELVES MD, Shelf, Interior, Wood , (1) adjustable, in Cabinet U4 U2.5 U2	4	REV REV	2101503
	L3.5			
05-02-0054	MD, Shelf Track, Cabinet, #HA24663, CN 10 Upgrade	4	REV	VU-14-4001
05-06-2860	HEADLINER WC, Headliner, Flat, PVC, Hinged trough cover, 160"+	1	REV REV	10495239
05-07-0120	FLOORING MD, Flooring, Lon Seal "Lonplate II "	1	REV REV	
00 07 0120	- With approximately 3" roll up both street side and curbside.		T \	
05-07-0122	MD, Color, Gunmetal Gray #424	1	REV	T0-11-8203
05-07-9897	MD, Floor, Thresholds, .063 Aluminum , Painted w/Black Poly-urea coating Entry Door Grab Handles	1	REV REV	10864419
05-10-1529	MD, Entry Door Grab Handles (3), Custom "L" Shape, 1", Yellow - Yellow Powder Coat Finish Stainless Steel Grab Handles	1	REV	N0-10-9703
05-10-1931	Ceiling Grab Rail - Center MD, Ceiling Grab Rail, Overhead,112", 1" diameter Handicap Style, Yellow - Yellow Powder Coat Finish	1	REV REV	10859373
05-11-0018	IV FLUID HANGERS MD, IV Hook, Austin, Recessed Dual IV Holder, Each	2	REV REV	10844807
	CS: between dome # 2 and #3 SS: between dome # 5 and #6			
05-13-3086 05-13-4324	MD, Cabinet, A/A, 50" Aisle, No Bio waste, Rounded corners MD, Tray, A/A, 50" Aisle, No Bio waste, Poured, Black **only for 50" aisle space units**	1	REV REV REV	VP-15-7005 10522604
05-13-4408	MD, AA Upper Cabinets, U2.5 Angled Area, U2, 3/4 H Comp #1	1	REV	VI-L0-0201
05-13-4510 05-13-4538	MD, Door, U2 Gray Poly carbonate Slider, CN 10 Compliant MD, Door, U2.5, OHO Right Hinged Gray Poly carbonate (CWRX) CN 10 Compli Interior Street side #3 - CPR Seat	1	REV REV REV	10411109 10411110
05-14-1532 05-14-1534	MD, CPR side seat, Fixed Backrest, 25" wide Std. MD, CPR, Lid, Hinged Flip Up - With Trimark Latch	1	REV REV	VH-Q0-0101 VH-Q0-0301
05-14-1559	MD, Cabinet U3 or U3.5, w/ CPR seat (ONLY Available in 72" HR) Note: TO meet 43" minimum KKK requirement for space between cushion on seat and bottom of splint cabinet.	1 Side	REV	VI-K2-0100
05-14-1587 05-14-4417	MD, Cabinet L3.5, full height, std MD, "U" Barrier Bar, Padded, 1.5" SS, CPR Seat, Black - Mounted at the front of the CPR side seat vertically in line with the Padded cushion on the upper AA cabinets.	1 1 head	REV REV	VH-O0-0100 10567200
05-14-4555	MD, Telemetry Tray, Poured, Black, Narrow, 50" Aisle, Type 3 **only for 50" aisle space units**	1	REV	10522312

11/10/2023 14:43				Page 6
PART NO S	DESCRIPTION	QTY	ID	REF. NO
05-14-4614	MD, Door, U3 Gray Lexan Flap Glass, CN 10 Compliant	1	REV	10168564
	Friction Hinge hold opens			
	Must use M1 latch on each door for CN 10 certification			
	Must use WT later on each door for CN To certification			
05-14-4650	MD, Doors, L3.5, Gray Poly carbonate Slider, CN 10 Compliant	1	REV	10411109
	STREETSIDE REAR AREA #4		REV	
05-15-5051	MD, Cabinet U4, Combined with U3.5	1	REV	VI-J0-0150
05-15-5112	MD, Cabinet C4, Inside/Outside Access	1	REV	VH-H0-0300
0E 1E 6110	CABINET DOORS MD, Doors, U4/U3.5 Combined, Gray Poly carbonate Slider - CN 10 Compliant	1	REV	10411100
05-15-6112 05-15-6127	MD, Doors, C4, Gray Poly carbonate Slider - CN 10 Compliant	1	REV REV	10411109 10411109
03-13-0121	SQUAD BENCH AREA		REV	10411109
05-16-0048	WC, Squad Bench, Bio-Waste @ Head	1	REV	V5-20-3801
05-16-0074	MD, Lid, Squad Bench, Single W/Bio-Waste	1	REV	149SBLD3
05-16-0080	MD, Handle, Trimark, CPR Seat, Std.	1	REV	2109701
05-16-0082	MD, Handle, Trimark, Squad Bench, STD	1	REV	V5-80-1005
05-16-0096	MD, Strut, Gas, 60 LB, Installed	1	REV	2119706
05-16-0220	MD, Seatbelt, Assy, (4 Point), Per4Max, Yellow, Vert. Mount, (1) Each, CN-8	3	REV	10767638
	(1) for CPR side			
	(0) for CD			
	(2) for SB			
05-16-0222	MD, Patient Restraint Belts, Squad Bench (3)	1	REV	10566610
05-16-1420	MD, Safety Net, Head of Squad Bench, 2" Straps, Yellow	1	REV	2350033
	attached to floor at head of squad bench, CS wall and overhead liner with remo	vable		
	latches.			
	DOLL TEL GUDDI IMENTAL DEGEDAINES		DE\/	
05 40 4004	ROLLTEK SUPPLIMENTAL RESTRAINTS	4	REV	05 40 4004
05-16-1801	MD, Attendant Seat Air Bag system Shall include the Head curtain airbag and the tubular air bag between the seat a	1 ad tha	REV	05-16-1801
	Action area and it's associated trim and bracketry.	iu iiie		
	Notion aroa and ito accordated timi and brackety.			
05-16-1802	MD, CPR Side Seat Air Bag System	1	REV	05-16-1802
	Shall include the Head curtain airbag and it's Cover trim			
05-16-1805	MD, Roll Sensor, 3 ouput max, with (2) Terminating Resisters	1	REV	05-16-1805
	Shall include the Head curtain airbag and it's Cover trim			
05-16-9909	MD, CS Splint, U7 & U7.5, 7in Deep, 2 Sect,Gray Lexan Flap glass	1	REV	CSS-153G
03-10-9909	Note: TO meet KKK requirement for space between		IXLV	000-1000
	cushion on squad bench and bottom of splint cabinet.			
	outsiller of equal perior and perior of opinic equility.			
	Gray Lexan Flap glass with Friction Hinge hold opens			
	Must use M1 latch on each door for CN 10 certification			
05 40 0045	WWW. Compaliance Programmer Overhood Cohimeter		ם ו	CADINETOV
05-16-9915	KKK Compliancy Regarding Overhead Cabinetry The inclusion of a cabinet over the squad bench or CPR seat on a unit with less	1	REV	CABINETRY
	72" headroom will result in the unit not meeting KKK specification requirements.	The		
	end user has been informed of the KKK requirements and this cabinet has been a			
	at the request of, and according to the specifications of, the end user.	ladoa		
	, , , , , , , , , , , , , , , , , , , ,			
	CURBSIDE REAR		REV	
05-16-9923	MD, Cabinet, Curbside Rear, Standard	1	REV	VF-20-3100
05-17-2508	MD, Cabinet, Glove Box Holder, (3), Above C/S door,	1	REV	TN-20-1001
	Must use M1 latches for KKK Change notice 10 compliance			
	CURBSIDE RIGHT STACK STORAGE #8		REV	
05-18-0035	MD, RF ALS, Split Upper/Lower, HVAC at Top	1	REV	10816231
05-18-5158	MD, Doors, RF, U8, Dual Gen III OHO, Poly carbonate Doors, Gray	1	REV	13010201
05-18-5354	MD, Doors, RF, L8, Dual Gen III OHO, Poly carbonate Doors, Gray	1	REV	
	ATTENDANT SEAT		REV	
05-19-6902	MD, Attendant's Seat, EVS 1880, Comfort, Hi-Back Child Safety w/Per4Max	1	REV	PACKAGE
05-19-6914	MD, Color, Black, Per4Max Belt, Yellow	1	REV	10788089
05-19-7215	MD, Attendant's Seat Base, EVS CBS Box Style	1	REV	10129266
	cabinet base, opening to face rear access door			

11/10/2023 14:43		OTV	10	Page 7
PART NO S	DESCRIPTION INTERIOR COLORS	QTY	ID REV	REF. NO
05-20-0030	MD, Mica, Dove Gray (Matte)	1	REV	69100685C
00 20 0000	UPHOLSTERY		REV	00.00000
05-20-5916	MD, Upholstery Color, Black	1	REV	68100190C
05-20-5962	WC, Backrest Cushion, EVS, Black, w/ WC Logo, Each	3	REV	10523065
05-21-5102	MD, Kick plate, 8" Brushed S/S, Face Of Squad Bench MD, Kick plate, 8" Brushed S/S, On Face of Base wall	1	REV	2410410
05-21-5108	CABINET LATCHES- INTERIOR	1	REV REV	2410412
05-21-8213	MD, Latch, Southco M1, 2" S/S, (3/4" door) Non-Locking, CN 10-Rated 10lb	3	REV	V0-14-2075
00 21 0210	(1)Sharps/Waste		1 1 2	10 11 2010
	(2)PC Board			
05-21-8219	MD, Latch, Southco M1, 2" S/S, (3/8" Door) Non-Locking, CN 10-Rated 10lb	5	REV	10168687
00 21 0210	(2)U7, U 7.5		1 1 2	10100001
	(1)U3			
	(2)glove box			
	OFNEDAL WIDING		DE\/	
06-01-0130	GENERAL WIRING MD, Electrical System: Printed Circuit board	1	REV REV	
06-01-0150	MD, Vanner, "E" Spec, PC Board, No LB	1	REV	H960124
00 01 0200	CAMERAS		REV	11000121
06-06-1272	MD, Camera System, Zorg - Ext Back-Up and Patient camera w/ 7.2" Monitor,	1	REV	06-06-1272
	G-Seri			
	REV-BP1 KIT CONTAINS			
	part number 2001 commercial camera w/ IR			
	assist 150-degree view			
	assist 100-acgree view			
	Sony CCD 700TVL high definition imager			
	150-degree viewing angle			
	18 IR LED for nighttime use			
	selectable park lines selectable reverse image			
	built-in microphone			
	18" cable with sealing grommet			
	noise reduction.			
	+ patient camera			
	+ Harness 11.50'			
	+ Harness 33' + 7" 3001 monitor to replace review mirror			
	17 3001 monitor to replace review militor			
00 00 5500	COMMUNICATION MD. Coay Cable, BC59/II, Fach Terminates		REV	4000400
06-06-5538	MD, Coax Cable, RG58/U, Each,Terminate: - From module roof port Dome #7 to behind	3	REV	1800100
	The passenger seat Standard - with 6' pigtails			
	- From module roof Dome #3 to behind passenger seat			
	STD- with 6' pigtails			
	- Dome# 6 to behind drivers seat with 6' pigtails			
	- Done# o to benind drivers seat with o pigtails			
06-07-6607	RADIO AND CLOCKS MD, Clock, Digital, Display Systems BSA-62425, 12/24 Hr.	1	REV REV	10153918
06-07-6607	IVID, Clock, Digital, Display Systems BSA-02425, 12/24 Fit.	Į.	KEV	10155916
	LOCATION:			
	Rear Coleman			
07-00-0610	MD, Light, in Circuit Board Area, for Electrical Troubleshooting	1	REV	JR-70-0005
.,	- With integral switch; wired Constant Hot.			

11/10/2023 14:43 PART NO S	3:27 WO#: 669700 DESCRIPTION	QTY	ID	Page 8 REF. NO
PARTINO 3	POWER SOURCES	QII	REV	KEF. NO
07-01-0152	MD, Buss Bar Assembly (+/-), 5 Position,	1	REV	1800019
	- For ground and HOT IATS, Inside Front auxiliary console, see 40 amp power sou	rce.		
07-01-1002	MD, Power Source, 12VDC, 20A, Ignition/Shoreline Hot	1	REV	6A-23-0910
07 01 1002	20amp 12 volt DC circuit ran to two locations,		112	07120 0010
	(1) Pre-wire coil and tagged in Action Area and			
	(1) Pre-wire coil and tagged behind Driver's Seat.			
07-01-1008	MD, Power Source, 12 VDC, 15 Amp (+-), Ignition Hot	1	REV	1800007
0. 0. 1000	- Ignition Hot Terminating in cab console		1 1 2	1000001
	- With 6 foot tails (Hot and Ground).			
07-01-1016	MD, Power Source, 12 VDC, 30 Amp (+-), Constant Hot	1	REV	1800011
07-01-1010	- Constant Hot, to Terminate behind the Passenger Seat	ı	KEV	1800011
	- With 6 foot tails (HOTand GROUND).			
07-01-1022	MD, Power Source, 12 VDC, 40 Amp (+-), Constant Hot	1	REV	1800014
07-01-1022	- Constant HOT Inside front auxiliary console.	I	KEV	1800014
	- To include GROUND, connect to buss bar in console.			
07-02-1155	MD, Alarm, Low Voltage, Audio/Visual	1	REV	D0-10-6500
07-02-1133	- Light in cab console and Buzzer in cab.	'	IXLV	D0-10-0300
	·			
07-02-1156	WC, Voltmeter, OEM, In Dash	1	REV	
07-04-8719	MD, Battery Sw, 5min Timer, C3, Fig 5B	1	REV REV	60-22-1020
07-04-0713	Activated thru OEM ignition switch timer function upon		I \L v	00-22-1020
	Ignition "OFF".			
	Momentary rocker switch, on driver's side of cab console,			
	to function as timer shutoff and also reactivate timer.			
	(1) OEM battery under hood			
	(1) OEM battery in RF Lower Compartment			
	ONLY Module power is turned ON/OFF			
	Chassis power is NOT turned OFF.			
07-05-092S U	MD, Battery, Delco Group 78, 600 CCA	2		
	Located in 8.5 for a total of (4) batteries			
	Educated III 0.0 for a total of (4) batteries			
	Reference# 10133123			
	BOM ENG USE			
07-10-1101	MD, Outlet, Power Point Style, (2), A/A	1	REV	6A-22-200E
07 10 1101	- On standard 20-amp Ignition Hot Circuit. ("elect battery switch")		112	ON ZZ ZOOL
07.40.4400	MD D 0 (1.17)		DE) (4050000
07-10-1109	MD, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, switch panel Located in the cab switch panel per Electrical Engineering	2	REV	10538226
	Located in the cap switch panel per Electrical Engineering			
	Located on the passenger side of the center console, Ignition Hot			
07 40 4444	MD. Dower Outlet Kusamaul LISP Dual Port 5VDC 4.9 Amp. switch panel Each	4	חביי/	40520220
07-10-1111	MD, Power Outlet, Kussmaul, USB Dual Port, 5VDC, 4.8 Amp, switch panel, Each Location;	1	REV	10538226
	- In the Action Area outlet panel.			
	IGN. HOT			
	FRONT CONSOLE		REV	
08-01-3529	WC, Console, Drivers Switch & Radio, Center, Aluminum, Black, Chevy cutaway	1	REV	10840061
	Black polyurethane coated .090 Aluminum			
	See helew for Ontional namela			
	See below for Optional panels 5.25 x 12.5 x 7" deep storage area at rear			
08-01-4652	WC, Single Blank Panel	1	REV	10839316
08-01-4657	WC, 9" deep Glove Box Panel	1	REV	10873436

11/10/2023 14:4				Page 9
PART NO S	DESCRIPTION WC, Cup Holder Panel (No Handle Notch)	QTY	ID	REF. NO
08-01-4660 08-02-0006	MD, Module Electrical Panels, Brushed Stainless Steel	1 1	REV REV	10839250 10766708
00-02-0000		other	IXLV	10700700
	faceplates in the MODULE only.			
	ATTENDANT CONTROL PANEL		REV	
08-03-0306	WC, Console, A/A, Wood, Angled	1	REV	1301700
00 00 0000	SIREN ELECTRONIC - CONTROL HEADS / AMPS		REV	1001700
09-03-1802	MD, Siren, Whelen, WS-295-SLSA1	1	REV	1700297
	Siren mic mounted on passenger side of control head.			
	SIREN SPEAKERS		REV	
09-03-2730	MD, Speakers, Siren, Cast, In Bumper, Chevy T3	1	REV	DF-20-5560
09-03-3530	MD, Switch, Siren/Horn Thru Horn Ring	1	REV	1700622
09-05-1116	BACK-UP ALARMS MD, Back-Up Alarm, w/ Cutoff, Auto Reset	1	REV REV	1700724
09-05-1110	- A backup alarm with a Cut Off Switch shall ACTIVATE when the vehicle is shifted		KEV	1700724
	reverse.	u iiilo		
	WARNING LIGHTS		REV	
	- Lights on unit are to have Primary and Secondary Triple K compliant Flash Patterns			
	Compilant Flash Fatterns			
	LED Series - M9 (Flange Included)		REV	
09-95-1723	MD, Light, M9RC, LED, Whelen, Red, Clear Lens, Internal Flash, w/Flange	14	REV	FU-41-0107
	- (2) each side STD location			
	- (2) on rear in upper outer corners - (2) on front in upper outer corners			
	Pri/Sec internal Comet Flash			
	Thy coomic that contact hach			
	(2) Rear window level warning lights			
	Pri/Sec Internal Comet Flash			
	(2) Front 1 each side of center white light (Cool bar)			
	Pri only internal Comet Flash			
	(2) Angled ends of Cool Bar			
	Pri only Internal Comet Flash			
09-95-1725	MD, Light, M9AC, LED, Whelen, Amber, Clear Lens, Internal Flash, w/Flange	1	REV	FU-41-0111
00-00-1120	- Center rear		1 (L V	10-41-0111
	Pri/Sec Comet Flash			
	Internal			
09-95-1729	MD, Light, M9C, LED, Whelen, Clear, Internal Flash, w/Flange	1	REV	FU-41-0115
09-30-1723	- Center front on Coolbar		I \L v	1 0-41-0113
	Pri ONLY Comet Flash			
	Internal			
	LED Series - M7 (Flange Separate)		REV	
09-95-2424	MD, Light, Whelen M7 LED, Red, Clear Lens	4	REV	H5-58-0625
	(2) Front intersectors ILOS			
	Pri only internal Comet Flash			
	(2) Rear Intersections over rear wheel wells.			
	Pri only internal Comet Flash			
00.05.005	WHELEN FLANGES 7 SERIES LIGHTS (Flange Separate)		REV	115 50 1005
09-95-3038	MD, Flange, Whelen, Chrome, M7FC, each	4	REV	H5-59-1020
	For M7 Series Lights			
	WHELEN M2 SERIES LED FLASHING LIGHTS:(Flange Separate)		REV	

11/10/2023 14:4		0=>/		Page 10
PART NO S	DESCRIPTION CONTROL MODE POR DESCRIPTION	QTY	ID.	REF. NO
09-95-4452	MD, Light, Whelen, M2RC, Red, Lens Clear w/ Flange (2) Grille	2	REV	10132311
	Pri only internal Comet Flash			
	The start of the s			
10-01-0042	EXTERIOR AUTOMOTIVE LIGHTING WC, Taillight Pkg, Whelen, LED Stop/Tail, Turn & LED Backup, w/WC logo	1	REV REV	JA-13-8012
10-01-0042	- Brake- Steady Burn	ı	KEV	JA-13-0012
	- Turn Arrow sequential arrow			
	- 700 LED Backup			
	Clear lens over all (3) lights			
	ICC/MARKED LICHTS		DEV	
10-01-2177	ICC/MARKER LIGHTS MD, Light, Clearance, Amber LED, Each	3	REV REV	1570073-3
10-01-2177	- On front as clearance lights.	3	I V L	1370073-3
	·			
10-01-2178	MD, Light, Clearance, Red LED, Each	3	REV	1570074-1
	- On rear as clearance lights.			
10-01-2183	MD, Lights, Red, 2", Marker, LED, Pair	1	REV	HF-21-9703
10-01-2100	- In bumper		I VL V	111 -21-3700
10-01-2250	WC, Corner Cap Lts, Multi, LED, (2) Amber (2) Red w/Flashers	1	REV	HF-11-6049
	- High intensity flashers; thru separate switch			
	FLOOD AND LOAD SYSTEMS		REV	
10-02-2206	MD, Light, LED, Whelen, Clear, #M9LZC w/Flange	6	REV	HK-20-110N
	- (2) each side as "Scene lights"			
	- (2) on rear over rear doors as "Load Lights"			
10-02-2250	MD, Scene Lighting, CS, Activate on Opening of CS Entry Door	1	REV	47409410C
10 02 2200	11 - INTERIOR LIGHTING		REV	17 100 1100
11-01-2809	MD, Lights, Dome, LED, Whelen, White Flange, (4) S/S, (3) C/S	1	REV	JP-10-0611
	NOTE:			
	NO VISABLE FASTENERS OR HOLES.			
	NO VIGABLE LAGILINE NO OIL FIOLES.			
11-01-2871	WC, No Lighting Recessed into Trough Cover	1	REV	
11-01-9032	MD, Timer, Momentary Switch, 15 Minute, Constant Hot	1	REV	JR-60-2003
	(must have ECX timed battery switch with this option)			
	- Mount switch on C/S wall at the head of the squad bench			
	in the standard location. Switch to allow activation and			
	also deactivation. Wire to CS Domes in liner on High.			
	SPOTLIGHTS / HANDHELD LIGHTS		REV	
11-02-1003	MD, Handheld Spotlight - Sho-Me 200,000 CP	1	REV	10131387
11 02 1000	ATTENDANT LIGHT		REV	10101007
11-03-2031	MD, Light, Intertek ZY-PIR38 12v, LED, Each	1	REV	JP-10-9030
	12 - ELECTRICAL 125 VOLT AC		REV	
12-01-9112	SHORELINE INLET MD, Shoreline, 20A, Super Auto Eject, White	1	REV REV	6F-90-4101
12-01-3112	- With white cover; above compt. 2		I V L V	01 -30-4 101
40.00.04.15	OUTLETS - 125VAC		REV	1000001
12-02-2110	MD, Outlets, 125 VAC, Duplex, (1) Action Wall, (1) Right Front Cabinet	1	REV	1800001
	- (1) outlet in Action Area - (1) outlet in the RF Cabinet "U8", wall #2, upper right.			
	(.,			
	MD 0 // 405 MA 0 D 1			40000:-
12-02-2114	MD, Outlet, 125 VAC, Duplex, Each, State Location:	1	REV	1800219
	(1) Telemetry area, wall #2, near wall 1, mid height.			
	BLOCKHEATERS		REV	
12-02-4001	Block Heater - With OEM Plug	1	REV	
	This option does not include a switch. (STANDARD).			
L	(OTTABLAND).			

11/10/2023 14:4				Page 11
PART NO S		QTY	ID	REF. NO
40.00.4444	INVERTER - 125VAC MD, Inverter/Charger, Vanner LifeSine	1	REV	4000400
12-03-1414		1	REV	1296422
	Upper Compartment 1.5 Ignition Activated- No Switch			
	ightion Adivated- No Owiton			
	AUXILIARY ENVIRONMENTAL SYSTEMS		REV	
13-02-0111	MD, Exhaust Fan, Single 12V, in Line Blower	1	REV	57000101C
	WHEELED COACH HVAC UNITS		REV	
13-02-5751	MD, Hoses, Heater, No Max, to Rear	1	REV	9980003
13-02-6028	WC, Air Conditioning Face Plate, Brushed Stainless Steel with Logo	1	REV	10823097
13-02-6050	MD, Heat/AC Located RF corner, over ALS cabinet. MD, Generation I, Steel Cool Bar cover	1 1	REV REV	13-02-6050
13-02-6082 13-02-6252	WC, Heat/AC, C3, Combo, w/Coolbar, Brushless Motor	1	REV	13-02-6252
13-02-0232	- 12vdc External Condenser, in Coolbar mounted on front	Į.	KEV	13-02-0232
	of module. Painted to match front of module.			
	or module. I difficult of material or module.			
13-02-7754	MD, Thermostat, Hoseline Master Control Digital CM5000, Brushless Motor	1	REV	10844052
	Mount probe in front of evaporator			
	COT MOUNTING PROVISIONS		DEV	
	COT MOUNTING PROVISIONS Cot Mounts		REV REV	
14-01-1534	MD, Stryker Power/Performance Load, Add Floor Structure Plates & Wiring for	1	REV	PF-26-3450
14-01-1004	Futu	•	I VL V	11-20-0-00
	- Additional floor structure for future installation of a Stryker #6390			
	- Power-LOAD system			
	Includes pre-wire which will terminate under the attendant's seat			
14-01-1536	MD, Cut Floor and Install Cot Mount Floor plate, 6390-700-001A	1	REV	10529698
	- For Powerload or Performance Load Cot mounts.			
14-01-4028	Center Mount	1	REV	
14-01-4020	OXYGEN AND AIR SYSTEMS	1	REV	
14-02-1010	MD, O2 Cylinder Wrench ,Tethered	1	REV	2350810
	- In oxygen comp.			
14-02-2242	MD, O2 Cylinder Bracket, Multiversal, #QR-MV, W/ Straps	1	REV	2300222
	- Specify O2 bottle size. Cylinder M			
44.00.0044	MD. Treate Uniate at few Occurrence Parale	1	DE\/	00 TD 4014 0400
14-02-2244 14-02-3005	MD, Track, Unistrut for Oxygen Rack MD, Manual, O2 System	1 1	REV	SO-TRACK-3130
14-02-3156	MD, O2 Regulator, Preset 50 PSI	1 1	REV REV	P0-59-7500
14-02-3130	- Ship Loose unless otherwise directed		IVEV	1 0-33-7 300
	omp 20000 dinoco odiorwido directod			
14-02-4156	MD, O2 System, Ohio Style (2 Action Area, 1 Liner, 1 CS Wall)	1	REV	71200150C
	Ohio style			
	(2) oxygen outlets in action area			
	(1) oxygen outlet in liner at head of cot (1) oxygen outlet CS wall at head of squad bench			
	(1) oxygen outlet GS wall at flead of squad bench			
14-02-4920	MD, Lexan Flap, w/Hinge	1	REV	2100052
11 02 1020	PORTABLE O2 HOLDERS		REV	2100002
14-02-6258	MD, O2 Cylinder Holder, Single, Cast, Duramount "D", CN 10 Certified	2	REV	10489157
	- Installed aisle side of RF ALS stack mounted approx. 3"			
	off floor centered.			
	OUOTION OVOTER		DE. (
14-03-3030	SUCTION SYSTEM MD, Suction Pump, SSCOR 90206	1	REV REV	2300363
14-03-3030	MD, Sastion i unip, Socoli 30200		IVE A	200000
	Upper Compartment 1.5			
14-03-3050	MD, Suction Outlet, Ohio Style	1	REV	2300303
14-03-3070	MD, Suction System, SSCOR 23002 Disposable w/Canister Clip & Regulator	1	REV	10360085
44.04.4000	MISC MEDICAL MD Fire Fytinguisher 5# APC with Surface Mount Procket. Feeb	_	REV	DE 40 0050
14-04-1200	MD, Fire Extinguisher, 5# ABC with Surface Mount Bracket., Each	2	REV	R5-10-9050
	HD Amerex Bracket #861H with Amerex 5LB fire extinguisher.			
	PAINT AND FINISH		REV	
	.,			

11/10/2023 14:43	3:27 WO#: 669700	OTV	ID.	Page 12
PART NO S 15-00-0200	DESCRIPTION WC, Wheeled Coach Paint Process	QTY 1	ID REV	REF. NO 5F-10-0800
15-00-0200	Module Paint, Single Color, OEM White	1		5F-10-0000
10-01-2000	Chevy G series white: FLNA40738		I VL V	
45.04.5000	Oak Daint Cinals Oalsa OFMWhite		DE) /	
15-01-5000	Cab Paint - Single Color, OEM White PAINT STRIPING DESIGN	1	REV REV	
15-02-1200	Paint Belt, None	1	REV	1250202
.0 02 .200	DECALS AND NOMENCLATURE		REV	
15-03-6370	MD, Roof Star, White Border, Installed	1	REV	2500206
15-05-0038	WC, Ship Loose, W.C. Standard Items Indemnification Statement	1	REV	2609998
74-09-0099	The purchaser agrees to defend, indemnify and hold Rev Ambulance Group harr	1	REV	
	from any claims, costs (including actual attorneys' fees), damages and liabilities ca	used		
	in whole or in part by any alteration or modification of, or changes or additions	to the		
	purchased products OR use of product for purposes it was not designed or intende	d for.		
	End Of Order		REV	9980002
	== Factory Ship Loose - EMS Equipment - 1.007 05/27/21 ==		REV	9900002
	1 actory only 2003e - Lino Equipment - 1.007 03/27/21		IXLV	
4				ı