Roof Jack Replacement Vent Duct/Pipe	60 Gallon HPWH Chimney Liner	40 Gallon HPWH 50 Gallon HPWH	Clean/Tune Gas Oven	Set Back T-Stat installation (wiring existing)	Set Back T-Stat installation (new wiring included	Measure Description Test & Tune - Gas Furnace Rasic Test and Tune
Ea Ea	Ea Ea	Ea	EA EA	EA	EA A	Unit Price
500 Heat Pump Water Heater Roof Jack Replacement 15 Heat Pump Water Heater Vent Duct/Pipe	4100 Heat Pump Water Heater 60 Gallon HPWH 20 Heat Pump Water Heater Chimney Liner	0 Heat Pump Water Heater 40 Gallon HPWH 3600 Heat Pump Water Heater 50 Gallon HPWH	590 Furnace Clean & Tune - System Assessment and MaintenanceGas Leak Repair, per EA + Service Charge 205 Furnace Clean & Tune - System Assessment and MaintenanceClean/Tune Gas Oven	375 Furnace Clean & Tune - System Assessment and MaintenanceSet Back T-Stat installation (wiring existing)	205 Furnace Clean & Tune - System Assessment and MaintenanceTest & Tune - Gas Furnace, Basic Test and Tune 450 Furnace Clean & Tune - System Assessment and MaintenanceSet Back T-Stat installation Instrument included	ID ID

RFP 25-21

Section #1 - Heating - HVAC All work must meet SWS minimum standards.

Furnace Clean & Tune - System Assessment and Maintenance

TO CHIM

5.01 Heating & Cooling

Work Scope - Clean and Tune shall consist of the following:

* A typical tune-up should result in a clean squirrel cage, return air plenum, combustion chamber, cabinet, heat exchanger, gas burners, oil filters, return air filter, etc. The above tune-up would result in a proper BTU input, replacement of defective wiring leading to the heating unit, oil pump pressure set at 100 psi or in accordance with the manufacturer's recommendations, replacement of the orifice if the unit is over or under fired, repair or replace sections of the venting (chimney) system that are ineffective/unsafe, ensure proper draft, ensure/adjust combustion efficiency, properly operating limit controls/automatic fuel safety shut-off/boiler controls, properly matched thermostat heat anticipator, etc. After the tune-up, the furnace should be performing within 5 percent of the manufacturer's AFUE rating or a minimum 70 percent, steady state efficiency.

Service Call Charge Allowability:

- *Service Call charges are only allowed for diagnostic visits.
- *No Service call charges allowed for Test and Tunes, Furnace or water heater installs, Warranty Calls (within 18 months of original Installation,
- *No Service call charges allowed for Test and Tune calls

real or fulle	Unit	Price	D
est & Tune - Gas Furnace. Basic Test and Tune	EA		ODE EUROSCO Class & Tu

Misc. Mechanical Repairs

Furnace Clean & Tune - System Assessment and MaintenanceTest & Tune - Gas Furnace, Basic Test and Tune

450 Furnace Clean & Tune - System Assessment and MaintenanceSet Back T-St 375 Furnace Clean & Tune - System Assessment and MaintenanceSet Back T-St 590 Furnace Clean & Tune - System Assessment and MaintenanceGas Leak Rep 206 Furnace Clean & Tune - System Assessment and MaintenanceGas Leak Rep			
Ing existing) EA 375 Furnace Clean & Tune - System Assessment and MaintenanceSet Back T-Stat installation (wind certain Commence Clean & Tune - System Assessment and MaintenanceGas Leak Repair, per EA + Service EA 206 Furnace Clean & Tune - System Assessment and MaintenanceGas Leak Repair, per EA + Service FA 206 FIGURE Clean & Tune - System Assessment and MaintenanceGas Leak Repair, per EA + Service FA 207 FIGURE Clean & Tune - System Assessment and MaintenanceGas Leak Repair, per EA + Service FA 208 FIGURE Clean & Tune - System Assessment and MaintenanceGas Leak Repair, per EA + Service FA 208 FIGURE Clean & Tune - System Assessment and MaintenanceGas Leak Repair, per EA + Service FA 208 FIGURE Clean & Tune - System Assessment and MaintenanceGas Leak Repair, per EA + Service FA 208 FIGURE Clean & Tune - System Assessment and MaintenanceGas Leak Repair, per EA + Service FA 208 FIGURE Clean & Tune - System Assessment and MaintenanceGas Leak Repair, per EA + Service FA 208 FIGURE CLEAN FIGURE	on (new wiring ir	EA	rnace Clean & Tune - System Assessment and MaintenanceSet Rack T.Stat installation (new)
ce Charge EA 590 Furnace Clea FA 205 Furnace Clea	T-Stat installation (wiring e	EA	& Tune - System Assessment and MaintenanceSet Back T-Stat installation (wirin
Tune Gas Oven FA 205 Furnace Clas	Gas Leak Repair, per EA + Service Charge	EA	590 Furnace Clean & Tune - System Assessment and Maintenance clear Report from Charge
	Tune	EA	205 Firmage Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean Can Down Clean & Time - System Assessment and Maintenance Clean & Time - System Assessment As

RFP 25.21 Bryant Neighborhau

Sharon's Heating & Cooling

Section #2 - Water Heating - HVAC All work must meet SWS minimum standards.

Heat Pump Water Heater

7.0302.3 Heat Pump Storage Tank Water Heater

DHW replacement requirements

electrical supply control wiring, gas piping, temperature and pressure check and adjustment, vent connections and water connections. Price will also include Replacements shall include the removal of existing tank, proper disposal of all materials off-site (excluding asbestos) and installation of new tank-type water a code approved chimney liner installed to correct venting for DHW tank (if applicable) heater. Installation of new water heater will be in accordance with manufacturer's instructions, trade practices and applicable codes. Unit price will include

Contractor/Installer Requirements

indicating the name and phone number of the contractor, date of installation, and a certification that the system was installed in accordance with governing A copy of the permit, (not the application) must be submitted with final invoice for payment. Contractor must place on the appliance (in plain view) a sticker code requirements.

Labor warranty and client education

contractor shall also give the client/homeowner operating, care and maintenance instruction of the newly installed water heater Warranty information and operating instructions must be provided to the occupant and/or homeowner indicating a minimum 18 month labor warranty. The

Manufacturer Information

Contractor is required to list brand names, model or type, and specific rated Energy Factor on this form.

Permits & Fee Costs

Pricing will also include permits and /or related fees that would be incurred.

approval. Contractor is responsible for corrections required for code compliances within 10 business days or before after inspection Mechanicals permits per local code requirements. Contractor is responsible for contacting local inspection code official to schedule final inspection for

00			
30	80		Recovery Efficiency
4.05	4.03		Dogwer Pfficial and a second
2	200		Energy Factor
NWP500-65	NWP500-50		Hodet#
Navien	INDIVIDIA		Model
	Mouion		Manufacturer
			in parket o
1100			Input kRTII
4100	3600		Price
Ed		1 1	
	מ	Ea	Unit
60 Gallon HPWH	50 Gallon HPWH	40 Gallon HPWH	Measure Description

)	20 500		Price
F	Ea	<u>_</u>	Oil.
vent buckribe			
Vent Duct/Bing	Roof lack Replacement	Chimney Liner	Lieganie Describitoti

Sharon's Heating & Cooking

RFP 25-21 Bryant Noighborhoa

Appliance Replacement, Installation, & Recycling Heat Pump Dryer

7.0105 Laundry

1easure Description	Price	ID Instruction
leat Pump Dryer	280	O Heat Pump Minimum Energy St.
Vasher + Heat Pump Dryer Combo	330	Heat Pump Minimum Fnerov St

Measure Description

Price

Instruction

1500 Electric Co Minimum Energy Star Rated Appliance. Existing appliance must be recycled. If replacing natural gas appliance, gas line must be capped by a qualified technician.
2350 Electric Co Minimum Energy Star Rated Appliance. Existing appliance must be recycled. If replacing natural gas appliance, gas line must be capped by a qualified technician.

Radiant Cooktop

Electric Cooktop

Induction Cooktop

iated Appliance. Existing appliance must be recycled. If replacing natural gas appliance, gas line must be capped by a qualified technician. Iated Appliance. Existing appliance must be recycled. If replacing natural gas appliance, gas line must be capped by a qualified technician.

Sharon's Heating & Cooling

RFP - 25-21 Bryant Neighborhood