

Rob Faber
6750 Millbrooke Road
Remus, MI 49340
US
989-561-2270 (Phone)
989-561-2273 (Fax)
www.banditchippers.com

QUOTATION						
Quotation #:	Quote Created:	Last Updated:	Salesperson:			
158061	07/05/23 02:15 pm by Bandit Industries, Inc.	07/05/23 02:25 pm by Rob Faber	Rob Faber			

CUSTOMER:	BILL TO:	SHIP TO:
City of Ann Arbor/Wheeler Service Center 4251 Stone School Road Ann Arbor, MI 48108 USA 7734-794-6390 (Phone) CJ Stegink (Contact) cstegink@a2gov.org	City of Ann Arbor/Wheeler Service Center 4251 Stone School Road Ann Arbor, MI 48108 USA 7734-794-6390 (Phone) CJ Stegink (Contact) cstegink@a2gov.org	City of Ann Arbor/Wheeler Service Center 4251 Stone School Road Ann Arbor, MI 48108 USA 7734-794-6390 (Phone) CJ Stegink (Contact) cstegink@a2gov.org

INTIMIDATOR 21XP (21" DRUM STYLE)

		INTERIOR ZIAI (ZI DROM STILL)		
Qty	Part #:	Description:	Base Price:	
1	MODEL-21XP	Intimidator 21XP - (21" Drum Style)	\$ 86145.00	
		STANDARD EQUIPMENT		
1	STANDARD	Loader not included		
1	STANDARD	37" Diameter x 24" wide drum with (4) 5/8" X 5 1/2" X 12 1/8" dual edge bolt-on knives		
1	STANDARD	"Drum Shear Bar" spans full width of the drum mounted in the upper portion of the drum housing potentially creating a slicing action of a winch line or climber's rope		
1	STANDARD	"Power slot" assists in maximizing chip velocity. The power slot also provides a place for fine material to escape that might tend to lie in the belly of the drum.		
1	STANDARD	60 gallon steel fuel tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge		
1	STANDARD	30 gallon steel hydraulic tank with magnetic drain plug, lockable filler cap, and aluminum sight gauge		
1	STANDARD	Slide box feed system (w/ 2 adjustable springs on one side) and (2) horizontal feed wheels. Top wheel is 15 $3/4$ " diameter x 32" wide driven via (1) 63.9 CID motor and chain. Bottom wheel is 10 $5/8$ " diameter x 32" wide driven via (1) 63.9 CID motor.		
1	STANDARD	Hydraulic lift cylinder - utilizes a hydraulic cylinder to raise or provide down pressure for the top feed wheel		
1	STANDARD	Bottom feed wheel clean out door (opens via spring latch pin allowing dirt and debris extending knife and component life)	to fall out	
X	STANDARD	41" high x 64" wide tapered infeed hopper with 30" fold down infeed hopper tray, heavy-duty taillight covers, and spring lift assists		
1	STANDARD	270 degree hydraulic swivel discharge with manual flipper (discharge is height adjusta	ble)	
1	STANDARD	Clean out and inspection door on discharge bottom		
1	STANDARD	(2) Last chance safety pull cables		
1	STANDARD	Inspection window mounted on top of belt shield (allows viewing of belt and easy way to check belt tension)		
1	STANDARD	Round control bar - located around top and sides of infeed hopper with 3 control positions (forward / stop / reverse)		
1	STANDARD	Wooden pusher tool with mount on infeed hopper		

1	STANDARD 3/8" x 2" x 6" rectangular tubing with a 3/8" x 3" x 6" tubular tongue					
1	STANDARD	Frame / Fender supports				
1	STANDARD	Lockable aluminum toolbox				
1	STANDARD	3/8" (G70) safety chains with spring loaded latch hooks				
1	STANDARD	8,000 pound capacity tongue jack with 15" of travel and foot pad				
1	STANDARD	12 volt system with rubber mounted LED taillights, 6 prong replaceable coiled power cord & protected heavy-duty wiring with junction box, and LED clearance lights with reflectors.				
1	STANDARD	Banded chipper drive belts (adjustable via a sliding engine system)				
1	STANDARD	Weather resistant manual container				
1	STANDARD	Engine disable plug for hood locking pin-preventing engine from operating without pin in place				
1	STANDARD	(1) weatherproof machine manual (includes safety, operation and parts sections) also (1) engine and clutch manual is included if applicable				
1	STANDARD	Spanish & English combination safety decals				
1	STANDARD	Hydraulic pressure check kit				
		OPTIONS				
Qty	Part #:	Description:	Option Price:	Extended:		
1	333-32273	Standard Imron Industrial Urethane Bandit Yellow	\$ 0.00	\$ 0.00		
1	990-RC1593-124	Caterpillar C7.1L, 275 horsepower engine without clutch - Tier 4 FINAL / Stage V (Includes 2 year / 2,000 engine warranty) (Drum chippers only - must select offset bearing pad under base assembly options if a track or loader option is selected)	\$ 56050.00	\$ 56050.00		
1	937-6000-30	Bandit control panel with reversing auto feed for Cat 275 horsepower diesel engines (Includes 1,400 CCA battery with battery box) - Panel is mounted off of engine shroud in lockable composite cover	\$ 5375.00	\$ 5375.00		
1	700-1000-14	NACD over center (Triple plate clutch)	\$ 3015.00	\$ 3015.00		
1	OPTION-937-5001-07	Drive System for engines ranging from 173 - 275 horsepower	\$ 725.00	\$ 725.00		
1	OPTION-980-5002-08	Dinamic winch with line docking station with electronic joystick feed assist (Includes 5/16" diameter x 200' Teufelberger rope with 12" loop installed) (Includes (1) manual rear stabilizer unless dual rear hydraulic stabilizers are ordered)	\$ 6175.00	\$ 6175.00		
1	OPTION-937-5001-33	41" high x 64" wide tapered heavy-duty infeed with weld on pan and infeed deflectors	\$ 1710.00	\$ 1710.00		
1	OPTION-937-5002-09	PTION-937-5002-09 Hydraulic Flow Controls w/3-Bank Valve		\$ 675.00		
1	standard832	standard832 Tandem 10,000 pound Torflex axles with electric brakes		\$ 0.00		
1	990-100731	(4) 235/75R 17.5" tires mounted on HD gray rims (Tandem 8,000 pound axles on up)	\$ 0.00	\$ 0.00		
1	standard833	16" wide steel tandem axle fenders	\$ 0.00	\$ 0.00		
1	990-100274	2-1/2" Wallace Forge Pintle Hitch	\$ 0.00	\$ 0.00		
1	OPTION-937-5003-79	-79 30" manual discharge end flipper in lieu of standard		\$ 215.00		
1	OPTION-980-100090	Bolt-on flag holders (includes flags) - aluminum or steel fenders	\$ 105.00	\$ 105.00		
1	OPTION-980-100095	Gate Valve for Fuel Tank		\$ 95.00		
1	OPTION-905-5000-14	(2) Mud Flaps (1/4" x 12" x 18")	\$ 95.00	\$ 95.00		
1	OPTION-937-5002-80	Hydraulic tongue jack with multiple position drop leg	\$ 1725.00	\$ 1725.00		
1	OPTION-905-5000-15	Option 7 Prong (Flat/RV Style) to 6 Prong Coiled Cord	\$ 45.00	\$ 45.00		
		CUSTOMER TOTALS				

Total Unit Price: \$ 162150.00

Customer Total: \$ 162150.00

DIRECT SALE TOTALS Total Unit Price: \$ 162150.00 **Direct Sale Discount:** 20.00 % - \$ 32430.00 **Net Unit Price After Direct Sale Discount:** \$ 129720.00 **Freight/Shipping Charges:** \$ 250.00 \$ 129970.00 **Total Direct Sale Price:** Terms: Net 30 Days **COMMENTS** By Rob Faber on 07/05/2023 02:23 PM Price reflects MIDEAL pricing Contract #19000000301 **SIGNATURE** The Buyer, whose name and address appears above, agrees to purchase from the Seller, whose name and address appears above, the above equipment at the prices stated and upon the terms and conditions of this agreement. Χ **Signature Date**

Close Print