

CITY OF ANN ARBOR
INVITATION TO BID



Cationic Emulsion Polymer

ITB No. 4787

Due Date: April 22, 2026 by 2:00 P.M. (Local Time)

Water Resource Recovery Facility

Issued By:

City of Ann Arbor
Procurement Unit
301 E. Huron Street
Ann Arbor, MI 48104

TABLE OF CONTENTS

| | |
|-------------------------|----|
| INSTRUCTIONS TO BIDDERS | 3 |
| INVITATION TO BID | 8 |
| SPECIFICATIONS | 10 |
| BID FORM | 12 |

ATTACHMENTS

City of Ann Arbor Standard Purchase Order Terms and Conditions

City of Ann Arbor Vendor Conflict of Interest Disclosure Form

City of Ann Arbor Non-Discrimination Ordinance Declaration Form and Notice

INSTRUCTIONS TO BIDDERS

General

The City of Ann Arbor's Procurement Office is soliciting bids for the purchase of approximately 45,000 gallons of Cationic Emulsion Polymer based on the specifications provided herein. The previously accepted ITB price was \$1.32 per pound in June of 2022.

The pricing provided for this ITB shall be firm for one (1) year (July 01, 2026- June 30, 2027). Upon mutual agreement between the City and the vendor the pricing provided in this ITB may be extended for three (3) additional one (1) year periods not to exceed four (4) years in total. Any price adjustments in shall be tied to the producer price index for basic chemical manufacturing (PPI code 3251) and renewals will be evaluated if they are in the best interest of the City.

Cationic emulsion polymer must be supplied to the City Water Resource Recovery Facility, fob destination, freight prepaid. The selected bidder will be responsible for transferring the product from the transport vehicle to the City storage vessel.

Each bidder shall provide the City of Ann Arbor with a complete copy of the U.S. Department of Occupational Safety & Health Administration Safety Data Sheet (SDS) and a typical specification sheet for the product with each product bid.

Any Bid which does not conform fully to these instructions may be rejected.

Preparation of Bids

Bids should be prepared providing a straight-forward, concise description of the Bidder's ability to meet the requirements of the ITB. Bids shall be written in ink or typewritten. No erasures are permitted. Mistakes may be crossed out and corrected and must be initialed and dated in ink by the person signing the Bid.

Bids must be submitted on the "Bid Forms" provided with each blank properly filled in. If forms are not fully completed it may disqualify the bid. No alternative bid will be considered unless alternative bids are specifically requested. If alternatives are requested, any deviation from the specification must be fully described, in detail on a clearly marked "Alternate" section of Bid form.

Each person signing the Bid certifies that he/she is the person in the Bidder's firm/organization responsible for the decision as to the fees being offered in the Bid and has not and will not participated in any action contrary to the terms of this provision.

Questions or Clarifications / Designated City Contacts

All questions regarding this ITB shall be submitted via email. Emailed questions and inquires will be accepted from any and all prospective Bidders in accordance with the terms and conditions of the ITB.

All questions shall be due on or before **April 13, 2026 by 5:00 P.M. (local time)** and should be addressed as follows:

Specification/Scope of Work questions emailed to Nicholas Jaworski, Assistant Manager, Water Resource Recovery Services Unit at NJaworski@a2gov.org

Bid Process and Compliance questions emailed to Colin Spencer, CSpencer@a2gov.org

Any error, omissions or discrepancies in the specification discovered by a prospective contractor and/or service provider shall be brought to the attention of Colin Spencer at cspencer@a2gov.org

after discovery as possible. Further, the contractor and/or service provider shall not be allowed to take advantage of errors, omissions or discrepancies in the specifications.

Site Inspection

On or prior to April 13, 2026, a bidder may inspect the City's site and equipment. Inspections are by appointment only during business hours (8:00 a.m. to 3:00 p.m). Appointments can be scheduled by email to Nicholas Jaworski, Assistant Manager, Water Resource Recovery Services Unit at Njaworski@a2gov.org. No appointments will be scheduled after this date.

Addenda

If it becomes necessary to revise any part of the ITB, notice of the Addendum will be posted to Michigan Inter-governmental Trade Network (MITN) www.mitrn.info and/or City of Ann Arbor web site www.A2gov.org for all parties to download.

Each Bidder must in its Bid, to avoid any miscommunications, acknowledge all addenda which it has received, but the failure of a Bidder to receive, or acknowledge receipt of; any addenda shall not relieve the Bidder of the responsibility for complying with the terms thereof.

The City will not be bound by oral responses to inquiries or written responses other than written addenda.

Bid Submission

All Bids are due and must be delivered to the City of Ann Arbor Procurement Unit on or before **April 22, 2026 by 2:00 P.M. (Local time)**. Bids submitted late or via oral, telephonic, telegraphic, electronic mail or facsimile **will not** be considered or accepted.

Each Bidder must submit one (1) original printed bid and one (1) bid copy in a sealed envelope clearly marked: ITB No. 4787 – Cationic Emulsion Polymer.

Bids must be addressed and delivered to:

City of Ann Arbor
Procurement Unit,
c/o Customer Services, 1st Floor
301 East Huron Street
Ann Arbor, MI 48104

All Bids received on or before the Due Date will be publicly opened and recorded immediately. No immediate decisions are rendered.

The following forms provided within this ITB Document should be included in submitted bids.

- **Vendor Conflict of Interest Disclosure Form**
- **City of Ann Arbor Non-Discrimination Ordinance Declaration of Compliance**

Bids that fail to provide these forms listed above upon bid opening may be rejected as non-responsive and may not be considered for award.

Hand delivered bids may be dropped off in the Purchasing drop box located in the Ann Street (north) vestibule/entrance of City Hall which is open to the public Monday through Friday from 8am to 5pm (except holidays). The City will not be liable to any prospective offeror for any unforeseen

circumstances, delivery, or postal delays. Postmarking on the due date will not substitute for receipt of the bid. Bidders are responsible for submission of their bid. Additional time will not be granted to a single prospective bidder. However, additional time may be granted to all bidders at the discretion of the City.

Award

The City intends to award a Contract/Purchase Order to the lowest responsible Bidder(s) providing the best value to the City. The City may, at its sole discretion, award line-by-line in the best interest of value to the City.

Responsible bidder means a bid submitted, which conforms in all aspects of the requirements set forth in the invitation to bid. All aspects could include references, past experience, past performance, and qualifications.

Official Documents

The City of Ann Arbor officially distributes bid documents from the Procurement Unit or through the Michigan Intergovernmental Trade Network (MITN). Copies of the bid documents obtained from any other source are not Official copies. Addenda and other bid information will only be posted to these official distribution sites. If you obtained City of Ann Arbor Bid documents from other sources, it is recommended that you register on www.MITN.info and obtain an official Bid.

Taxes

Municipalities are exempt from Michigan State Sales and Federal Excise taxes. Do not include such taxes in the bid figure(s). The City will furnish the successful bidder with tax exemption certificates when requested.

Withdrawal of Bids

After the time of opening, no Bid may be withdrawn for the period of one-hundred and twenty (120) days.

Non-Discrimination Requirements

All contractors proposing to do business with the City shall satisfy the non-discrimination administrative policy adopted by the City Administrator in accordance with the Section 9:158 of the Ann Arbor City Code. Breach of the obligation not to discriminate shall be a material breach of the contract. Contractors are required to post a copy of Ann Arbor's Non-Discrimination Ordinance attached at all work locations where its employees provide services under a contract with the City.

Conflict Of Interest Disclosure

The City of Ann Arbor Purchasing Policy requires that prospective Vendors complete a Conflict of Interest Disclosure form. A contract may not be awarded to the selected Vendor unless and until the Procurement Unit and the City Administrator have reviewed the Disclosure form and determined that no conflict exists under applicable federal, state, or local law or administrative regulation. Not every relationship or situation disclosed on the Disclosure Form may be a disqualifying conflict. Depending on applicable law and regulations, some contracts may awarded on the recommendation of the City Administrator after full disclosure, where such action is allowed by law, if demonstrated competitive pricing exists and/or it is determined the award is in the best interest of the City. A copy of the Vendor Conflict of Interest Disclosure Form is attached.

Debarment

Submission of a Bid in response to this ITB is certification that the Bidder is not currently debarred, suspended, proposed for debarment, and declared ineligible or voluntarily excluded from participation in this transaction by any State or Federal departments or agency. Submission is also

agreement that the City will be notified of any changes in this status.

Disclosures

After bids are opened, all information in a submitter's bid is subjected to disclosure under the provisions of Michigan Public Act No. 442 of 1976, as amended (MCL 15.231 et seq.) known as the "Freedom of Information Act." The Freedom of Information Act also provides for the complete disclosure of contracts and attachments thereto except where specifically exempted.

Bid Protest

All Bid protests must be in writing and filed with the Purchasing Agent within five (5) business days of the award action. The bidder must clearly state the reasons for the protest. If a bidder contacts a City Service Area/Unit and indicates a desire to protest an award, the Service Area/Unit shall refer the bidder to the Purchasing Agent. The Purchasing Agent will provide the bidder with the appropriate instructions for filing the protest. The protest shall be reviewed by the City Administrator or designee whose decision shall be final.

Any inquiries or requests regarding this procurement should be only submitted in writing to the Designated City Contacts provided herein. Attempts by the Offeror to initiate contact with anyone other than the Designated City Contacts provided herein that the prospective Offeror believes can influence the procurement decision, e.g., Elected Officials, City Administrator, Selection Committee Members, Appointed Committee Members, etc., may lead to immediate elimination from further consideration.

Cost Liability

The City of Ann Arbor assumes no responsibility or liability for costs incurred by the Bidder prior to the execution of a contract with the City. By submitting a bid, a bidder agrees to bear all costs incurred or related to the preparation, submission and selection process for the bid.

Reservation of Rights

The City of Ann Arbor reserves the right to accept any bid or alternative bid proposed in whole or in part, to reject any or all bids or alternatives bids in whole or in part and to waive irregularity and/or informalities in any bid and to make the award in any manner deemed in the best interest of the City.

Environmental Commitment

The City of Ann Arbor recognizes its responsibility to minimize negative impacts on human health and the environment while supporting a vibrant community and economy. The City further recognizes that the products and services the City buys have inherent environmental and economic impacts and that the City should make procurement decisions that embody, promote and encourage the City's commitment to the environment.

The City strongly encourages potential vendors to bring forward tested, emerging, innovative, and environmentally preferable products and services that are best suited to the City's environmental principles. This includes products and services such as those with lower greenhouse gas emissions, high recycled content, without toxic substances, those with high reusability or recyclability, those that reduce the consumption of virgin materials, and those with low energy intensity.

As part of its environmental commitment, the City reserves the right to award a contract to the most responsive and responsible bidder, which includes bids that bring forward products or services that help advance the City's environmental commitment. In addition, the City reserves the right to request that all vendors report their annual greenhouse gas emissions, energy consumption, miles traveled, or other relevant criteria in order to help the City more fully understand the environmental impact of its procurement decisions.

Chemical Delivery or Supply Insurance Requirements

Insurance: Vendor shall procure and maintain the following insurance during the term of this contract and its performance:

- (1) Worker's compensation insurance as required by law; and automobile insurance (for all owned, hired, and non-owned vehicles) with \$1,000,000 limit;
- (2) Commercial general liability insurance, written on a per occurrence basis with \$1,000,000 in coverage per occurrence and \$2,000,000 aggregate;
- (3) Umbrella liability insurance over all other required insurance, written on a per occurrence basis with \$1,000,000 limit;
- (4) Contractor pollution liability insurance, written on a per occurrence basis, with \$1,000,000 limit; including products pollution liability and transportation pollution liability for all deliveries.

For all required insurance, the City shall be named an additional insured without added exclusions or limiting endorsements that diminish the City's protections. Further, all insurers shall be authorized to do business in Michigan, and shall carry and maintain a minimum rating of "A-" from A.M. Best and Co., with a minimum financial size category of "V." All required insurance shall be primary to any insurance the City has (including self-insured retention), and any insurance or retention the City has shall not be required to contribute. For itself and all of its insurers, vendor waives its right to recover against the City for liabilities for which the City has insurance. Vendor shall furnish to the City endorsements from its insurers unconditionally entitling the City to 30-days' notice of cancellation or non-renewal, except that in the case of cancellation or non-renewal due to non-payment of premiums, 10-days' notice is sufficient. Vendor shall furnish the City proof of its compliance with these insurance requirements upon demand, through City-approved means (currently MyCOI). Compliance with this section is a condition of City's payment to vendor. Vendor should add registration@mycoitracking.com to its safe-senders list.

INVITATION TO BID

City of Ann Arbor
Guy C. Larcom Municipal Building
Ann Arbor, Michigan 48107

Ladies and Gentlemen:

The undersigned, as Bidder, declares that this Bid is made in good faith, without fraud or collusion with any person or persons bidding on the same Contract; that this Bidder has carefully read and examined the bid documents, including City Nondiscrimination requirements, Vendor Conflict of Interest Form, Instructions to Bidders, Bid Forms, Purchase Order Terms and Conditions, General Conditions, Detailed Specifications, and all Addenda, and understands them. The Bidder declares that it conducted a full investigation of the work proposed and is fully informed as to the nature of the work and the conditions relating to the work's performance.

The Bidder acknowledges that it has not received or relied upon any representations or warrants of any nature whatsoever from the City of Ann Arbor, its agents or employees, and that this Bid is based solely upon the Bidder's own independent business judgment.

In accordance with these bid documents, and Addenda numbered N/A, the undersigned, as Bidder, proposes to deliver to the City all product/services herein described for the amounts set forth in the Bid Forms.

The Bidder declares that it has become fully familiar with the liquidated damage clauses for completion times and for compliance with City Code Chapter 112, understands and agrees that the liquidated damages are for the non-quantifiable aspects of non-compliance and do not cover actual damages that may be shown and agrees that if awarded the Contract, all liquidated damage clauses form part of the Contract.

Bidder further agrees that the cited provisions of Chapter 14 form a part of this Contract.

The Bidder declares that it has become familiar with the City Conflict of Interest Disclosure Form and certifies that the statement contained therein is true and correct.

In submitting this Bid, it is understood that the right is reserved by the City to accept any Bid, to reject any or all Bids, to waive irregularities and/or informalities in any Bid, and to make the award in any manner the City believes to be in its best interest.

SIGNED THIS 17th DAY April OF , 2026.

Solenis LLC
Bidder's Name


Authorized Signature of Bidder

2475 Pinnacle Drive Wilmington, DE 19803
Official Address

Wendy S. Mueller
(Print Name of Signer Above)

302-502-0802
Telephone Number

bidders@solenis.com
Email Address for Award Notice

LEGAL STATUS OF BIDDER

(The Bidder shall fill out the appropriate form and strike out the other three.)

Bidder declares that it is:

~~* A corporation organized and doing business under the laws of the State of _____, for whom _____, bearing the office title of _____, whose signature is affixed to this Bid, is authorized to execute contracts.~~

NOTE: If not incorporated in Michigan, please attach the corporation's Certificate of Authority

• A limited liability company doing business under the laws of the State of Delaware, whom Wendy S. Mueller bearing the title of Regional Pricing Director whose signature is affixed to this proposal, is authorized to execute contract on behalf of the LLC.

~~* A partnership, organized under the laws of the state of _____ and filed in the county of _____, whose members are (list all members and the street and mailing address of each) (attach separate sheet if necessary): _____~~

~~* An individual, whose signature with address, is affixed to this Bid. _____ (initial here)~~

Authorized Official

Wendy S. Mueller Date April 17, 2026

(Print) Name Wendy S. Mueller Title Regional Pricing Director

Company: Solenis LLC

Address: 2475 Pinnacle Drive Wilmington, DE 19803

Contact Phone () 302-502-0802 Fax () n/a

Email bidders@solenis.com

SPECIFICATIONS

CITY OF ANN ARBOR STANDARD SPECIFICATIONS FOR CATIONIC EMULSION POLYMER

General:

As indicated by testing results, only the following two polymers currently meet the WRRF's flow, production, capture, odor, and dosage requirements. As such they will be the only polymers allowed for pricing, no substitutions.

- SNF Polydyne Clarifloc CE-1540
- BASF Corp. Zetag 8846FS (US)

The supplier must be a recognized manufacturer or authorized representative of the product offered and shall be qualified to advise in its use.

The supplier shall be responsible for stocking and inventorying sufficient quantities of all bid items in order to guarantee that all orders placed against the contract be delivered complete and to the designated delivery site(s) within the time period specified under Lead Time in their bid.

The WRRF must be notified of any modification in the chemical formulation of the polymer by the manufacturer. In such an event, if WRRF staff deem it necessary, the supplier will conduct testing of the re-formulated polymer. The results of the testing will provide evidence of equal or greater effectiveness of the re-formulated polymer with no adverse impact on the WRRF's ability to maintain compliance with all applicable regulations.

SHIPPING AND DELIVERY REQUIREMENTS:

Deliveries are to be made with 4,000-5,000 gallon tank trucks equipped with compressors. Start of season and end of season orders may require delivery of the polymer in standard 330 gallon, chemical bulk totes. Estimated number of bulk deliveries between 8-12 orders per year.

Bulk deliveries of 4,000-5,000 gallons will require driver to hook up to a 3" MALE quick connect cam-lock fitting, tank truck will be no closer than 5 feet to loading point.

Normal delivery will be accepted between the hours of 7:00 a.m. and 7:00 p.m. Monday through Friday (excluding holidays), unless prior arrangements are made and are acceptable to the WRRF supervisor on duty.

SPILLAGE AND CLEANUP:

In the event of spillage of the polymer caused by the supplier or its representative, for example, lack of proper equipment to unload, carelessness, etc, it will be the supplier's responsibility to bear all subsequent cleanup costs.

FREIGHT CHARGES:

Freight charges to the City of Ann Arbor shall be included in the unit cost of the bid item.

Other Items: Less than 30 days, E. O. M., Proximo, etc. will not be considered in determining the award of the Contract.

Please Check: We have read the specifications and associated conditions thoroughly.

Yes () No

Are all exceptions to the specifications properly outlined?

Yes () No None taken

Certification: We hereby certify that the Cationic emulsion polymer provided will meet or exceed the specifications in every respect.



Authorized Representative's Signature

Wendy S. Mueller

Printed Name

References: Please list at least three (3) companies or public agencies for whom you have performed similar work.

| | <u>ORGANIZATION</u> | <u>ADDRESS</u> | <u>CONTACT PERSON</u> | <u>TELEPHONE</u> |
|----|----------------------------------|--|-----------------------|------------------|
| 1. | City of Columbus | 7151 S High Street Lockbourne, OH 43137 | J.P. Wilson | 614-645-3248 |
| 2. | Los Angeles County Sanitation | 26200 Springbrook Ave Saugus, CA 91350 | KC Bisto | 307-752-0796 |
| 3. | Fox Metro Water Reclamation | 682 State Rt 31 Oswego, IL 60543 | Joel Ilseman | 630-301-6828 |

BID FORM

VENDOR NAME: Solenis LLC

All Bidders shall submit pricing in the format requested

SNF Polydyne Clarifloc CE-1540

| | | |
|----------------------|------|-------------------------|
| Polymer | BULK | \$ <u>NO BID</u> /POUND |
| FREIGHT | | \$ <u>NO BID</u> /POUND |
| TOTAL DELIVERED COST | | \$ <u>NO BID</u> /POUND |

Solenis/BASF Corp. Zetag 8846FS (US)

| | | |
|----------------------|------|---|
| Polymer | BULK | \$ <u> .94</u> /POUND |
| FREIGHT | | \$ <u> .07</u> /POUND |
| TOTAL DELIVERED COST | | \$ <u> 1.01</u> /POUND |

LEAD TIME FROM ORDER TO DELIVERY:

SNF Polydyne Clarifloc CE-1540

- Lead time, N/A

Solenis /BASF Corp. Zetag 8846FS (US)

- Lead time, 7-10 BUSINESS DAYS

INVOICE TERMS: Discount of 0 % or \$ N/A will be allowed for payment of invoice thirty (30) days from day of delivery and acceptance.

OTHER TERMS: Less than 30 days, E.O.M., Proximo, etc., will not be considered in determining award of contract.

Polymer shall be supplied to the City of Ann Arbor Water Resource Recovery Facility, f.o.b. destination, freight prepaid. Contractor shall be responsible for transferring the product from transport vehicle to the City of Ann Arbor storage vessel. Bidder shall specify minimum shipping amount if any:

40,000 POUNDS MINIMUM FOR DELIVERY

QUANTITY: The annual quantity is approximately **45,000 gallons**. This quantity is for estimating purposes only, not a guarantee of actual usage. Product will be ordered on an "as needed" basis. All prices are to remain firm.

GENERAL CONDITIONS

ESTIMATED QUANTITIES

Quantities stated are estimated and not guaranteed. The quantities stated will be used for award purposes only and are based up an average of actual annual usage.

DOWN PAYMENTS

Any bid proposal submitted which requires a down payment or prepayment of any kind prior to delivery and acceptance of the item, as being in conformance with the specifications will not be considered for award.

PURCHASE ORDER

The successful bidder will be issued a purchase order from the City of Ann Arbor, which will create a bilateral contract between the City and the successful bidder. The purchase order shall commit the bidder to perform the contract in accordance with the specifications and the terms and conditions of the purchase order.

The terms and conditions of the Purchase Order are provided herein.

CONTRACT TERM

The pricing provided for this ITB shall be firm for one (1) year. Upon mutual agreement between the City and the vendor the pricing provided in this ITB may be extended for three (3) additional one (1) year periods not to exceed four (4) years in total. Price increases shall be tied to the producer price index for basic chemical manufacturing (code 3251). The vendor shall provide written notice upon renewal that they intend to exercise the price escalation provision and provide documentation of the calculation of price increase.

The price increase shall be calculated as follows:

Price Increase =

Current Bid Price x

Percentage Difference between PPI Data at Month/Year of ITB Acceptance and Month/Year of Price Increase

PPI Source:

<https://data.bls.gov/PDQWeb/pc>

Example:

Bid Price = \$10/ton

PPI at ITB acceptance (1/1/2015) = 272.8

PPI at Increase Request Date (1/1/2017) = 292.3

Difference as a percentage = 7.1%

New acceptable price = \$10.71

City of Ann Arbor: General Terms and Conditions

The following General Terms and Conditions shall apply to all purchases by or on behalf of the City of Ann Arbor unless specifically provided otherwise on the front of this document:

Tax Exemption: The City of Ann Arbor ("City") is tax exempt: FEIN # 38-6004534.

Acceptance of Contract: This purchase order is the City's contract to purchase the goods or services attached to this document from the Vendor. The City's placement of this order is expressly conditioned upon the Vendor's acceptance of all the terms and conditions on or attached to this purchase order. All specifications, drawings, and data submitted to the Vendor with this order are hereby incorporated and made part hereof.

Amendments: No agreement or understanding to modify this contract shall be binding upon the City unless in writing and signed by the City's authorized agent.

Delivery: All prices must be F.O.B. delivery point. Time is of the essence on this contract. If delivery dates cannot be met, the Vendor agrees to advise the City in writing of the earliest possible shipping date. The City reserves the right to cancel or purchase elsewhere and hold the Vendor accountable.

Risk of Loss: Regardless of F.O.B. point, the Vendor agrees to bear all risk of loss, injury, or destruction of goods or materials ordered herein that occur prior to delivery or acceptance by the City, whichever is later. No such loss, injury, or destruction shall release the Vendor from any obligations hereunder.

Inspection: Vendor must properly package goods to prevent damage. The City will not accept damaged goods. The City reserves the right to inspect goods at a reasonable time subsequent to delivery where circumstances or conditions prevent effective inspection of the goods at the time of delivery. All rejected goods shall be returned to the Vendor at Vendor's cost, with no cost to the City, whether the damage is readily apparent at the time of delivery or later. The City's acceptance is conditioned on such inspection.

Patents and Copyrights: If goods sold and delivered to the City hereunder are protected by an applicable patent or copyright, the Vendor agrees to indemnify and save harmless the City from and against any and all suits, claims, judgments, and costs instituted or recovered against the City by any person on account of the use or sale of such goods by the City in violation of such patent or copyright.

Uniform Commercial Code: All applicable portions of the Michigan Uniform Commercial Code shall govern contracts for goods with the City of Ann Arbor; except as modified by contract documents.

Non-waiver of Rights: No failure of either party to exercise any right given to it hereunder or to insist upon strict compliance by the other party with its obligations hereunder, and no custom or practice of the parties at variance with the terms hereof, nor any payment under this contract shall constitute a waiver of either party's right to demand exact compliance with the terms hereof.

Material Safety Data Sheets: Applicable Material Safety Data Sheets, in compliance with OSHA/MIOSHA hazard communication regulations and standards, must be provided by the Vendor to the City at the time of purchase.

Assignments: The Vendor agrees not to assign or transfer any part of this contract without the written consent of the City, acting through an authorized agent. Any unauthorized assignment may subject the Vendor to immediate termination.

Laws Governing, Severability: This contract shall be governed by and construed according to the laws of the State of Michigan. Vendor agrees to submit to the jurisdiction and venue of the Circuit Court of Washtenaw County, MI, or if original jurisdiction is established, the U.S. District Ct. for Eastern District of MI, Southern Division. The Vendor stipulates venues referenced are convenient and waives any claim of non-convenience. If any term herein is found to be ineffective, unenforceable or illegal under any present or future law, such term shall be fully severable, and the remaining terms shall not be affected and shall remain in full force and effect.

Prevailing Wage: Vendor must comply with applicable prevailing wage requirements, including the Davis-Bacon Act.

Living Wage: Vendor must comply, when applicable, with the City's Living Wage Ordinance (Chapter 23, City Code).

Non-Discrimination: Vendor must comply with all applicable state, federal, and local non-discrimination laws, including MCL 37.2209 and Chapter 112 of City Code.

Indemnification: To the fullest extent permitted by law, the Vendor shall indemnify, defend, and hold the City, its officers, employees, and agents harmless from all suits, claims, judgments, and expenses, including attorney fees, resulting or alleged to result from any act or omission associated with the performance of this contract by the Vendor or anyone acting on the Vendor's behalf under this contract. The Vendor shall not be responsible to indemnify the City for losses or damages caused by or resulting from the City's sole negligence. This indemnity survives delivery and acceptance of the Vendor's goods and services.

Warranty: The Vendor warrants to the City that all goods and services furnished hereunder will conform in all respects to the terms of this contract, including any drawings, specifications and standards incorporated herein. In addition, the Vendor warrants the goods and services are suitable for and will perform in accordance with the purposes for which they were intended.

Payment Terms: The City's payment terms are "net 30." The payment date will be calculated based on the invoice receipt date or delivery date, whichever is later.

Payments: All invoices under this contract shall be emailed to accountspayable@a2gov.org. Mailed invoices shall be addressed to the City of Ann Arbor, Accounts Payable, P.O. Box 8647, Ann Arbor, MI 48107, as indicated on the front of this purchase order. Invoices must include the Vendor's name, phone number, and clearly list item descriptions, quantities, and units of measure. The Vendor acknowledges and understands that invoices not addressed as stated above shall have the "net 30" begin once the invoice is received by City Accounts Payable.

Compliance with Laws: The Vendor certifies that in performing this contract it will comply with all applicable laws, regulations, rules, and orders.

Termination for Cause: In the event the Vendor fails, at any time, to comply with, fully perform, or strictly adhere to any covenant, condition or representation contained within this contract, the City shall have the right to give written notice to Vendor of such failure. If such failure is not cured to the City's satisfaction within 10 business days from the time of delivery to Vendor of such notice, the City shall have the right to terminate this contract immediately without the requirement of further notice.



Vendor Conflict of Interest Disclosure Form

All vendors interested in conducting business with the City of Ann Arbor must complete and return the Vendor Conflict of Interest Disclosure Form in order to be eligible to be awarded a contract. Please note that all vendors are subject to comply with the City of Ann Arbor's conflict of interest policies as stated within the certification section below.

If a vendor has a relationship with a City of Ann Arbor official or employee, an immediate family member of a City of Ann Arbor official or employee, the vendor shall disclose the information required below.

1. No City official or employee or City employee's immediate family member has an ownership interest in vendor's company or is deriving personal financial gain from this contract.
2. No retired or separated City official or employee who has been retired or separated from the City for less than one (1) year has an ownership interest in vendor's Company.
3. No City employee is contemporaneously employed or prospectively to be employed with the vendor.
4. Vendor hereby declares it has not and will not provide gifts or hospitality of any dollar value or any other gratuities to any City employee or elected official to obtain or maintain a contract.
5. Please note any exceptions below:

| Conflict of Interest Disclosure* | |
|---|---|
| Name of City of Ann Arbor employees, elected officials or immediate family members with whom there may be a potential conflict of interest. | <input type="checkbox"/> Relationship to employee <input type="checkbox"/> Interest in vendor's company <input type="checkbox"/> Other (please describe in box below) |
| NONE | |

*Disclosing a potential conflict of interest does not disqualify vendors. In the event vendors do not disclose potential conflicts of interest and they are detected by the City, vendor will be exempt from doing business with the City.

| | | |
|--|----------------------------|---|
| I certify that this Conflict of Interest Disclosure has been examined by me and that its contents are true and correct to my knowledge and belief and I have the authority to so certify on behalf of the Vendor by my signature below: | | |
| Solenis LLC | 302-502-0802 | |
| Vendor Name | Vendor Phone Number | |
| | 4/17/2026 | Wendy S. Mueller |
| Signature of Vendor Authorized Representative | Date | Printed Name of Vendor Authorized Representative |

**CITY OF ANN ARBOR
DECLARATION OF COMPLIANCE**

Non-Discrimination Ordinance

The "non discrimination by city contractors" provision of the City of Ann Arbor Non-Discrimination Ordinance (Ann Arbor City Code Chapter 112, Section 9:158) requires all contractors proposing to do business with the City to treat employees in a manner which provides equal employment opportunity and does not discriminate against any of their employees, any City employee working with them, or any applicant for employment on the basis of actual or perceived age, arrest record, color, disability, educational association, familial status, family responsibilities, gender expression, gender identity, genetic information, height, HIV status, marital status, national origin, political beliefs, race, religion, sex, sexual orientation, source of income, veteran status, victim of domestic violence or stalking, or weight. It also requires that the contractors include a similar provision in all subcontracts that they execute for City work or programs.

In addition the City Non-Discrimination Ordinance requires that all contractors proposing to do business with the City of Ann Arbor must satisfy the contract compliance administrative policy adopted by the City Administrator. A copy of that policy may be obtained from the Purchasing Manager

The Contractor agrees:

- (a) To comply with the terms of the City of Ann Arbor's Non-Discrimination Ordinance and contract compliance administrative policy, including but not limited to an acceptable affirmative action program if applicable.
- (b) To post the City of Ann Arbor's Non-Discrimination Ordinance Notice in every work place or other location in which employees or other persons are contracted to provide services under a contract with the City.
- (c) To provide documentation within the specified time frame in connection with any workforce verification, compliance review or complaint investigation.
- (d) To permit access to employees and work sites to City representatives for the purposes of monitoring compliance, or investigating complaints of non-compliance.

The undersigned states that he/she has the requisite authority to act on behalf of his/her employer in these matters and has offered to provide the services in accordance with the terms of the Ann Arbor Non-Discrimination Ordinance. The undersigned certifies that he/she has read and is familiar with the terms of the Non-Discrimination Ordinance, obligates the Contractor to those terms and acknowledges that if his/her employer is found to be in violation of Ordinance it may be subject to civil penalties and termination of the awarded contract.

Solenis LLC

Company Name

Wendy S. Mueller

Signature of Authorized Representative

4/17/2026

Date

Wendy S. Mueller

Print Name and Title

2475 Pinnacle Drive Wilmington, DE 19803

Address, City, State, Zip

302-502-0802 / bidders@solenis.com

Phone/Email Address

Questions about the Notice or the City Administrative Policy, Please contact:
Procurement Office of the City of Ann Arbor
(734) 794-6500

CITY OF ANN ARBOR NON-DISCRIMINATION ORDINANCE

Relevant provisions of Chapter 112, Nondiscrimination, of the Ann Arbor City Code are included below.
You can review the entire ordinance at www.a2gov.org/humanrights.

Intent: It is the intent of the city that no individual be denied equal protection of the laws; nor shall any individual be denied the enjoyment of his or her civil or political rights or be discriminated against because of actual or perceived age, arrest record, color, disability, educational association, familial status, family responsibilities, gender expression, gender identity, genetic information, height, HIV status, marital status, national origin, political beliefs, race, religion, sex, sexual orientation, source of income, veteran status, victim of domestic violence or stalking, or weight.

Discriminatory Employment Practices: No person shall discriminate in the hire, employment, compensation, work classifications, conditions or terms, promotion or demotion, or termination of employment of any individual. No person shall discriminate in limiting membership, conditions of membership or termination of membership in any labor union or apprenticeship program.

Discriminatory Effects: No person shall adopt, enforce or employ any policy or requirement which has the effect of creating unequal opportunities according to actual or perceived age, arrest record, color, disability, educational association, familial status, family responsibilities, gender expression, gender identity, genetic information, height, HIV status, marital status, national origin, political beliefs, race, religion, sex, sexual orientation, source of income, veteran status, victim of domestic violence or stalking, or weight for an individual to obtain housing, employment or public accommodation, except for a bona fide business necessity. Such a necessity does not arise due to a mere inconvenience or because of suspected objection to such a person by neighbors, customers or other persons.

Nondiscrimination by City Contractors: All contractors proposing to do business with the City of Ann Arbor shall satisfy the contract compliance administrative policy adopted by the City Administrator in accordance with the guidelines of this section. All city contractors shall ensure that applicants are employed and that employees are treated during employment in a manner which provides equal employment opportunity and tends to eliminate inequality based upon any classification protected by this chapter. All contractors shall agree not to discriminate against an employee or applicant for employment with respect to hire, tenure, terms, conditions, or privileges of employment, or a matter directly or indirectly related to employment, because of any applicable protected classification. All contractors shall be required to post a copy of Ann Arbor's Non-Discrimination Ordinance at all work locations where its employees provide services under a contract with the city.

Complaint Procedure: If any individual believes there has been a violation of this chapter, he/she may file a complaint with the City's Human Rights Commission. The complaint must be filed within 180 calendar days from the date of the individual's knowledge of the allegedly discriminatory action or 180 calendar days from the date when the individual should have known of the allegedly discriminatory action. A complaint that is not filed within this timeframe cannot be considered by the Human Rights Commission. To file a complaint, first complete the complaint form, which is available at www.a2gov.org/humanrights. Then submit it to the Human Rights Commission by e-mail (hrc@a2gov.org), by mail (Ann Arbor Human Rights Commission, PO Box 8647, Ann Arbor, MI 48107), or in person (City Clerk's Office). For further information, please call the commission at 734-794-6141 or e-mail the commission at hrc@a2gov.org.

Private Actions For Damages or Injunctive Relief: To the extent allowed by law, an individual who is the victim of discriminatory action in violation of this chapter may bring a civil action for appropriate injunctive relief or damages or both against the person(s) who acted in violation of this chapter.

THIS IS AN OFFICIAL GOVERNMENT NOTICE AND
MUST BE DISPLAYED WHERE EMPLOYEES CAN READILY SEE IT.



PYM-PDS-NA-Zetag-88 Range-R3

Zetag™ 88 Range Flocculants

Description

High molecular weight polyacrylamide-based flocculants, which exhibit varying degrees of cationic charge. They are supplied as viscous free flowing liquids in inverse emulsion form.

Chemical Structure

Co-polymers of acrylamide and quaternized cationic monomer.

| Product | Cationic Charge | Molecular Weight |
|---------------|-----------------|------------------|
| Zetag 8814 | medium | high |
| Zetag 8816 | medium-high | very high |
| Zetag 8818 | high | very high |
| Zetag 8819 | very high | very high |
| Zetag 8844FS | medium | medium |
| Zetag 8846FS | medium-high | medium |
| Zetag 8848FS | high | high |
| Zetag 8849FS | very high | medium |
| Zetag 8868FS | high | low |
| Zetag 8828FSB | medium-high | high |
| Zetag 8847FSB | high | medium |
| Zetag 8857FSB | high | medium |
| Zetag 8858FSB | high | medium |
| Zetag 8878FSB | high | low |
| Zetag 8829FSB | very high | high |

Principal Use

Polyelectrolytes for conditioning a variety of municipal and industrial substrates prior to mechanical or static solid/liquid separation.

These products are not suitable for use in potable water applications. If in any doubt regarding suitability for a given application, please contact your local sales representative.

Benefits

Highly effective across a wide range of applications (e.g., mechanical dewatering and thickening, flotation and clarification). Operation over a wide pH range (4 – 9).

Storage

The shelf life of the product is minimum 6 months from date of manufacturing if it is stored in its sealed original packaging within a temperature range of 5 – 25 °C in a dry place.

It is recommended that stock solutions at 0.25 – 0.5% are prepared regularly and for maximum effect such solutions should be used within 5 days. Beyond this period some loss in efficiency of the product may occur.

Depending upon storage conditions and product age, product separation may occur. If separation is observed the product should be re-dispersed well by mixing or re-circulation before use to ensure maximum efficiency.

Shipping & Handling

As with all cationic polyelectrolytes the product exhibits toxicity towards fish.

It is important that precautions are taken where the product may come into direct contact with fresh water courses, streams and rivers.

Corrosion towards most standard materials of construction is very low. Stainless steel, fiberglass, polyethylene, polypropylene and rubberized surfaces are recommended. In some cases, aluminum surfaces can be adversely affected.

Spilled product is slippery underfoot, very slippery when wet, stir before use. Please refer to the SDS for methods of removing the polymer.

The following materials should be avoided when handling neat inverse emulsions products:

- EPDM (Ethylene Propylene Rubber)
- Natural Rubber
- Polyurethane
- PVC

Technical Service

Account Managers and Field Service Technicians are available to give advice and assistance in the running of laboratory tests and machine trials to select the correct product and determine the best application conditions.

Continued on page 2.

Packaging

This product is available in a variety of packaging sizes. Your Solenis representative will recommend the appropriate packaging for the application.


Important Information

Typical Properties: Refer to the Safety Data Sheet (SDS).

Regulatory Information: Refer to the SDS/RDS or contact your sales representative for any additional regulatory and environmental information.

Safety: Solenis maintains an SDS for all of its products. Use the health and safety information contained in the SDS to develop appropriate product handling procedures to protect your employees and customers.

Our SDS should be read and understood by all of your supervisory personnel and employees before using Solenis products in your facilities.

| | | |
|---|--|---------------------------|
|  Solenis | | Page: 1 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

SECTION 1. IDENTIFICATION

Product identifier

Trade name : Zetag™ 8846FS (US) FLOCCULANT
™ Trademark, Solenis or its subsidiaries or affiliates,
registered in various countries

Recommended use of the chemical and restrictions on use

Use of the Substance/Mixture : Flocculating agent

| | |
|---|--|
| Details of the supplier of the safety data sheet Solenis LLC 2475 Pinnacle Drive Wilmington, DE 19803 United States of America (USA) EHSProductSafetyTeam@solenis.com | Emergency telephone number 1-844-SOLENIS (844-765-3647) Product Information Contact your local Solenis representative |
|---|--|

SECTION 2. HAZARDS IDENTIFICATION

GHS classification in accordance with the OSHA Hazard Communication Standard (29 CFR 1910.1200)

Skin irritation : Category 2

Eye irritation : Category 2B

GHS label elements


Hazard pictograms :



Signal word : Warning

Hazard statements : H315 + H320 Causes skin and eye irritation.

Precautionary statements : **Prevention:**
P264 Wash skin thoroughly after handling.
P280 Wear protective gloves.
Response:
P302 + P352 IF ON SKIN: Wash with plenty of soap and water.

| | | |
|---|--|---------------------------|
|  Solenis | | Page: 2 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.
P332 + P313 If skin irritation occurs: Get medical advice/attention.
P337 + P313 If eye irritation persists: Get medical advice/attention.
P362 Take off contaminated clothing and wash before reuse.

Other hazards

Material can create slippery conditions.

SECTION 3. COMPOSITION/INFORMATION ON INGREDIENTS

Substance / Mixture : Mixture


Components

| Chemical name | CAS-No. | Classification | Concentration (%) |
|-----------------------|--------------|---|-------------------|
| ALIPHATIC HYDROCARBON | Trade Secret | Flam. Liq. 4; H227 Asp. Tox. 1; H304 | >= 20 - < 30 |
| ALCOHOL ETHOXYLATE | Trade Secret | Acute Tox. 4; H302 Eye Dam. 1; H318 | >= 1 - < 1.5 |

Actual concentration is withheld as a trade secret

SECTION 4. FIRST AID MEASURES


- General advice : Move out of dangerous area.
Show this safety data sheet to the doctor in attendance.
Do not leave the victim unattended.
- If inhaled : If breathed in, move person into fresh air.
If unconscious, place in recovery position and seek medical advice.
If symptoms persist, call a physician.
- In case of skin contact : Remove contaminated clothing. If irritation develops, get medical attention.
If on skin, rinse well with water.
First aid is not normally required. However, it is recommended that exposed areas be cleaned by washing with soap and water.
Wash contaminated clothing before re-use.
- In case of eye contact : Flush eyes with water as a precaution.
Remove contact lenses.
Protect unharmed eye.
If eye irritation persists, consult a specialist.

| | | |
|---|--|---------------------------|
|  Solenis | | Page: 3 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

- If swallowed : Do not give milk or alcoholic beverages.
Never give anything by mouth to an unconscious person.
If symptoms persist, call a physician.
- Most important symptoms and effects, both acute and delayed : Signs and symptoms of exposure to this material through breathing, swallowing, and/or passage of the material through the skin may include:
stomach or intestinal upset (nausea, vomiting, diarrhea)
irritation (nose, throat, airways)
Lung irritation
confusion
irregular heartbeat
Convulsions
Inhalation of high concentrations of this material, as could occur in enclosed spaces or during deliberate abuse, may be associated with cardiac arrhythmias. Sympathomimetic drugs may initiate cardiac arrhythmias in persons exposed to this material.
This material is an aspiration hazard. Potential danger from aspiration must be weighed against possible oral toxicity when deciding whether to induce vomiting.
Causes skin and eye irritation.
- Notes to physician : No hazards which require special first aid measures.

SECTION 5. FIREFIGHTING MEASURES

- Suitable extinguishing media : Use extinguishing measures that are appropriate to local circumstances and the surrounding environment.
Water spray
Foam
Carbon dioxide (CO2)
Dry chemical
- Unsuitable extinguishing media : High volume water jet
- Specific hazards during firefighting : If product is heated above its flash point it will produce vapors sufficient to support combustion. Vapors are heavier than air and may travel along the ground and be ignited by heat, pilot lights, other flames and ignition sources at locations near the point of release.
Do not allow run-off from fire fighting to enter drains or water courses.
- Hazardous combustion products : Carbon monoxide
Carbon dioxide (CO2)
Nitrogen oxides (NOx)
Hydrocarbons
- Specific extinguishing : Product is compatible with standard fire-fighting agents.

| | | |
|---|--|---------------------------|
|  | | Page: 4 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

methods

Further information : Material can create slippery conditions.
Water may cause extremely slippery conditions.
Fire residues and contaminated fire extinguishing water must be disposed of in accordance with local regulations.

Special protective equipment for firefighters : In the event of fire, wear self-contained breathing apparatus.

SECTION 6. ACCIDENTAL RELEASE MEASURES

Personal precautions, protective equipment and emergency procedures : Material can create slippery conditions.
Persons not wearing protective equipment should be excluded from area of spill until clean-up has been completed.
Comply with all applicable federal, state, and local regulations.


Environmental precautions : Prevent product from entering drains.
Prevent further leakage or spillage if safe to do so.
If the product contaminates rivers and lakes or drains inform respective authorities.

Methods and materials for containment and cleaning up : For small spills, quickly contain and remove the spilled material using absorbent pads, socks, kitty litter, sawdust etc, then appropriately dispose. Do not leave absorbents to sit overnight, as they will become hard and difficult to remove.
The remaining residue or film can be treated with dilute caustic (2%) or dilute liquid bleach (2–5%), allowed to soak for up to one hour, and clean with warm water (between 49C – 54C (120F – 130 F)) or flushed to a sewer using high volumes of water taking into account local guidelines.
Soak up with inert absorbent material (e.g. sand, silica gel, acid binder, universal binder, sawdust).
Keep in suitable, closed containers for disposal.

SECTION 7. HANDLING AND STORAGE

Advice on protection against fire and explosion : Normal measures for preventive fire protection.

Advice on safe handling : Avoid spillage on floor as the product can become very slippery.
Do not breathe vapours/dust.
Do not smoke.
Container hazardous when empty.
Smoking, eating and drinking should be prohibited in the application area.
For personal protection see section 8.
Dispose of rinse water in accordance with local and national regulations.

| | | |
|---|--|---------------------------|
|  Solenis | | Page: 5 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

Conditions for safe storage : Keep container tightly closed in a dry and well-ventilated place.
Containers which are opened must be carefully resealed and kept upright to prevent leakage.
Electrical installations / working materials must comply with the technological safety standards.

Further information on storage stability : No decomposition if stored and applied as directed.

SECTION 8. EXPOSURE CONTROLS/PERSONAL PROTECTION

Components with workplace control parameters

| Components | CAS-No. | Value type (Form of exposure) | Control parameters / Permissible concentration | Basis |
|-----------------------|--------------|----------------------------------|--|-------|
| ALIPHATIC HYDROCARBON | Trade Secret | TWA | 200 mg/m ³ (total hydrocarbon vapor) | ACGIH |

Engineering measures : Provide sufficient mechanical (general and/or local exhaust) ventilation to maintain exposure below exposure guidelines (if applicable) or below levels that cause known, suspected or apparent adverse effects.

Personal protective equipment

Respiratory protection : In the case of vapour formation use a respirator with an approved filter.


Filter type : Type A

Hand protection
Material : nitrile rubber

Remarks : The suitability for a specific workplace should be discussed with the producers of the protective gloves.

Eye protection : Wear chemical splash goggles when there is the potential for exposure of the eyes to liquid, vapor or mist.

Skin and body protection : Wear as appropriate:
Impervious clothing
Safety shoes
Choose body protection according to the amount and concentration of the dangerous substance at the work place.
Wear resistant gloves (consult your safety equipment supplier).

| | | |
|--|--|---------------------------|
|  Solenis [™] | | Page: 6 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag [™] 8846FS (US) FLOCCULANT [™] Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

Discard gloves that show tears, pinholes, or signs of wear.

Hygiene measures : Wash hands before breaks and at the end of workday.

SECTION 9. PHYSICAL AND CHEMICAL PROPERTIES

Appearance : Emulsion

Colour : white

Odour : hydrocarbon-like

Odour Threshold : No data available

pH : ca. 4

Melting point/freezing point : No data available

Boiling point/boiling range : > 212 °F / > 100 °C

Flash point : > 212 °F / > 100 °C
Method: ASTM D 92

Evaporation rate : No data available

Flammability (solid, gas) : Not classified as a flammability hazard

Self-ignition : does not ignite

Upper explosion limit / Upper flammability limit : No data available

Lower explosion limit / Lower flammability limit : No data available

Vapour pressure : No data available


Relative vapour density : No data available

Relative density : No data available

Density : ca. 1.0 g/cm³ (68 °F / 20 °C)

Solubility(ies)
Water solubility : dispersible

Solubility in other solvents : No data available

| | | |
|---|--|---------------------------|
|  Solenis | | Page: 7 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

Partition coefficient: n-octanol/water : No data available

Decomposition temperature : No data available

Viscosity
 Viscosity, dynamic : 300 - 1,400 cps (68 °F / 20 °C)

Viscosity, kinematic : > 20.5 mm²/s (104 °F / 40 °C)
 The product has not been tested. The statement has been derived from substances/products of a similar structure or composition.

Explosive properties : Not explosive

Oxidizing properties : The substance or mixture is not classified as oxidizing.

SECTION 10. STABILITY AND REACTIVITY

Reactivity : No decomposition if stored and applied as directed.

Chemical stability : Stable under recommended storage conditions.

Possibility of hazardous reactions : Product will not undergo hazardous polymerization.

Conditions to avoid : Heat, flames and sparks.

Incompatible materials : Strong oxidizing agents
 strong reducing agents

Hazardous decomposition products : Carbon monoxide
 Carbon dioxide (CO₂)
 Nitrogen oxides (NO_x)
 Hydrocarbons

SECTION 11. TOXICOLOGICAL INFORMATION

Acute toxicity


Not classified based on available information.

Components:

ALIPHATIC HYDROCARBON:

Acute oral toxicity : LD50 (Rat): > 5,000 mg/kg

Acute inhalation toxicity : LC 50 (Rat, male and female): > 5.28 mg/l
 Exposure time: 4 h
 Test atmosphere: vapour
 Method: OECD Test Guideline 403

| | | |
|---|--|---------------------------|
|  Solenis | | Page: 8 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

Assessment: No adverse effect has been observed in acute inhalation toxicity tests.

Acute dermal toxicity : LD50 (Rabbit): > 2,000 mg/kg
Assessment: No adverse effect has been observed in acute dermal toxicity tests.

ALCOHOL ETHOXYLATE:

Acute oral toxicity : LD50 (Rat): Expected > 300 - 2,000 mg/kg

Skin corrosion/irritation

Causes skin irritation.

Product:

Species : Rabbit
Method : OECD Test Guideline 404
Result : irritating

Components:

ALIPHATIC HYDROCARBON:

Result : Mildly irritating to skin

Serious eye damage/eye irritation

Causes eye irritation.

Product:

Species : Rabbit
Result : Slightly to moderately irritating to eyes
Method : OECD Test Guideline 405

Remarks : Unlikely to cause eye irritation or injury.

Components:

ALIPHATIC HYDROCARBON:

Result : Mildly irritating to eyes

ALCOHOL ETHOXYLATE:

Result : Corrosive to eyes


Respiratory or skin sensitisation

Skin sensitisation

Not classified based on available information.

Respiratory sensitisation

Not classified based on available information.

| | | |
|---|--|---------------------------|
|  Solenis | | Page: 9 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

Germ cell mutagenicity

Not classified based on available information.

Carcinogenicity

Not classified based on available information.

IARC No component of this product present at levels greater than or equal to 0.1% is identified as probable, possible or confirmed human carcinogen by IARC.

OSHA No component of this product present at levels greater than or equal to 0.1% is on OSHA's list of regulated carcinogens.

NTP No component of this product present at levels greater than or equal to 0.1% is identified as a known or anticipated carcinogen by NTP.

Reproductive toxicity

Not classified based on available information.

STOT - single exposure

Not classified based on available information.

STOT - repeated exposure

Not classified based on available information.

Aspiration toxicity

Not classified based on available information.

Components:

ALIPHATIC HYDROCARBON:

The substance or mixture is known to cause human aspiration toxicity hazards or has to be regarded as if it causes a human aspiration toxicity hazard.

Further information

Product:

Remarks : No data available


SECTION 12. ECOLOGICAL INFORMATION

Ecotoxicity

Product:

Toxicity to fish : LC50 (Oncorhynchus mykiss (rainbow trout)): > 10 - 100 mg/l
Exposure time: 96 h
Test Type: static test
Remarks: Information given is based on data on the components and the ecotoxicology of similar products.

LC50 (Menidia beryllina (Silverside)): 222 mg/l
Exposure time: 96 h
Test Type: static test

| | | |
|---|--|---------------------------|
|  | | Page: 10 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

Method: EPA-821-R-02-012

NOEC (Menidia beryllina (Silverside)): 109 mg/l

Exposure time: 96 h

Test Type: static test

Method: EPA-821-R-02-012

Toxicity to daphnia and other aquatic invertebrates : EC50 (Daphnia (water flea)): > 10 - 100 mg/l
Exposure time: 48 h

EC50 (Mysidopsis bahia (opossum shrimp)): 3.06 mg/l

Exposure time: 96 h

Test Type: static test

Method: EPA-821-R-02-012

NOEC (Mysidopsis bahia (opossum shrimp)): 1.29 mg/l

Exposure time: 96 h

Test Type: static test

Method: EPA-821-R-02-012

Ecotoxicology Assessment

Acute aquatic toxicity : Acute aquatic toxicity Category 3; Harmful to aquatic life.

Chronic aquatic toxicity : Not classified based on available information.

Components:

ALIPHATIC HYDROCARBON:

Ecotoxicology Assessment

Acute aquatic toxicity : No toxicity at the limit of solubility

Chronic aquatic toxicity : No toxicity at the limit of solubility

ALCOHOL ETHOXYLATE:

Ecotoxicology Assessment

Acute aquatic toxicity : Toxic to aquatic life.


Chronic aquatic toxicity : Not classified based on available information.

Persistence and degradability

Product:

Biodegradability : Remarks: At natural pHs (>6), the polymer degrades due to the hydrolysis to more than 70% in 28 days.

Physico-chemical removability : Remarks: The product can be eliminated from water by abiotic processes, e.g. adsorption on activated sludge.

| | | |
|---|--|---------------------------|
|  Solenis | | Page: 11 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

Bioaccumulative potential

No data available

Mobility in soil

No data available

Other adverse effects

Product:

Additional ecological information : An environmental hazard cannot be excluded in the event of unprofessional handling or disposal.

SECTION 13. DISPOSAL CONSIDERATIONS

Disposal methods

Waste from residues : Dispose of in accordance with all applicable local, state and federal regulations.

The product should not be allowed to enter drains, water courses or the soil.
Do not contaminate ponds, waterways or ditches with chemical or used container.
Send to a licensed waste management company.

Contaminated packaging : Empty remaining contents.
Dispose of as unused product.
Empty containers should be taken to an approved waste handling site for recycling or disposal.
Do not re-use empty containers.

SECTION 14. TRANSPORT INFORMATION

International Regulations

IATA-DGR

Not regulated as a dangerous good

IMDG-Code

Not regulated as a dangerous good

Transport in bulk according to Annex II of MARPOL 73/78 and the IBC Code

Not applicable for product as supplied.


National Regulations

49 CFR

Not regulated as a dangerous good

Special precautions for user

The transport classification(s) provided herein are for informational purposes only, and solely based upon the properties of the unpackaged material as it is described within this Safety Data

| | | |
|---|--|---------------------------|
|  Solenis | | Page: 12 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

Sheet. Transportation classifications may vary by mode of transportation, package sizes, and variations in regional or country regulations.

SECTION 15. REGULATORY INFORMATION

EPCRA - Emergency Planning and Community Right-to-Know Act

SARA 302 Extremely Hazardous Substances Threshold Planning Quantity

This material does not contain any components with a section 302 EHS TPQ.

SARA 311/312 Hazards : Skin corrosion or irritation
Serious eye damage or eye irritation

SARA 313 : This material does not contain any chemical components with known CAS numbers that exceed the threshold (De Minimis) reporting levels established by SARA Title III, Section 313.

California Prop. 65

Proposition 65 warnings are not required for this product based on the results of a risk assessment performed on the product as delivered and when used as intended.

The components of this product are reported in the following inventories:

NZIoC : On the inventory, or in compliance with the inventory

TSCA : All substances listed as active on the TSCA inventory

AIIC : On the inventory, or in compliance with the inventory

DSL : All components of this product are on the Canadian DSL

KECI : On the inventory, or in compliance with the inventory

IECSC : On the inventory, or in compliance with the inventory

PICCS : On the inventory, or in compliance with the inventory

TCSI : Not in compliance with the inventory

TSCA list


No substances are subject to a Significant New Use Rule.

No substances are subject to TSCA 12(b) export notification requirements.

SECTION 16. OTHER INFORMATION

Further information

Revision Date : 09/20/2024

| | | |
|---|--|---------------------------|
|  | | Page: 13 |
| SAFETY DATA SHEET | | Revision Date: 09/20/2024 |
| | | Print Date: 04/20/2026 |
| | | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | | Version: 2.4 |

Full text of H-Statements

H227 : Combustible liquid.
H302 : Harmful if swallowed.
H304 : May be fatal if swallowed and enters airways.
H318 : Causes serious eye damage.

Full text of other abbreviations

Acute Tox. : Acute toxicity
Asp. Tox. : Aspiration hazard
Eye Dam. : Serious eye damage
Flam. Liq. : Flammable liquids
ACGIH : USA. ACGIH Threshold Limit Values (TLV)
ACGIH / TWA : 8-hour, time-weighted average


AIIIC - Australian Inventory of Industrial Chemicals; ASTM - American Society for the Testing of Materials; bw - Body weight; CERCLA - Comprehensive Environmental Response, Compensation, and Liability Act; CMR - Carcinogen, Mutagen or Reproductive Toxicant; DIN - Standard of the German Institute for Standardisation; DOT - Department of Transportation; DSL - Domestic Substances List (Canada); ECx - Concentration associated with x% response; EHS - Extremely Hazardous Substance; ELx - Loading rate associated with x% response; EmS - Emergency Schedule; ENCS - Existing and New Chemical Substances (Japan); ErCx - Concentration associated with x% growth rate response; ERG - Emergency Response Guide; GHS - Globally Harmonized System; GLP - Good Laboratory Practice; HMIS - Hazardous Materials Identification System; IARC - International Agency for Research on Cancer; IATA - International Air Transport Association; IBC - International Code for the Construction and Equipment of Ships carrying Dangerous Chemicals in Bulk; IC50 - Half maximal inhibitory concentration; ICAO - International Civil Aviation Organization; IECSC - Inventory of Existing Chemical Substances in China; IMDG - International Maritime Dangerous Goods; IMO - International Maritime Organization; ISHL - Industrial Safety and Health Law (Japan); ISO - International Organisation for Standardization; KECI - Korea Existing Chemicals Inventory; LC50 - Lethal Concentration to 50 % of a test population; LD50 - Lethal Dose to 50% of a test population (Median Lethal Dose); MARPOL - International Convention for the Prevention of Pollution from Ships; MSHA - Mine Safety and Health Administration; n.o.s. - Not Otherwise Specified; NFPA - National Fire Protection Association; NO(A)EC - No Observed (Adverse) Effect Concentration; NO(A)EL - No Observed (Adverse) Effect Level; NOELR - No Observable Effect Loading Rate; NTP - National Toxicology Program; NZIoC - New Zealand Inventory of Chemicals; OECD - Organization for Economic Co-operation and Development; OPPTS - Office of Chemical Safety and Pollution Prevention; PBT - Persistent, Bioaccumulative and Toxic substance; PICCS - Philippines Inventory of Chemicals and Chemical Substances; (Q)SAR - (Quantitative) Structure Activity Relationship; RCRA - Resource Conservation and Recovery Act; REACH - Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals; RQ - Reportable Quantity; SADT - Self-Accelerating Decomposition Temperature; SARA - Superfund Amendments and Reauthorization Act; SDS - Safety Data Sheet; TCSI - Taiwan Chemical Substance Inventory; TECL - Thailand Existing Chemicals Inventory; TSCA - Toxic Substances Control Act (United States); UN - United Nations; UNRTDG - United Nations Recommendations on the Transport of Dangerous Goods; vPvB - Very Persistent and Very Bioaccumulative

Sources of key data used to compile the Safety Data Sheet

Key literature references and sources of data

SOLENIS Internal data

SOLENIS internal data including own and sponsored test reports

| | |
|---|---------------------------|
|  Solenis | Page: 14 |
| SAFETY DATA SHEET | Revision Date: 09/20/2024 |
| | Print Date: 04/20/2026 |
| | SDS Number: R1201193 |
| Zetag™ 8846FS (US) FLOCCULANT ™ Trademark, Solenis or its subsidiaries or affiliates, registered in various countries 933000 | Version: 2.4 |

The UNECE administers regional agreements implementing harmonised classification for labelling (GHS) and transport.

The information provided in this Safety Data Sheet is correct to the best of our knowledge, information and belief at the date of its publication. The information given is designed only as a guidance for safe handling, use, processing, storage, transportation, disposal and release and is not to be considered a warranty or quality specification. The information relates only to the specific material designated and may not be valid for such material used in combination with any other materials or in any process, unless specified in the text. This SDS has been prepared by the Solenis Environmental Health and Safety Department.

US / EN