

# National Pollutant Discharge Elimination System (NPDES) Industrial/Commercial Application Form (Reissuance)

version 2.30

(Submission #: HQB-GGZA-Y6VP1, version 4)

Digitally signed by:  
MiEnviro Portal  
Date: 2025.12.29 12:00:09 -05:00  
Reason: Submission Data  
Location: State of Michigan

## Details

---

Submission ID HQB-GGZA-Y6VP1

**NOTE (CREATED)**

### Correction Request\_11-4-2025

Thank you for your application. Please provide clarification and/or corrections to the noted items. Please provide this information by November 18, 2025, if possible. Further processing of your application will be placed on hold until we receive the information and your application is considered complete. Please let me know if you have questions concerning this Correction Request or about how to revise the submission in MiEnviro.

Created on 11/4/2025 10:59 AM by **Anne Wisner**

## Form Input

---

### Applicant Information

Permit Number (Pre-populated)

MIG760026

??"APPLICANT" refers to the entity legally responsible for the information submitted with this application, and for the permit that will result from it. DO NOT provide the name of an individual. Contact information will be collected in another section.

#### Applicant Information

Enter name of legal entity:

**Organization Name**

116-120 West Huron LLC

Phone Type	Number	Extension
------------	--------	-----------

Business	7346629999	
----------	------------	--

**Email**

NONE PROVIDED

**Fax**

NONE PROVIDED

Enter address of legal entity:

115 Depot Street

Ann Arbor, MI 48104

United States

### Facility Information

Additional Instructions for completing this portion of the application are provided in the Appendix.

---

[Appendix to the Permit Application](#)

**FACILITY DESIGNATED NAME (pre-populated)**

Residence Inn-Ann Arbor

**Facility Name 1 - Company Name**

NONE PROVIDED

**Facility Name 2 - Division Name**

NONE PROVIDED

**Facility Name 3 - Plant Name**

NONE PROVIDED

Public primary school systems and governing entities that cross local government boundaries should select "Local Government/District" below.

**Which of the following best describes this facility?**

Private

**Facility Location**

42.28178500000000,-83.74967200000000

120 West Huron Street, Ann Arbor, MI

**Site/Facility Location Address**

120 West Huron Street

Ann Arbor, MI 48104

**NAICS (North American Industry Classification System) code:**

721110

**CORRECTION REQUEST (APPROVED)**

**NAICS Code Needed**

Please revise this section to include the most appropriate NAICS Code for this facility: 721110- Hotels (Except Casino Hotels) and Motels.

Created on 11/4/2025 10:59 AM by **Anne Wisner**

**SIC (Standard Industrial Classification) code:**

7011

**Is this facility a primary industry? Refer to Table 1 of the Appendix to make this determination.**

No, this facility is not a primary industry.

[CLICK HERE to view the Appendix to the permit application](#)

**Enter the name of the Local Unit of Government (LUG) in which the facility is located:**

Ann Arbor

**Provide an e-mail address for an appropriate LUG contact, such as a clerk, who can be notified about the public notice period:**

cityclerk@a2.gov

**CORRECTION REQUEST (APPROVED)**

**City Clerk Email Address**

Please revise this section to include the email address for the City Clerk's office of Ann Arbor: cityclerk@a2gov.org.

Created on 11/4/2025 11:00 AM by **Anne Wisner**

**1 COMMENT**

**Anne Wisner (wisnera1@michigan.gov) (11/7/2025 12:51 PM)**

The email address here needs to be changed to the email address for the city clerk for the city of Ann Arbor: cityclerk@a2gov.org. This email is then used to send out the Public Notice for the draft permit, and cannot be someone associated with the facility.

**Does the facility have an EGLE-certified operator at the appropriate level?**

NO

**CORRECTION REQUEST (APPROVED)**

**Certified Operator Required**

This facility is required to have an EGLE Certified Operator through the Water Resource Division and will be the person responsible for the day-to-day operations of the waste treatment system. For more information, visit the following EGLE page: <https://www.michigan.gov/egle/about/organization/water-resources/op-cert-wastewater/industrial-commercial-wastewater-treatment-plant>.

Our records indicate that the person listed as the Certified Operator for this facility does not currently have an active EGLE Certified Operator A-1a license. Please ensure that this facility obtains a Certified Operator at its earliest convenience. Created on 11/4/2025 11:02 AM by **Anne Wisner**

**Please provide an explanation:**

Awaiting class, which is to take place in February.

**Contacts (1 of 1)**

**Additional Instructions for completing this portion of the application are provided in the Appendix.**

[Appendix to the Permit Application](#)

**CONTACTS**

At a minimum the following contact types are required:

- Annual Permit Billing Contact
- Application Contact
- Facility Contact
- DMR Contact
- Certified Operator

?If a single person has multiple roles, please enter that person's information once and assign them multiple roles.

?To add additional contacts, use the **Add New** button at the bottom of this page, or select **Duplicate** to copy the contact information and edit a portion of the contact fields.

**Contact**

- Annual Permit Billing Contact
- Facility Contact
- Application Contact
- DMR Contact

**Required Contact Types:**

? At minimum the following contact types must be provided:

Annual Permit Billing Contact; Application Contact; Facility Contact; DMR Contact; and Certified Operator

## Contact

**Prefix**

NONE PROVIDED

**First Name      Last Name**

Ryan                  Wilkins

**Title**

General Manager

**Organization Name**

Residence Inn Ann Arbor Downtown

**Phone Type      Number      Extension**

Business          7346629999

**Email**

rwilkins@fhginc.com

**Fax**

NONE PROVIDED

**Address**

120 W Huron St

Ann Arbor, MI 48104

United States

## Antidegradation

### RULE 98 ANTIDEGRADATION REQUIREMENTS

In accordance with R 323.1098 of the Michigan Water Quality Standards, the applicant is required to submit an Antidegradation Demonstration for any new or increased loading of pollutants to the surface waters of the state, unless one or more exemptions apply. An Antidegradation Demonstration must contain the information specified in Rule 1098, outlined in the Appendix.

[Appendix to the Permit Application](#)

**This part of the application enables the Department to determine whether you are seeking authorization for a change to your current NPDES permit that represents a new or increased loading of pollutants to the surface waters of the state. Select any/all that apply or select "None."**

E) None: I am not seeking any such changes to my current permit

## Additional Information

### Other Environmental Permits

Provide the information requested in the table for any other federal, state, or local environmental permits in effect or applied for at the time of submittal of this Application, including, but not limited to, permits issued under any of the following programs: Air Pollution Control, Hazardous Waste Management, Wetlands Protection, Soil Erosion and Sedimentation Control, and other NPDES permits.

### Other Environmental Permits (Hit 'Add Row' for each environmental permit)



Issuing Agency:	Permit or COC Number:	Permit type:
NONE PROVIDED	NONE PROVIDED	NONE PROVIDED

### WATER FLOW DIAGRAM

[Water Flow Diagram.pdf - 03/31/2025 03:51 PM](#)

**Comment**

NONE PROVIDED

 **Surface waters of the state**  means all the following: The Great Lakes and their connecting waters, all inland lakes, rivers, streams, impoundments, open drains, wetlands, and other surface bodies of water within the confines of the state but does not include drainage ways and ponds used solely for wastewater conveyance, treatment, or control. A storm sewer is not a surface water of the state.

**NARRATIVE**

[Water Flow Diagram.pdf - 03/31/2025 03:51 PM](#)

**Comment**

NONE PROVIDED

**MAP OF FACILITY AND DISCHARGE LOCATION**

[Map of Location.pdf - 03/31/2025 03:52 PM](#)

[EGLE Map of Discharge.pdf - 03/31/2025 03:52 PM](#)

[Residence Inn- Ann Arbor- Facility and Outfall Location.png - 12/26/2025 11:10 AM](#)

**Comment**

NONE PROVIDED

**CORRECTION REQUEST (APPROVED)**

**Additional Documents Needed**

Please revise this section to upload the document showing the facility location and outfall location. The document is titled "Residence Inn- Ann Arbor- Facility and Outfall Location.png" and is attached to this comment. This document can also be sent to the application contact if needed.

Created on 11/4/2025 11:13 AM by **Anne Wisner**

**Laboratory Services (1 of 1)**

**Laboratory:** In House

?To add additional laboratories, please use the **◆Add New◆** button at the bottom of this page, or select **◆Duplicate Section◆** to copy the laboratory information and edit a portion of the fields.

**Laboratory Name**

In House

**Lab Type**

In-house Laboratory

**Laboratory Phone**

7346629999

**Laboratory Email**

nwilkins@firsthospitality.com

**Analyses Performed**

STANDARD PH AND CHLORINE TEST

**Water Source and Discharge Type**

**◆ 1. WATER SUPPLY INFORMATION**

Identify all water sources entering the facility and treatment systems, and provide average flows. The volume may be estimated from water supply meter readings, pump capacities, etc. Provide the name of the source where appropriate (e.g., Grand River, Lake Michigan, City of Millpond, etc.).

Water Supply Type	Name and Location of Source	Average Volume or Flow Rate	Units
Municipal Supply	CITY OF ANN ARBOR - HURON RIVER	.000026	MGD

**◆ 2. WATER DISCHARGE INFORMATION**

Select all wastewater types discharged from this facility.

Public Swimming Pool Wastewater

Identify water discharged by the facility and treatment systems, and provide average flows. If water is first used for one purpose and then is subsequently used for another purpose, indicate the type and amount of the last use. For example, if the water is initially used for noncontact cooling water and then for process water, indicate the amount of process water. The amount of water from sources should approximate the amount of water usage. If the amounts are different, provide an explanation.

Discharge Type	Average Flow Rate	Units
Public Swimming Pool Wastewater	0.000026	MGD

Briefly explain why the combined water from all sources does not equal the total approximate water usage, if applicable.

NONE PROVIDED

Note: For the above tables indicate units as MGD (million gallons per day), MGY (million gallons per year), or other appropriate units.

### 3. PRELIMINARY COOLING WATER QUESTIONS

Does the facility use water for cooling purposes?

NO

### 4. WHOLE EFFLUENT TOXICITY (WET) TESTS.

Have any acute or chronic WET tests been conducted on any discharge(s) or receiving water(s) in relation to this facility's discharge within the last three (3) years? This includes WET tests conducted for water treatment additive approval.

NO

### PUBLIC SWIMMING POOL WASTEWATER QUESTIONS

Does your facility discharge filter backwash water?

YES

What type of filter produces this backwash?

Sand Filter

Describe how the first 30 seconds of backwash from a sand filter is handled (e.g., sent to a holding tank, discharged to sanitary, etc.). If a sand filter is not used, enter NA.

THE FIRST 30 SECONDS OF BACKFLUSH WATER AFTER PASSING THROUGH THE NORWECO TABLE FEEDER SHALL BE DIRECTED TO THE HOLDING TANK. IT IS THE POOL OPERATOR RESPONSIBILITY TO MONITOR THE BACK FLUSH SYSTEM AND SWITCH THE VALVE TO ROUT THE REMAINING BACK FLUSH WATER AFTER PASSING THROUGH THE NORWECO BIO DYNAMIC TABLE FEEDER TO THE STORM SYSTEM. ONCE SETTLED THE WATER IN THE HOLDING TANK IS THEN PUMPED INTO THE STORM SYSTEM AS WELL AS HAVING BEEN COMPLETELY DECHLORINATED AND SETTLED.

Describe how the backwash from a diatomaceous earth filter is handled. If a diatomaceous earth filter is not used, enter NA.

n/a

Within the next 5 years, does the facility plan to drain this pool fully and/or draw it down significantly?

NO

## Outfall Information and Effluent Characteristics (1 of 1)

Outfall:001 Receiving water:Allen Creek

Existing outfalls can be selected in the top-right corner of the page.

?To add additional outfalls (new or existing), please use the **Add New** button at the bottom of this page, or select **Duplicate** to copy the contact information and edit a portion of the contact fields.

### 1. OUTFALL INFORMATION

Enter the outfall number (e.g., 001):

001

#### Outfall Description

Storm Drain

CORRECTION REQUEST (APPROVED)

#### Outfall Description

Please revise this section to say "storm drain" as that is how the discharge enters the outfall location.  
Created on 11/4/2025 11:17 AM by **Anne Wisner**

Enter the name of the receiving water:

Allen Creek

CORRECTION REQUEST (APPROVED)

#### Receiving Water Name

Please revise this section to say "Allen Creek", as that is the location which this facility discharges to.  
Created on 11/4/2025 11:19 AM by **Anne Wisner**

#### Outfall

42.282069158202596,-83.7496052054359

### 2. TYPE OF WASTEWATER DISCHARGED THROUGH THIS OUTFALL

Type(s) of Wastewater Discharged (check all that apply to this outfall):

Public Swimming Pool Wastewater

### 3. FLOW

?DEFINITIONS: A facility is considered to have a SEASONAL discharge if wastewater is treated AND STORED throughout a portion of the year and then discharged over a specified period or periods of days, weeks, or months. Batch process discharges are not seasonal discharges. Any facility that does not discharge seasonally is considered to have a CONTINUOUS discharge. Batch discharges are a type of continuous discharge.

Is the discharge continuous or seasonal?

Continuous

What maximum daily flow rate are you requesting authorization to discharge from this outfall during the next five years? Enter a numeric value only based on the units Million Gallons Per Day. If the requested flow rate is less than 1,000 gallons per day, please enter a minimum of "0.001".

0.001

How often is there a discharge from this outfall (on average)?

Hours per day:	Days per year:
1	24

Does this outfall have batch discharges?

NO

CORRECTION REQUEST (APPROVED)

#### Facility Does Not Batch Discharge

Batch discharge was chosen but based on the nature of the discharge, selecting 'no' for the batch discharge question is more appropriate for your facility.

Created on 11/4/2025 11:20 AM by **Anne Wisner**

#### ◆ 4. PROCESS STREAMS CONTRIBUTING TO OUTFALL DISCHARGE

The information requested below is used to determine the applicable federal regulations for this facility. For each industrial process at the facility, provide the name, the SIC or the NAICS code, and a brief description of the process. As part of each description, identify a reasonable measure of the facility's actual long-term daily production and average number of production days per year. In many cases, this is the average daily or average annual production rate from the last five years. Some federal regulations require that certain industries report different information, depending on the type of process. The Summary of Information to Be Reported by Industry Type, pages 10-11 of the Appendix, includes an abbreviated list of industrial categories and their specific Application requirements. If the industrial process does not have specific Application requirements and recent long-term production rates are not an appropriate measure of future production, report the expected annual production rate for the next five (5) years, or for the life of the permit.

[Appendix to the Permit Application](#)

#### PROCESS STREAMS CONTRIBUTING TO OUTFALL DISCHARGE

Name of the process contributing to the discharge	SIC or NAICS code:	Describe the process and provide measures of production:
Pool	7011	Pool filter backwash discharge

**CORRECTION REQUEST (APPROVED)**

#### Process Streams Contributing to Outfall Discharge

Please revise this section to say "pool" for the 'Name of the process contributing to the discharge', the SIC Code 7011, and "pool filter backwash discharge" for the section 'Describe the process and provide measures of production'.

Created on 11/4/2025 11:22 AM by **Anne Wisner**

#### ◆ 5. EFFLUENT CHARACTERISTICS - CONVENTIONAL POLLUTANTS

FOR ALL APPLICANTS, SAMPLE RESULTS ARE REQUIRED FOR: Biochemical Oxygen Demand – five day (BOD5), Chemical Oxygen Demand (COD), Total Organic Carbon (TOC), Ammonia Nitrogen (as N), Total Suspended Solids, Temperature-Summer, and Temperature-Winter, UNLESS you request a waiver and provide sufficient rationale to support that request.

Please fill out the table below, indicating how you have, or will be, providing the required analytical results. In the "How are results provided?" column, select "DMR" if you submit Discharge Monitoring Reports (DMRs) for that parameter, select "LAB REPORT" if you've attached a lab report for that parameter, or select "NONE" if you do not submit DMRs and have not attached a lab report for that parameter.

[CLICK HERE to open the Appendix to the Permit Application](#)

**Please confirm that you have read the statements above.**

I CONFIRM

#### Effluent Characteristics - Conventional Pollutants

Conventional Pollutants	HOW ARE RESULTS PROVIDED?	Waiver Information	Provide Rationale Here to Support Waiver Request
Biochemical Oxygen Demand - five day (BOD5)	NONE	I request a waiver for this parameter based on the following rationale:	Not expected in effluent
Chemical Oxygen Demand (COD)	NONE	I request a waiver for this parameter based on the following rationale:	Not expected in effluent
Total Organic Carbon (TOC)	NONE	I request a waiver for this parameter based on the following rationale:	Not expected in effluent
Ammonia Nitrogen (as N)	NONE	I request a waiver for this parameter based on the following rationale:	Not expected in effluent

Conventional Pollutants	HOW ARE RESULTS PROVIDED?	Waiver Information	Provide Rationale Here to Support Waiver Request
Total Suspended Solids	NONE	I request a waiver for this parameter based on the following rationale:	Not expected in effluent
Temperature, Summer	NONE	I request a waiver for this parameter based on the following rationale:	Not expected in effluent
Temperature, Winter	NONE	I request a waiver for this parameter based on the following rationale:	Not expected in effluent
pH	DMR		
Total Dissolved Solids	NONE	Waiver request not required.	
Total Phosphorus (as P)	NONE	Waiver request not required.	
Fecal Coliform Bacteria	NONE	Waiver request not required.	
Escherichia coli	NONE	Waiver request not required.	
Total Residual Chlorine	DMR		
Dissolved Oxygen	NONE	Waiver request not required.	
Oil & Grease	NONE	Waiver request not required.	

**CORRECTION REQUEST (APPROVED)**

**Effluent Characteristics- Conventional Pollutants**

Please provide a more appropriate rationale for the waivers requested for BOD5, COD, TOC, N, TSS, and both Summer and Winter Temperature. If these pollutants are not expected to be in the discharge, then indicate **Not expected in effluent**.

Created on 11/7/2025 12:54 PM by **Anne Wisner**

**CORRECTION REQUEST (APPROVED)**

**Effluent Characteristics- Conventional Pollutants**

All applicants are required to report BOD5/CBOD5, COD, TOC, ammonia (as N), TSS, pH, and Temperature (summer and winter) or request waiver for reporting these parameters. Please provide analytical data or if these pollutants are not expected to be in the discharge, then indicate **Request waiver** **not expected in effluent** on the table in the application.

Basically, every row EXCEPT for pH and TRC should say "NONE" for the "How Are Results Provided" column. For each of these NONE rows, every row that is above the pH row requires a waiver for the "Provide Waiver Rationale" column.

The rows for pH and TRC should say DMR for the "How Are Results Provided" column, since this facility is required to monitor for these pollutants.

Created on 11/4/2025 11:29 AM by **Anne Wisner**

**Please attach lab reports for conventional pollutants here.**

NONE PROVIDED

**Comment**

NONE PROVIDED

**6. EFFLUENT CHARACTERISTICS - TOXIC POLLUTANTS**

Instructions: Carefully review each of the toxic pollutant groups below and respond as appropriate. For guidance concerning test procedures, see Part II.B.2. of your NPDES permit.

Tables 1 – 6, referenced below, are located in the Appendix.  
[CLICK HERE to open the Appendix to the Permit Application](#)

**DIOXIN AND FURAN CONGENER INFORMATION**

Existing industries that use or manufacture 2,3,5-trichlorophenoxy acetic acid (2,4,5-T); 2-(2,3,5-trichlorophenoxy) propanoic acid, (Silvex, 2,3,5-TP); 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate (Erbon); 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothionate (Ronnel); 2,4,5-trichlorophenol (TCP); or hexachlorophrene (HCP), or knows or has reason to believe that

2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) is present in the facility's effluent, are required to submit the results of at least one effluent analysis for the dioxin and furan congeners listed in Table 6. All effluent analyses for dioxin and furan congeners shall be conducted using USEPA Method 1613. In addition, submit the results of all other effluent analyses performed within the last three (3) years for any dioxin and furan congener listed in Table 6.

**Do you have analytical results of this type to report?**

NO

#### **OTHER INDUSTRY PRIORITY POLLUTANT INFORMATION**

Existing secondary industries or existing primary industries that discharge nonprocess wastewater are required to submit the results of at least one effluent analysis for any chemical listed in Tables 2 and 3 known or believed to be present in the facility's effluent. In addition, submit the results of all other effluent analyses performed within the last three years for any chemical listed in Tables 2 and 3.

**Do you have analytical results of this type to report?**

NO

#### **INJURIOUS CHEMICALS NOT PREVIOUSLY REPORTED**

Existing industries are required to provide a measured or estimated effluent concentration for any toxic or otherwise injurious chemicals known or believed to be present in the facility's effluent that has not been previously identified in this Application. Quantitative effluent data for these chemicals that are less than five years old shall be reported.

**Do you have analytical results of this type to report?**

NO

#### **ADDITIONAL TOXIC AND OTHER POLLUTANT INFORMATION**

All existing industries, regardless of discharge type, are required to provide the results of at least one analysis for any chemical listed in Table 4 known or believed to be present in the facility's effluent, and a measured or estimated effluent concentration for any chemical listed in Table 5 known or believed to be present in the facility's effluent. In addition, submit the results of any effluent analysis performed within the last three years for any chemical listed in Tables 4 and 5.

**Do you have analytical results of this type to report?**

NO

[Appendix to the Permit Application](#)

\*\*\*Please note: This form may have a glitch. When you click **Add New**, it may cause the Conventional Pollutant table to not be changeable. To fix it, click into another Section, such as Additional Information, and then click back into this Section (Outfall Information and Effluent Characteristics), click into the Outfall you were adding/editing, and the table will work as intended. \*\*\*

## **Water Treatment Additives**

### **Water Treatment Additives (WTAs)**

---

Approvals to use WTAs are authorized by the Michigan Department of Environment, Great Lakes, and Energy under separate correspondence. Issuance of a permit/COC does not authorize the use of water treatment additives. Written approval from the Department must be obtained prior to using water treatment additives at the facility.

Water treatment additives (WTAs) include any material that is added to water used at the facility or to wastewater generated by the facility to condition or treat the water. Examples of WTAs include biocides, flocculants, water conditioners, pH adjusting agents, etc.

**Are any WTAs added to water used at the facility or to wastewater generated by the facility?**

YES

**Please list any WTAs currently in use, or will be used during the next permit cycle**

APPROVAL ATTACHED...

## Approval Upload

WTAResponseMemo\_MIG760026\_12-1-2020.pdf - 03/31/2025 04:00 PM

### Comment

NONE PROVIDED

ALL WTAs MUST HAVE SPECIFIC APPROVAL FROM EGLE PRIOR TO THEIR USE.

WTA approval request forms must be submitted through the facility's MiWaters page. Requests submitted through an unaffiliated page or via email will not be processed.

To submit a WTA approval request, go to your site in MiWaters, click on Apps, Requests and Reports, Start New Form, and in the search box under the form name filter, type "additive," and click on Begin Submission for either "Non-Select Water Treatment Additive Request Form" OR "Select Water Treatment Additive Request Form."

The link below will take you to instructions concerning WTAs, including guidance on selecting the correct form in MiWaters.

[CLICK HERE to link to WTA guidance/instructions](#)

[Appendix to the Permit Application](#)

## Storm Water

### Important Terms Used in the Storm Water Section:

---

?? "STORM WATER" means storm water runoff, snow melt runoff, and/or surface runoff and drainage.

?? "SURFACE WATER OF THE STATE" means the Great Lakes and their connecting waters, and all inland lakes, rivers, streams, impoundments, open drains, wetlands, and other surface bodies of water within the confines of the state not including drainage ways and ponds used solely for wastewater conveyance, treatment, or control.

?? "SPECIAL-USE AREA" is defined as any of the following:

1. Secondary containment structure required by state or federal law
  2. Area identified as a site of environmental contamination pursuant to Part 201, Environmental Remediation, or Part 213, Leaking Underground Storage Tanks, of the NREPA. If a Baseline Environmental Assessment (BEA) has been submitted to EGLE, the site is regulated under Part 201 or Part 213.
  3. A facility that EGLE has determined is a significant contributor of pollutants to surface waters of the state.
- 

**Please confirm that you have read all terms and their definitions above:**

I Confirm

**Is the storm water from this facility discharged to a surface water of the state, either directly or through another conveyance such as a municipal separate storm sewer system? IMPORTANT: You may select "NO" here ONLY IF the storm water is discharged to a municipal combined storm sewer system, a municipal wastewater treatment system, or a privately-owned activated sludge treatment system.**

YES

**CORRECTION REQUEST (APPROVED)**

#### **Discharge to Surface Water of the State**

Please revise this question to say "Yes", as this facility does discharge to Allen Creek, a surface water of the state.

Created on 11/4/2025 11:31 AM by **Anne Wisner**

The applicant must determine whether this facility is engaged in a regulated "industrial activity" as defined in 40 CFR 122.26(b) (14).

TO MAKE THIS DETERMINATION, carefully review the document named "Primary Activities & Standard Industrial Classification (SIC) Codes," available at the link below.

[CLICK HERE to review the document](#)

Please confirm that you have reviewed the document referenced above:

I Confirm

Is this facility engaged in a regulated industrial activity according to the document referenced above?

NO

CORRECTION REQUEST (APPROVED)

**Facility Not Engaged in Industrial Activity**

Please revise this section to say "No", as this facility is not engaged in any regulated industrial activities.

Created on 11/7/2025 12:55 PM by **Anne Wisner**

## **PFAS**

??The purpose of this section is to determine whether the applicant must submit sample results for per- and polyfluoroalkyl substances (PFAS).

"Surface waters of the state" means all of the following: The Great Lakes and their connecting waters, all inland lakes, rivers, streams, impoundments, open drains, wetlands, and other surface bodies of water within the confines of the state but does not include drainage ways and ponds used solely for wastewater conveyance, treatment, or control.

**1. Is this facility known to have PFOS and/or PFOA present in wastewater discharged to surface waters of the state?**

NO

**2. Is this facility a landfill for solid or hazardous waste with a discharge of leachate to a surface water of the state?**

NO

**3. Is this facility a metal finisher that discharges wastewater associated with this activity to a surface water of the state?**

NO

**4. Is the discharge from the remediation of a contaminated site to a surface water of the state?**

NO

**5. Does the facility manufacture paper, corrugated paper, cardboard, paperboard, or packaging paper (coated or uncoated), and discharge wastewater associated with this activity to a surface water of the state?**

NO

**6. Does the facility conduct car washing as all or part of its operations and discharge car wash wastewater to a surface water of the state?**

NO

**7. Is this facility a commercial industrial laundry that discharges wastewater associated with this activity to a surface water of the state?**

NO

**8. Is this facility a chemical manufacturer with a discharge of wastewater associated with this activity to a surface water of the state?**

NO

**9. Has Aqueous Film-Forming Foam (AFFF) ever been used at the facility for training or testing, or to respond to a fire emergency? Has AFFF ever been stored at this facility? If yes to either, please select "YES."**

NO

**10. Does this facility manufacture, formulate, or mix paints/pigments and discharge wastewater from these operations to a surface water of the state?**

NO

11. Does this facility have a discharge from a leather or hide tanning/finishing operation to a surface water of the state?

NO

12. Does this facility perform carpet and/or upholstery cleaning and discharge wastewater from these operations to a surface water of the state?

NO

13. Is the facility a carpet, rug, or textile manufacturer that discharges wastewater associated with this activity to a surface water of the state?

NO

14. Is this facility a centralized waste treater? Centralized Waste Treaters treat or recover metal-bearing, oily, and organic wastes, wastewater, or used material received from off site, and are regulated under 40 CFR Part 437.

NO

15. Does this facility apply a stain-, dirt-, water-, or fire-resistant coating and/or protectant, and discharge wastewater associated with this activity to a surface water of the state?

NO

## Other Information

### Comments (As needed)

NONE PROVIDED

### Additional Documents (As needed)

NONE PROVIDED

#### Comment

NONE PROVIDED

## Application Fee

### COC Renewal Fee

75

\*\*\*Please note, if you mistakenly select the incorrect fee, underpayments result in the application being administratively incomplete and if you over pay, refunds for the overpayment take additional time to process. Also, only pay the NPDES application fee one time: If you are prompted to pay when REVISING a previously submitted application, do not pay the application fee a second time.\*\*\*

### Fee Amount

75

## Revisions

Revision	Revision Date	Revision By
Revision 1	3/31/2025 3:11 PM	Ryan Wilkins
Revision 2	11/6/2025 10:21 AM	Sean McCauley
Revision 3	12/1/2025 8:37 AM	Sean McCauley
Revision 4	12/26/2025 11:10 AM	Sean McCauley

# Agreements and Signature(s)

## **SUBMISSION AGREEMENTS**

- I am the owner of the account used to perform the electronic submission and signature.
- I have the authority to submit the data on behalf of the facility I am representing.
- I agree that providing the account credentials to sign the submission document constitutes an electronic signature equivalent to my written signature.
- I have reviewed the electronic form being submitted in its entirety, and agree to the validity and accuracy of the information contained within it to the best of my knowledge.

### *APPLICATION CERTIFICATION*

*Rule 323.2114(1-4), promulgated under the Michigan Act, requires that this form must **must be electronically-signed, backed by a certifier agreement form with a wet-ink signature from one of the following:***

***A. For an organization, company, corporation, or authority, by a principal executive officer, vice president, or higher***

***B. For a partnership, by a general partner***

***C. For a sole proprietor, by the proprietor***

***D. For a municipal, state, or other public facility, by a principal executive officer or ranking elected official (e.g., mayor, village president, city or village manager, or clerk)***

*Note: If the signatory is not listed above, but is authorized to sign the Application, please provide documentation of that authorization.*

*"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for having knowledge of violations."*

*I understand that my e-signature constitutes a legal agreement to comply with the requirements of the NPDES Permit. I certify under penalty of law that I possess full authority on behalf of the legal owner/permittee to sign and submit this Application.*

**Signed By**

Sean McCauley on 12/26/2025 at 11:13 AM