

National Pollutant Discharge Elimination System (NPDES) Industrial/Commercial Application Form (Reissuance)

version 2.30

(Submission #: HQ9-3BKW-603Z9, version 2)

Digitally signed by:
MiEnviro Portal
Date: 2025.10.08 15:00:06 -04:00
Reason: Submission Data
Location: State of Michigan

Details

Submission ID HQ9-3BKW-603Z9

NOTE (CREATED)

Correction Request_10-1-2025

Thank you for your application. Please provide clarification and/or corrections to the noted items. Please provide this information by October 15, 2025, if possible. Further processing of your application will be placed on hold until we receive the information and your application is considered complete. Please let me know if you have questions concerning this Correction Request or about how to revise the submission in MiEnviro.

Created on 10/1/2025 3:37 PM by **Anne Wisner**

Form Input

Applicant Information

Permit Number (Pre-populated)

MIG760088

??"APPLICANT" refers to the entity legally responsible for the information submitted with this application, and for the permit that will result from it. DO NOT provide the name of an individual. Contact information will be collected in another section.

Applicant Information

Enter name of legal entity:

Organization Name

City of Ann Arbor

Phone Type	Number	Extension
------------	--------	-----------

Mobile	5172817810	
--------	------------	--

Email

afercho@a2gov.org

Fax

7347946230

Enter address of legal entity:

301 East Huron Street

Ann Arbor, MI 48104

United States

Facility Information

Additional Instructions for completing this portion of the application are provided in the Appendix.

[Appendix to the Permit Application](#)

FACILITY DESIGNATED NAME (pre-populated)

Bicentennial Park - Ann Arbor

Facility Name 1 - Company Name

City of Ann Arbor

Facility Name 2 - Division Name

Parks & Recreation Services

Facility Name 3 - Plant Name

NONE PROVIDED

Public primary school systems and governing entities that cross local government boundaries should select "Local Government/District" below.

Which of the following best describes this facility?

Local Government/District

Facility Location

42.23112640000000,-83.70448820000000

2901 E Ellsworth Road, Ann Arbor, MI

Site/Facility Location Address

2901 E Ellsworth Road

Ann Arbor, MI 48108

NAICS (North American Industry Classification System) code:

713110

SIC (Standard Industrial Classification) code:

7996

Is this facility a primary industry? Refer to Table 1 of the Appendix to make this determination.

No, this facility is not a primary industry.

[CLICK HERE to view the Appendix to the permit application](#)

Enter the name of the Local Unit of Government (LUG) in which the facility is located:

Ann Arbor

Provide an e-mail address for an appropriate LUG contact, such as a clerk, who can be notified about the public notice period:

cityclerk@a2gov.org

CORRECTION REQUEST (APPROVED)**LUG Contact Email Address**

Please revise and insert the correct email address, which in this case is for the City Clerk of Ann Arbor:

cityclerk@a2gov.org.

Created on 10/1/2025 2:56 PM by **Anne Wisner**

Does the facility have an EGLE-certified operator at the appropriate level?

YES

Contacts (1 of 1)

Additional Instructions for completing this portion of the application are provided in the Appendix.

[Appendix to the Permit Application](#)

CONTACTS

At a minimum the following contact types are required:

Annual Permit Billing Contact
Application Contact
Facility Contact
DMR Contact
Certified Operator

?If a single person has multiple roles, please enter that person's information once and assign them multiple roles.

?To add additional contacts, use the  Add New  button at the bottom of this page, or select  Duplicate  to copy the contact information and edit a portion of the contact fields.

Contact

Annual Permit Billing Contact
Application Contact
Facility Contact
DMR Contact

CORRECTION REQUEST (APPROVED)

Contacts

Please provide information for DMR (Discharge Monitoring Reports) contact and Certified Operator contact including first and last name, title, business, address, city, state, ZIP code, telephone number, and email address.

Created on 10/1/2025 3:00 PM by **Anne Wisner**

1 COMMENT

Adam Fercho (AFERCHO@A2GOV.ORG) (10/8/2025 2:19 PM)

We do not yet have a certified operator of this facility. We will have said person prior to opening. It sounded like this was ok at this time? Please let me know if not. thank you.

Required Contact Types:

? At minimum the following contact types must be provided:

Annual Permit Billing Contact; Application Contact; Facility Contact; DMR Contact; and Certified Operator

Contact

Prefix

Mr.

First Name

Adam

Last Name

Fercho

Title

Landscape Architect Capital Project Manager

Organization Name

City of Ann Arbor

Phone Type

Business

Number

7347946230

Extension

42549

Email

afercho@a2gov.org

Fax

7347946230

Address

301 East Huron Street

Ann Arbor, MI 48104

United States

Antidegradation

RULE 98 ANTIDEGRADATION REQUIREMENTS

In accordance with R 323.1098 of the Michigan Water Quality Standards, the applicant is required to submit an Antidegradation Demonstration for any new or increased loading of pollutants to the surface waters of the state, unless one or more exemptions apply. An Antidegradation Demonstration must contain the information specified in Rule 1098, outlined in the Appendix.

[Appendix to the Permit Application](#)

This part of the application enables the Department to determine whether you are seeking authorization for a change to your current NPDES permit that represents a new or increased loading of pollutants to the surface waters of the state. Select any/all that apply or select "None."

E) None: I am not seeking any such changes to my current permit

Additional Information

Other Environmental Permits

Provide the information requested in the table for any other federal, state, or local environmental permits in effect or applied for at the time of submittal of this Application, including, but not limited to, permits issued under any of the following programs: Air Pollution Control, Hazardous Waste Management, Wetlands Protection, Soil Erosion and Sedimentation Control, and other NPDES permits.

Other Environmental Permits (Hit 'Add Row' for each environmental permit)

Issuing Agency:	Permit or COC Number:	Permit type:
Washtenaw County Drain Commisson	11541	Stormwater Permit

WATER FLOW DIAGRAM

[Waterflow diagram-v1.pdf - 03/25/2025 04:45 PM](#)

Comment

NONE PROVIDED

 Surface waters of the state  means all the following: The Great Lakes and their connecting waters, all inland lakes, rivers, streams, impoundments, open drains, wetlands, and other surface bodies of water within the confines of the state but does not include drainage ways and ponds used solely for wastewater conveyance, treatment, or control. A storm sewer is not a surface water of the state.

NARRATIVE

[1175457-RE 2-v1.pdf - 03/25/2025 04:46 PM](#)

[Water Treatment and Flow Narrative.pdf - 10/08/2025 02:06 PM](#)

Comment

Note the summary of the splash pad components; city domestic water supply to a recirculating splash pad system including sand filtration and chlorination, storage tank that is backwashed daily to a pre-treatment basin, then to a detention basin and a final outlet to an open county drain

CORRECTION REQUEST (APPROVED)

Revised Narrative

Please provide a narrative that describes the water flow diagram provided. Include a brief description of the nature of the facility, expected discharge start date, water treatment additives (i.e. chlorine) and a description of the treatment system. Please also verify how much water will be circulated, treated, and subsequently discharged each day. Please upload a word or pdf document.

Created on 10/1/2025 3:09 PM by **Anne Wisner**

1 COMMENT

Adam Fercho (AFERCHO@A2GOV.ORG) (10/8/2025 2:07 PM)

I have uploaded the narrative for the water flow and treatment of this system. Please let me know if you have any questions. Thank you!

MAP OF FACILITY AND DISCHARGE LOCATION

Site Plan-v1.pdf - 03/25/2025 04:47 PM

Comment

NONE PROVIDED

Laboratory Services (1 of 1)

Laboratory: none

?To add additional laboratories, please use the [Add New](#) button at the bottom of this page, or select [Duplicate Section](#) to copy the laboratory information and edit a portion of the fields.

Laboratory Name

none

Lab Type

In-house Laboratory

Laboratory Phone

810.869.5170

Laboratory Email

dschultz@rowepsc.com

Analyses Performed

None

Water Source and Discharge Type

1. WATER SUPPLY INFORMATION

Identify all water sources entering the facility and treatment systems, and provide average flows. The volume may be estimated from water supply meter readings, pump capacities, etc. Provide the name of the source where appropriate (e.g., Grand River, Lake Michigan, City of Millpond, etc.).

Water Supply Type	Name and Location of Source	Average Volume or Flow Rate	Units
Municipal Supply	City of Ann Arbor	130	Other: gpm

2. WATER DISCHARGE INFORMATION

Select all wastewater types discharged from this facility.

Public Swimming Pool Wastewater

Identify water discharged by the facility and treatment systems, and provide average flows. If water is first used for one purpose and then is subsequently used for another purpose, indicate the type and amount of the last use. For example, if the water is initially used for noncontact cooling water and then for process water, indicate the amount of process water. The amount of water from sources should approximate the amount of water usage. If the amounts are different, provide an explanation.

Discharge Type	Average Flow Rate	Units
Public Swimming Pool Wastewater	130	Other: GPM daily for 5 min (650 Gal)

Briefly explain why the combined water from all sources does not equal the total approximate water usage, if applicable.

NONE PROVIDED

Note: For the above tables indicate units as MGD (million gallons per day), MGY (million gallons per year), or other appropriate units.

◆ 3. PRELIMINARY COOLING WATER QUESTIONS

Does the facility use water for cooling purposes?

NO

◆ 4. WHOLE EFFLUENT TOXICITY (WET) TESTS.

Have any acute or chronic WET tests been conducted on any discharge(s) or receiving water(s) in relation to this facility's discharge within the last three (3) years? This includes WET tests conducted for water treatment additive approval.

NO

PUBLIC SWIMMING POOL WASTEWATER QUESTIONS

Does your facility discharge filter backwash water?

YES

What type of filter produces this backwash?

Sand

Describe how the first 30 seconds of backwash from a sand filter is handled (e.g., sent to a holding tank, discharged to sanitary, etc.). If a sand filter is not used, enter NA.

Discharged to storm manhole and ends up in open pre-treatment storm basin that is vegetated with plants and native seeding

Describe how the backwash from a diatomaceous earth filter is handled. If a diatomaceous earth filter is not used, enter NA.

na

Within the next 5 years, does the facility plan to drain this pool fully and/or draw it down significantly?

YES

What is the volume of the pool or the volume of the expected drawdown in gallons?

2700

Outfall Information and Effluent Characteristics (1 of 1)

Outfall:001 Receiving water:Swift Drain

Existing outfalls can be selected in the top-right corner of the page.

?To add additional outfalls (new or existing), please use the ◆Add New◆ button at the bottom of this page, or select ◆Duplicate◆ to copy the contact information and edit a portion of the contact fields.

◆ 1. OUTFALL INFORMATION

Enter the outfall number (e.g., 001):

001

Outfall Description

Discharge to Swift Drain

Enter the name of the receiving water:

Swift Drain

Outfall

42.2311264,-83.7044882

2. TYPE OF WASTEWATER DISCHARGED THROUGH THIS OUTFALL

Type(s) of Wastewater Discharged (check all that apply to this outfall):

Public Swimming Pool Wastewater

3. FLOW

?DEFINITIONS: A facility is considered to have a SEASONAL discharge if wastewater is treated AND STORED throughout a portion of the year and then discharged over a specified period or periods of days, weeks, or months. Batch process discharges are not seasonal discharges. Any facility that does not discharge seasonally is considered to have a CONTINUOUS discharge. Batch discharges are a type of continuous discharge.

Is the discharge continuous or seasonal?

Continuous

What maximum daily flow rate are you requesting authorization to discharge from this outfall during the next five years? Enter a numeric value only based on the units Million Gallons Per Day. If the requested flow rate is less than 1,000 gallons per day, please enter a minimum of "0.001".

0.3

How often is there a discharge from this outfall (on average)?

Hours per day:	Days per year:
1	90

Does this outfall have batch discharges?

NO

4. PROCESS STREAMS CONTRIBUTING TO OUTFALL DISCHARGE

The information requested below is used to determine the applicable federal regulations for this facility. For each industrial process at the facility, provide the name, the SIC or the NAICS code, and a brief description of the process. As part of each description, identify a reasonable measure of the facility's actual long-term daily production and average number of production days per year. In many cases, this is the average daily or average annual production rate from the last five years. Some federal regulations require that certain industries report different information, depending on the type of process. The Summary of Information to Be Reported by Industry Type, pages 10-11 of the Appendix, includes an abbreviated list of industrial categories and their specific Application requirements. If the industrial process does not have specific Application requirements and recent long-term production rates are not an appropriate measure of future production, report the expected annual production rate for the next five (5) years, or for the life of the permit.

[Appendix to the Permit Application](#)

PROCESS STREAMS CONTRIBUTING TO OUTFALL DISCHARGE

Name of the process contributing to the discharge	SIC or NAICS code:	Describe the process and provide measures of production:
backwash discharge	7996	Public water source, chlorine and sand filtration

5. EFFLUENT CHARACTERISTICS - CONVENTIONAL POLLUTANTS

FOR ALL APPLICANTS, SAMPLE RESULTS ARE REQUIRED FOR: Biochemical Oxygen Demand – five day (BOD5), Chemical Oxygen Demand (COD), Total Organic Carbon (TOC), Ammonia Nitrogen (as N), Total Suspended Solids, Temperature-Summer, and Temperature-Winter, UNLESS you request a waiver and provide sufficient rationale to support that request.

Please fill out the table below, indicating how you have, or will be, providing the required analytical results. In the "How are results provided?" column, select "DMR" if you submit Discharge Monitoring Reports (DMRs) for that parameter, select "LAB REPORT" if you've attached a lab report for that parameter, or select "NONE" if you do not submit DMRs and have not attached a lab report for that parameter.

[CLICK HERE to open the Appendix to the Permit Application](#)

Please confirm that you have read the statements above.

I CONFIRM

Effluent Characteristics - Conventional Pollutants

Conventional Pollutants	HOW ARE RESULTS PROVIDED?	Waiver Information	Provide Rationale Here to Support Waiver Request
Biochemical Oxygen Demand - five day (BOD5)	NONE	I request a waiver for this parameter based on the following rationale:	not expected in effluent
Chemical Oxygen Demand (COD)	NONE	I request a waiver for this parameter based on the following rationale:	not expected in effluent
Total Organic Carbon (TOC)	NONE	I request a waiver for this parameter based on the following rationale:	not expected in effluent
Ammonia Nitrogen (as N)	NONE	I request a waiver for this parameter based on the following rationale:	not expected in effluent
Total Suspended Solids	NONE	I request a waiver for this parameter based on the following rationale:	not expected in effluent
Temperature, Summer	NONE	I request a waiver for this parameter based on the following rationale:	not expected in effluent
Temperature, Winter	NONE	I request a waiver for this parameter based on the following rationale:	not expected in effluent
pH	DMR		
Total Dissolved Solids	NONE	Waiver request not required.	
Total Phosphorus (as P)	NONE	Waiver request not required.	
Fecal Coliform Bacteria	NONE	Waiver request not required.	
Escherichia coli	NONE	Waiver request not required.	
Total Residual Chlorine	DMR		
Dissolved Oxygen	NONE	Waiver request not required.	
Oil & Grease	NONE	Waiver request not required.	

Please attach lab reports for conventional pollutants here.

1175457-RE 2-v1.pdf - 03/25/2025 05:05 PM

Comment

NONE PROVIDED

6. EFFLUENT CHARACTERISTICS - TOXIC POLLUTANTS

Instructions: Carefully review each of the toxic pollutant groups below and respond as appropriate. For guidance concerning test procedures, see Part II.B.2. of your NPDES permit.

Tables 1 – 6, referenced below, are located in the Appendix.

[CLICK HERE to open the Appendix to the Permit Application](#)

DIOXIN AND FURAN CONGENER INFORMATION

Existing industries that use or manufacture 2,3,5-trichlorophenoxy acetic acid (2,4,5-T); 2-(2,3,5-trichlorophenoxy) propanoic acid, (Silvex, 2,3,5-TP); 2-(2,4,5-trichlorophenoxy) ethyl 2,2-dichloropropionate (Erbon); 0,0-dimethyl 0-(2,4,5-trichlorophenyl) phosphorothionate (Ronnel); 2,4,5-trichlorophenol (TCP); or hexachlorophrene (HCP), or knows or has reason to believe that 2,3,7,8-Tetrachlorodibenzo-p-dioxin (TCDD) is present in the facility's effluent, are required to submit the results of at least one effluent analysis for the dioxin and furan congeners listed in Table 6. All effluent analyses for dioxin and furan congeners shall be conducted using USEPA Method 1613. In addition, submit the results of all other effluent analyses performed within the last three (3) years for any dioxin and furan congener listed in Table 6.

Do you have analytical results of this type to report?

NO

OTHER INDUSTRY PRIORITY POLLUTANT INFORMATION

Existing secondary industries or existing primary industries that discharge nonprocess wastewater are required to submit the results of at least one effluent analysis for any chemical listed in Tables 2 and 3 known or believed to be present in the facility's effluent. In addition, submit the results of all other effluent analyses performed within the last three years for any chemical listed in

Tables 2 and 3.

Do you have analytical results of this type to report?

NO

INJURIOUS CHEMICALS NOT PREVIOUSLY REPORTED

Existing industries are required to provide a measured or estimated effluent concentration for any toxic or otherwise injurious chemicals known or believed to be present in the facility's effluent that has not been previously identified in this Application. Quantitative effluent data for these chemicals that are less than five years old shall be reported.

Do you have analytical results of this type to report?

NO

ADDITIONAL TOXIC AND OTHER POLLUTANT INFORMATION

All existing industries, regardless of discharge type, are required to provide the results of at least one analysis for any chemical listed in Table 4 known or believed to be present in the facility's effluent, and a measured or estimated effluent concentration for any chemical listed in Table 5 known or believed to be present in the facility's effluent. In addition, submit the results of any effluent analysis performed within the last three years for any chemical listed in Tables 4 and 5.

Do you have analytical results of this type to report?

NO

[Appendix to the Permit Application](#)

***Please note: This form may have a glitch. When you click  Add New,  it may cause the Conventional Pollutant table to not be changeable. To fix it, click into another Section, such as Additional Information, and then click back into this Section (Outfall Information and Effluent Characteristics), click into the Outfall you were adding/editing, and the table will work as intended. ***

Water Treatment Additives

Water Treatment Additives (WTAs)

Approvals to use WTAs are authorized by the Michigan Department of Environment, Great Lakes, and Energy under separate correspondence. Issuance of a permit/COC does not authorize the use of water treatment additives. Written approval from the Department must be obtained prior to using water treatment additives at the facility.

Water treatment additives (WTAs) include any material that is added to water used at the facility or to wastewater generated by the facility to condition or treat the water. Examples of WTAs include biocides, flocculants, water conditioners, pH adjusting agents, etc.

Are any WTAs added to water used at the facility or to wastewater generated by the facility?

NO

Storm Water

Important Terms Used in the Storm Water Section:

?? "STORM WATER" means storm water runoff, snow melt runoff, and/or surface runoff and drainage.

?? "SURFACE WATER OF THE STATE" means the Great Lakes and their connecting waters, and all inland lakes, rivers, streams, impoundments, open drains, wetlands, and other surface bodies of water within the confines of the state not including drainage ways and ponds used solely for wastewater conveyance, treatment, or control.

?? "SPECIAL-USE AREA" is defined as any of the following:

1. Secondary containment structure required by state or federal law
2. Area identified as a site of environmental contamination pursuant to Part 201, Environmental Remediation, or Part 213, Leaking Underground Storage Tanks, of the NREPA. If a Baseline Environmental Assessment (BEA) has been submitted to

EGLE, the site is regulated under Part 201 or Part 213.

3. A facility that EGLE has determined is a significant contributor of pollutants to surface waters of the state.

Please confirm that you have read all terms and their definitions above:

I Confirm

Is the storm water from this facility discharged to a surface water of the state, either directly or through another conveyance such as a municipal separate storm sewer system? IMPORTANT: You may select "NO" here ONLY IF the storm water is discharged to a municipal combined storm sewer system, a municipal wastewater treatment system, or a privately-owned activated sludge treatment system.

YES

The applicant must determine whether this facility is engaged in a regulated "industrial activity" as defined in 40 CFR 122.26(b) (14).

TO MAKE THIS DETERMINATION, carefully review the document named "Primary Activities & Standard Industrial Classification (SIC) Codes," available at the link below.

[CLICK HERE to review the document](#)

Please confirm that you have reviewed the document referenced above:

I Confirm

Is this facility engaged in a regulated industrial activity according to the document referenced above?

NO

PFAS

??The purpose of this section is to determine whether the applicant must submit sample results for per- and polyfluoroalkyl substances (PFAS).

"Surface waters of the state" means all of the following: The Great Lakes and their connecting waters, all inland lakes, rivers, streams, impoundments, open drains, wetlands, and other surface bodies of water within the confines of the state but does not include drainage ways and ponds used solely for wastewater conveyance, treatment, or control.

1. Is this facility known to have PFOS and/or PFOA present in wastewater discharged to surface waters of the state?

NO

2. Is this facility a landfill for solid or hazardous waste with a discharge of leachate to a surface water of the state?

NO

3. Is this facility a metal finisher that discharges wastewater associated with this activity to a surface water of the state?

NO

4. Is the discharge from the remediation of a contaminated site to a surface water of the state?

NO

5. Does the facility manufacture paper, corrugated paper, cardboard, paperboard, or packaging paper (coated or uncoated), and discharge wastewater associated with this activity to a surface water of the state?

NO

6. Does the facility conduct car washing as all or part of its operations and discharge car wash wastewater to a surface water of the state?

NO

7. Is this facility a commercial industrial laundry that discharges wastewater associated with this activity to a surface water of the state?

NO

8. Is this facility a chemical manufacturer with a discharge of wastewater associated with this activity to a surface water of the state?

NO

9. Has Aqueous Film-Forming Foam (AFFF) ever been used at the facility for training or testing, or to respond to a fire emergency? Has AFFF ever been stored at this facility? If yes to either, please select "YES."

NO

10. Does this facility manufacture, formulate, or mix paints/pigments and discharge wastewater from these operations to a surface water of the state?

NO

11. Does this facility have a discharge from a leather or hide tanning/finishing operation to a surface water of the state?

NO

12. Does this facility perform carpet and/or upholstery cleaning and discharge wastewater from these operations to a surface water of the state?

NO

13. Is the facility a carpet, rug, or textile manufacturer that discharges wastewater associated with this activity to a surface water of the state?

NO

14. Is this facility a centralized waste treater? Centralized Waste Treaters treat or recover metal-bearing, oily, and organic wastes, wastewater, or used material received from off site, and are regulated under 40 CFR Part 437.

NO

15. Does this facility apply a stain-, dirt-, water-, or fire-resistant coating and/or protectant, and discharge wastewater associated with this activity to a surface water of the state?

NO

Other Information

Comments (As needed)

NONE PROVIDED

Additional Documents (As needed)

NONE PROVIDED

Comment

NONE PROVIDED

Application Fee

COC Renewal Fee

75

Please note, if you mistakenly select the incorrect fee, underpayments result in the application being administratively incomplete and if you over pay, refunds for the overpayment take additional time to process. Also, only pay the NPDES application fee one time: If you are prompted to pay when REVISING a previously submitted application, do not pay the application fee a second time.

Fee Amount

75

Revisions

Revision	Revision Date	Revision By
Revision 1	12/23/2024 9:20 AM	Doug Schultz

Revision	Revision Date	Revision By
Revision 2	10/2/2025 4:08 PM	Adam Fercho

Agreements and Signature(s)

SUBMISSION AGREEMENTS

- ☒ I am the owner of the account used to perform the electronic submission and signature.
- ☒ I have the authority to submit the data on behalf of the facility I am representing.
- ☒ I agree that providing the account credentials to sign the submission document constitutes an electronic signature equivalent to my written signature.
- ☒ I have reviewed the electronic form being submitted in its entirety, and agree to the validity and accuracy of the information contained within it to the best of my knowledge.

APPLICATION CERTIFICATION

Rule 323.2114(1-4), promulgated under the Michigan Act, requires that this form must **must be electronically-signed, backed by a certifier agreement form with a wet-ink signature from one of the following:**

A. For an organization, company, corporation, or authority, by a principal executive office, vice president, or higher

B. For a partnership, by a general partner

C. For a sole proprietor, by the proprietor

D. For a municipal, state, or other public facility, by a principal executive officer or ranking elected official (e.g., mayor, village president, city or village manager, or clerk)

Note: If the signatory is not listed above, but is authorized to sign the Application, please provide documentation of that authorization.

"I certify under penalty of law that this document and all attachments were prepared under my direction or supervision in accordance with a system designed to assure that qualified personnel properly gather and evaluate the information submitted. Based on my inquiry of the person or persons who manage the system, or those persons directly responsible for gathering the information, the information submitted is, to the best of my knowledge and belief, true, accurate, and complete. I am aware that there are significant penalties for submitting false information, including the possibility of fine and imprisonment for having knowledge of violations."

I understand that my e-signature constitutes a legal agreement to comply with the requirements of the NPDES Permit. I certify under penalty of law that I possess full authority on behalf of the legal owner/permittee to sign and submit this Application.

Signed By

Adam Fercho on 10/08/2025 at 2:20 PM