



MICHIGAN DEPARTMENT OF ENVIRONMENT, GREAT LAKES, AND ENERGY  
WATER RESOURCES DIVISION  
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM (NPDES)  
*Authorized by Part 31, Water Resources Protection, of the  
Natural Resources and Environmental Protection Act, 1994 PA 451, as Amended*

**CERTIFICATE OF COVERAGE (COC)**

**Under General Permit No. MIG760000  
Public Swimming Pool Wastewater General Permit**

COC NO.: MIG760038

DESIGNATED NAME: Staybridge Suites Pool - Ann Arbor

PERMITTEE: Stellar Hospitality / Midwest Lodging Group  
ADDRESS: 32825 Northwestern Highway  
Farmington Hills, MI 48334

This COC authorizes the permittee to discharge swimming pool wastewater from the Staybridge Suites, Ann Arbor facility located at 3850 Research Park Drive, Ann Arbor, Michigan 48108, in Washtenaw County. Consistent with the criteria and requirements established in General Permit No. MIG760000, the permittee is authorized to discharge the following:

0.001 MGD of swimming pool wastewater from Monitoring Point 001A through Outfall 001. Outfall 001 discharges to Malletts Creek at Latitude 42.22941, Longitude -83.73811.

This facility is subject to the Total Residual Oxidant and pH limitations and monitoring requirements set forth in Part I.A.2. of the General Permit.

References in the General Permit to the Department shall be defined as the Jackson District Supervisor of the Water Resources Division. The Jackson District Office is located at 301 East Louis Glick Highway, Jackson, MI 49201-1535; Telephone: 517-780-7690; Fax: 517-780-7855.

Any person who is aggrieved by this COC may file a sworn petition with the Michigan Administrative Hearing System within the Department of Licensing and Regulatory Affairs, c/o the Michigan Department of Environment, Great Lakes, and Energy setting forth the conditions of the COC that are being challenged and specifying the grounds for the challenge. The Michigan Administrative Hearing System may reject any petition filed more than 60 days after issuance as being untimely.

The issuance of this COC does not authorize violation of any federal, state, or local laws or regulations, nor does it obviate the necessity of obtaining such permits, including any other Department of Environment, Great Lakes, and Energy permits, or approvals from other units of government as may be required by law.

This COC is based on a complete application submitted on September 21, 2022. The permittee is subject to the conditions specified in General Permit No. MIG760000, issued August 29, 2019, expiring April 1, 2025. This COC may be modified, terminated, reissued, or revoked as allowed for in General Permit No. MIG760000. On its effective date, this COC shall supersede COC No. MIG760038 (expiring April 1, 2020).

**This COC takes effect on DRAFT.**

**Issued DRAFT.**

---

Tarek Buckmaster, Supervisor  
Industrial Permits Unit  
Permits Section  
Water Resources Division