




		B		
ESCRIPTION PER COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE INSURANCE ISSUED AS FOLLOWS:	С		belo efore yo o UTILITIES	DU dig. STING
AT THE NORTH 1/4 CORNER OF SECTION 16, TOWN 2 SOUTH, RANGE 6 EAST, ANN ARBOR SHTENAW COUNTY, MICHIGAN; THENCE EASTERLY ALONG THE NORTH LINE OF SAID SECTION AND NE OF DHU VARREN ROAD 548.14 FEET FOR A PLACE OF BEGINNING; THENCE CONTINUING NG THE NORTH LINE OF SAID SECTION AND THE CENTERLINE OF DHU VARREN ROAD 165.0 FEET; IERLY DEFLECTING 93 DEGREES 08 MINUTES TO THE RIGHT 825.05 FEET; THENCE WESTERLY DEGREES 52 MINUTES TO THE RIGHT 165.0 FEET; THENCE NORTHERLY DEFLECTING 93 DEGREES 08 HE RIGHT 825.05 FEET TO THE PLACE OF BEGINNING, BEING A PART OF THE NORTHEAST QUARTER ON 16, TOWN 2 SOUTH, RANGE 6 EAST, ANN ARBOR TOWNSHIP, WASHTENAW COUNTY, MICHIGAN.	SHOWN ONL INDEPE OWNER THE CON THE CON THE EXI: COMMENC BE FUL AND ALL OCCASIO FAILURE PR	IN AN A Y AND H, NDENTLY OR ITS VTRACTOR EXACT LO STING UTI CING WOR LY RESP DIAMAGE NED BY TO EXAC RESERVE A	PPROXIMA AVE NOT E VERIFIED REPRESEN SHALL DI OCATION C ILITIES BEF	TE WAY BEEN BY THE VITATIVE. ETERMINE F ALL TORE GREES TO FOR ANY MIGHT BE RACTOR'S ATE AND ALL
OF THE NORTHEAST 1/4 OF SECTION 16, TOWN 2 SOUTH, RANGE 6 EAST, ANN ARBOR TOWNSHIP, DUNTY, MICHIGAN, EXCEPTING THE NORTH 825.5 FEET THEREOF.	SOLE CONTRA	UCTION SI RESPONS <u>CTOR</u> ; NE	TICE: ITE SAFET SIBILITY OF ITHER THE	F THE E OWNER
BII EXCEPTIONS PER COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE INSURANCE FILE NO. 819133, REVISION C, COMMITMENT DATE: SEPTEMBER 24, 2018	EXPI RESPO THE WO IN THE	ECTED TO INSIBILITY IRK, OF P E WORK, (TURES, OF	NEER SHAI ASSUME FOR SAFE PERSONS E OF ANY NI R OF ANY	ANY ETY OF INGAGED EARBY
S OF OTHERS AND THE TERMS AND CONDITIONS CONTAINED IN WARRANTY DEED AS DISCLOSED BY JMENT RECORDED IN LIBER 724, PAGE 167. : COVERS PARCEL 1, RIGHT OF WAY AS SHOWN HEREON OF WAY IN FAVOR OF THE DETROIT EDISON COMPANY AND THE COVENANTS, CONDITIONS AND ICTIONS CONTAINED IN INSTRUMENT RECORDED IN LIBER 1278, PAGE 283.	COP YRIC REPRO WITH	PERS CHT © 202 DOUCTION IOUT THE	SONS. 22 ATWELI SHALL BE PRIOR WR F ATWELL	L LLC NO E MADE RITTEN
: AS SHOWN HEREON RIGHT OF WAY IN FAVOR OF THE DETROIT EDISON COMPANY AND MICHIGAN BELL TELEPHONE COMPANY HE COVENANTS, CONDITIONS AND RESTRICTIONS CONTAINED IN INSTRUMENT RECORDED IN LIBER 1278, 293. : AS SHOWN HEREON			= 5,	, SUITE 700 48076 000
S AND CONDITIONS CONTAINED IN GRANT OF TEMPORARY CONSTRUCTION EASEMENT AND AGREEMENT AS DSED BY INSTRUMENT RECORDED IN LIBER 4001, PAGE 845. : APPROXIMATE AS SHOWN HEREON, EASEMENT MISCLOSES BY 5 FEET				SQUARE, FIELD, MI 18.447.200
OF EASEMENT IN FAVOR OF THE CITY OF ANN ARBOR AND THE COVENANTS, CONDITIONS AND ICTIONS CONTAINED IN INSTRUMENT RECORDED IN LIBER 4003, PAGE 413. : AS SHOWN HEREON		1		0 TOWNE SOUTHF 24
AND CONDITIONS CONTAINED IN DECLARATION OF EASEMENT FOR STORM WATER DRAINAGE AS DISCLOSED STRUMENT RECORDED IN LIBER 4117, PAGE 291, AMENDMENT TO DECLARATION OF EASEMENT FOR STORM DRAINAGE AS DISCLOSED BY INSTRUMENT RECORDED IN LIBER 4194, PAGE 488, AND SECOND AMENDMENT CLARATION OF EASEMENT FOR STORM WATER DRAINAGE AS DISCLOSED BY INSTRUMENT RECORDED IN LIBER PAGE 447. : L.4117, PG291 AS SHOWN HEREON. L.4194, PG.488 APPROXIMATE AS SHOWN HEREON, EASEMENT S BY 1.7 FEET. L.4273, PG.447 COVERS SUBJECT PROPERTY			866.850.	TWC
DESCRIPTION PER COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE INSURANCE NO. 819138, COMMITMENT DATE: JUNE 27, 2018				
ERRED TO IN THIS COMMITMENT, SITUATED IN THE COUNTY OF WASHTENAW, TOWNSHIP OF ANN ARBOR, HIGAN, IS DESCRIBED AS FOLLOWS:				AN
LAND IN THE NORTHWEST 1/4 OF SECTION 16, TOWN 2 SOUTH, RANGE 6 EAST, ANN ARBOR TOWNSHIP, OUNTY, MICHIGAN, DESCRIBED AS: COMMENCING AT THE NORTH 1/4 CORNER OF SECTION 16, TOWN 2 6 EAST; THENCE SOUTH 00 DEGREES 42 MINUTES 44 SECONDS WEST ALONG THE NORTH-SOUTH 1/4 FEET TO THE POINT OF BEGINNING; THENCE CONTINUING SOUTH 00 DEGREES 42 MINUTES 44 SECONDS TEET; THENCE SOUTH 87 DEGREES 57 MINUTES 09 SECONDS WEST 178.00 FEET; THENCE NORTH 00 INUTES 44 SECONDS EAST 306.09 FEET; THENCE NORTH 87 DEGREES 56 MINUTES 54 SECONDS EAST 0 THE POINT OF BEGINNING.	ECTION 16	TH, RANGE 6 EAST	RBOR TOWNSHIP	COUNTY, MICHIGAN
LAND IN THE NORTHWEST 1/4 OF SECTION 16, TOWN 2 SOUTH, RANGE 6 EAST, ANN ARBOR TOWNSHIP, OUNTY, MICHIGAN, DESCRIBED AS: COMMENCING AT THE NORTH 1/4 CORNER OF SECTION 16, TOWN 2 6 EAST; THENCE SOUTH 00 DEGREES 42 MINUTES 44 SECONDS WEST ALONG THE NORTH-SOUTH 1/4 FEET; THENCE SOUTH 87 DEGREES 56 MINUTES 54 SECONDS WEST 178.00 FEET TO THE POINT OF SAID PARCEL; THENCE SOUTH 00 DEGREES 42 MINUTES 44 SECONDS WEST 306.09 FEET; THENCE SOUTH 7 MINUTES 09 SECONDS WEST 178.00 FEET; THENCE NORTH 00 DEGREES 42 MINUTES 45 SECONDS EAST THENCE NORTH 87 DEGREES 56 MINUTES 54 SECONDS EAST 178.00 FEET TO THE POINT OF BEGINNING.	SE	TOWN 2 SOUTH,	ANN ARE	WASHTENAW
LAND IN THE NORTHWEST 1/4 OF SECTION 16, TOWN 2 SOUTH, RANGE 6 EAST, ANN ARBOR TOWNSHIP, OUNTY, MICHIGAN, COMMENCING AT THE NORTH 1/4 CORNER OF SECTION 16, TOWN 2 SOUTH, RANGE 6 SOUTH 00 DEGREES 42 MINUTES 44 SECONDS WEST ALONG THE NORTH-SOUTH 1/4 LINE 1734.85 FEET; 87 DEGREES 56 MINUTES 54 SECONDS WEST 356.00 FEET TO THE POINT OF BEGINNING OF SAID CE SOUTH 00 DEGREES 42 MINUTES 45 SECONDS WEST 306.07 FEET; THENCE SOUTH 87 DEGREES 57 ECONDS WEST 179.00 FEET; THENCE NORTH 00 DEGREES 42 MINUTES 45 SECONDS EAST 306.06 FEET; 87 DEGREES 56 MINUTES 54 SECONDS EAST 179.00 FEET TO THE POINT OF BEGINNING.	COMPANY	IC SURVEY		
NON-EXCLUSIVE EASEMENT(S) AS CREATED, LIMITED, AND DEFINED IN THAT CERTAIN INSTRUMENT LIBER 3238, PAGE 735, WASHTENAW COUNTY RECORDS.		OGRAPHIC		D
LAND IN THE NORTHWEST 1/4 OF SECTION 16, TOWN 2 SOUTH, RANGE 6 EAST, ANN ARBOR TOWNSHIP, OUNTY, MICHIGAN, COMMENCING AT THE NORTH 1/4 CORNER OF SECTION 16, TOWN 2 SOUTH, RANGE 6 SOUTH 00 DEGREES 42 MINUTES 44 SECONDS WEST ALONG THE NORTH-SOUTH 1/4 LINE 1734.85 FEET; 87 DEGREES 56 MINUTES 54 SECONDS WEST 535.00 FEET TO THE POINT OF BEGINNING OF SAID CE SOUTH 00 DEGREES 42 MINUTES 45 SECONDS WEST 306.06 FEET; THENCE SOUTH 87 DEGREES 57 ECONDS WEST 275.85 FEET TO A POINT ON THE CENTERLINE OF PONTIAC TRAIL; THENCE NORTH 04 INUTES 55 SECONDS EAST ALONG SAID CENTERLINE 307.87 FEET; THENCE NORTH 87 DEGREES 56 ECONDS EAST 253.99 FEET TO THE POINT OF BEGINNING.	ENT COBERTSON BROTHERS	ARY & TOP		LOCATEI
BII EXCEPTIONS PER COMMITMENT FOR TITLE INSURANCE ISSUED BY FIRST AMERICAN TITLE INSURANCE FILE NO. 819138, COMMITMENT DATE: JUNE 27, 2018 GAGE IN THE ORIGINAL AMOUNT OF \$25,000.00 EXECUTED BY SUSAN H. MANN AND THOMAS F. MANN TO	∃œ	BOL		
EN FERRELL, DATED NOVEMBER 15, 1996, RECORDED NOVEMBER 20, 1996, IN LIBER 3348, PAGE 934, AS RCEL A. : EASEMENTS AS SHOWN HEREON	07/27/2 04/14/2	2020 SUR 2021 ADD	/2020	S DPO
GAGE IN THE ORIGINAL AMOUNT OF \$150,700.00 EXECUTED BY TOM MANN AND SUSAN MANN, AKA: AS F. MANN AND SUSAN H. MANN, HUSBAND AND WIFE TO MORTGAGE ELECTRONIC REGISTRATION SYSTEMS, GOLELY AS NOMINEE FOR NATIONSTAR MORTGAGE LLC, DATED MAY 22, 2017, RECORDED JUNE 7, 2017, IN 5209, PAGE 450, AS TO PARCEL D. : EASEMENTS AS SHOWN HEREON	1 <u>2/17/2</u> 03/01/2 05/31/2	021 REV. 2022 REV. 2022 ADD	: PER NEW PER CLIEN : PER NEW ITIONAL TO ITIONAL TO	T CMNTS V PARCEL OPO
OF JUDGMENT LIEN IN THE AMOUNT OF \$85,495.28, PLUS COSTS AND INTEREST, AGAINST TOM MANN, IN OF ATWELL-HICKS, LLC AS EVIDENCED BY NOTICE OF JUDGMENT LIEN RECORDED JANUARY 8, 2008 IN 4660, PAGE 881 IN THE OFFICE OF THE WASHTENAW COUNTY REGISTER OF DEEDS. : NOT A SURVEY MATTER				
AND CONDITIONS CONTAINED IN DECLARATION OF EASEMENT FOR STORM WATR DRAINAGE AS DISCLOSED STRUMENT RECORDED IN LIBER 4117, PAGE 291, AMENDMENT TO DECLARATION OF EASEMENT FOR STORM DRAINAGE AS DISCLOSED BY INSTRUMENT RECORDED IN LIBER 4194, PAGE 488, AND SECOND MENT TO DECLARATION OF EASEMENT FOR STORM WATER DRAINAGE AS DISCLOSED BY INSTRUMENT DED IN LIBER 4273, PAGE 447. : L.4117, PG291 AS SHOWN HEREON. L.4194, PG.488 APPROXIMATE AS SHOWN HEREON, EASEMENT 5 BY 1.7 FEET. L.4273, PG.447 COVERS PROPERTY TO THE EAST				
OF EASEMENT FOR STORM WATER DRAINAGE IN FAVOR OF THE CITY OF ANN ARBOR AND THE ANTS, CONDITIONS AND RESTRICTIONS CONTAINED IN INSTRUMENT RECORDED IN LIBER 5222, PAGE 220, PARCEL C. : AS SHOWN HEREON		REVI	SIONS	
OF EASEMENT FOR STORM SEWER AND STORM WATER DRAINAGE IN FAVOR OF THE CITY OF ANN ARBOR HE COVENANTS, CONDITIONS AND RESTRICTIONS CONTAINED IN INSTRUMENT RECORDED IN LIBER 5222, 219, AS TO PARCEL D. : AS SHOWN HEREON	SCALE 1" DR.	= 20 JR	100 ОО FE Сн.	200 EET ME
	P.M. N BOOK JOB SHEET	1800	BREE IA 2264	


1 OF 7




















 \odot




 $\langle P \rangle$





ARABLE WDTH PUBLIC TITLITY EXAMINITY PR ALE LOCATION ALE LOCATION ALE LOCATION ALE MAIN PRAINS	CONSTR STAILORI CONSTR SOURCE SOLL CONSTR SOLL CONSTR SOLL CONSTR SOLL CONSTR SOLL CONSTR SOLL CONSTR SOLL CONSTR	Call b Clocation Clo	NS OF EX D UTILITIE APPROXIM. IAVE NOT VERIFIED REPRESE R SHALL I OCATION ILLITIES BE KK, AND A PONSIBLE SWHICH THE CON CTLY LOD IND UTILI TICE: SIBILITY CO SIBILITY CO EITHER SHALL I PRIOR SAF PERSONS I SIBILITY CO EITHER SHALL I PRIOR SAF PERSONS I SIBILITY CO EITHER SHALL I SONS.	OU dig. ISTING S ARE ATE WAY BEEN BY THE INTATIVE. DETERMINE OF ALL FORE GREES TO FORE GREES TO FOR ANY MIGHT BE IRACTOR'S CATE AND ALL TIES. TY IS THE DE OWNER ALL BE ANY ETY OF ENGAGED VEARBY Y OTHER LL LLC NO BE MADE RITTEN
	SECTION 16	TOWN 2 SOUTH, RANGE 6 EAST	ANN ARBOR TOWNSHIP	WASHTENAW COUNTY, MICHIGAN
	CLIENT ROBERTSON BROTHERS COMPANY	။ ပ		LOCATED IN
			I/202 RVEY EDIT DITIONAL 1 7. PER NE PER CLIEI 0. PER NE DITIONAL 1 DITIONAL 1	0 S OPO W TITLE VT CMNTS W PARCEL TOPO TOPO
	SCALE 1" DR. P.M. 1 BOOK JOB SHEET	. 0 = (JR M. EM N 1800	25 50 FE CH. BREE IA 02264	ME





HYDRANT F.G. 920.37 _ __ __

HYDRANT F.G. 921.41-

SANITARY RIM 916.99 S. 8" PVC INV. 904.98 W. PVC INV. 905.15

CONCRETE SIDEWALK (COVERED IN SNOW AND CE)

APPROXIMATE LOCATION OF


54.32'(R) 53.86'(M) — PERFORATED RISER RIM 910.06 -UNABLE TO OPEN STORM RIM 906.75 -W. 12" RCP INV. 902.65 N. 12" RCP INV. 902.40 × T/WATER 902.75 CENTERLINE OF PONTIAS

S. 18" RCP INV. 897.58 E. 24" RCP INV 896.23 -1/WATER 896.98 🖡 STORM RIM 906.82 -S. 12" RCP INV. 903.02 BM #5-STORM RIM 906.81-N. 12" RCP INV. 902.79 STORM RIM 905.7 S. 12" RCP INV. 902.74 S. 18" RCP I<u>NV 898.</u>42 CPP INV. 903.02 " CPP INV. 902.64 " CPP INV. 901 STORM RIM 903.66 UNABLE TO OPEN

N04°46'55"E(R) S. 24" RCP INV. 897.48 N02°35'32"E(M) 307.87'(R&M) STORM RIM 903.37 -N. 12" RCP INV. 897.99 S. 12" RCP INV. 897.72 E. 12" RCP INV. 899.97 STORM RIM 904.06 — E.24" RCP INV. 894.89 W. 24" RCP INV. 896.89 🔗 N. 12" RCP INV. 895.39× T/WATER 894.89 STORM RIM 905.83 -----N. 24" RCP INV. 896.83

STORM RIM 909.00 -NORTHSKY SOUTH CONDOMINIUM, WASHTENAW COUNTY SUBDIVISION PLAN NO. 675, WASHTENAW COUNTY REGISTER OF DEEDS





HWY 2

HU VARREN RE

HWY 14

 $\mathbf{\Theta}$

ØF

o FIP

o FIR

O FCIR

OU.P

°C.O.

× 985.72

× 985.72TC

× 985.72EP

× 985.72GU

(R)

(M)

P.O.C.

P.O.B.

_____950___

10 (10)

---- BOUNDARY ADJACENT LINE

-G-----

EXISTING LIMITS OF VEGETATION

— X ———

------ SECTION LINE

------- EASEMENT LINE

LEGEND

SECTION CORNER FOUND MONUMENT FOUND IRON PIPE FOUND IRON ROD FOUND CAPPED IRON ROD EXISTING MAILBOX EXISTING SIGN EXISTING TREE EXISTING LIGHTPOLE EXISTING WELL

EXISTING TELEPHONE RISER EXISTING GUY ANCHOR WITH WIRE EXISTING UTILITY POLE EXISTING WATER BBOX EXISTING GAS VALVE EXISTING CULVERT

EXISTING HYDRANT WITH SHUTOFF EXISTING MANHOLE/CATCH BASIN EXISTING SANITARY CLEANOUT

EXISTING ELECTRIC TRANSFORMER EXISTING UTILITY HANDHOLE

EXISTING MONITORING WELL UNDERGROUND CABLE MARKER

UNDERGROUND ELECTRIC MARKER

UNDERGROUND FIBER MARKER

UNDERGROUND GAS MARKER

UNDERGROUND TELEPHONE MARKER

UNDERGROUND WATER MARKER

EXISTING GROUND ELEVATION

EXISTING CURB ELEVATION

PLACE OF COMMENCEMENT

APPROXIMATE UNDERGROUND FIBER LINE

UNDERGROUND STORM LINE

EXISTING EDGE OF WATER

EXISTING CURB AND GUTTER

EXISTING GROUND CONTOUR

SCHEDULE BII EXCEPTION

UNDERGROUND SANITARY LINE

APPROXIMATE UNDERGROUND ELECTRIC LINE

APPROXIMATE UNDERGROUND GAS LINE

APPROXIMATE UNDERGROUND WATER LINE

POINT OF BEGINNING

BOUNDARY LINE

EXISTING FENCE

- - EXISTING CENTERLINE OF DITCH

EXISTING BUILDING


RECORD

OHE OVERHEAD UTILITY LINE


MEASURED


EXISTING GUTTER ELEVATION

EXISTING PAVEMENT ELEVATION




	CONSTR SOLUCY CONSTR CONSTR CONSTR CONSTR CONSTR CONSTR CONSTR CONSTR CONSTR SOLE CONTRA NOR EXP RESPO THE WCT IN TH STRUC	Know what's below. Know what's below. Call before you dig. The locations of existing UNDERGROUND UTILITIES ARE SHOWN IN AN APPROXIMATE WAY ONLY AND HAVE NOT BEEN INDEPENDENTLY VERIFIED BY THE OWNER OR ITS REPRESENTATIVE. THE CONTRACTOR SHALL DETERMINE THE EXACT LOCATION OF ALL EXISTING UTILITIES BEFORE COMMENCING WORK, AND AGREES TO BE FULLY RESPONSIBLE FOR ANY AND ALL DAMAGES WHICH MIGHT BE OCCASIONED BY THE CONTRACTOR'S FAILURE TO EXACTLY LOCATE AND PRESERVE ANY AND ALL UNDERGROUND UTILITIES. NOTICE: CONSTRUCTION SITE SAFETY IS THE SOLE RESPONSIBILITY OF THE CONSTRUCTION SITE SAFETY OF HE WORK, OF PERSONS ENGAGED IN THE WORK, OF ANY NEARBY STRUCTURES, OR OF ANY OTHER PERSONS.			
BE SEE IS 3 & 0 OL 1 SUCREMN			50.4200 www.atwell-g	TWO TOWNE SQUARE, SUITE 700 SOUTHFIELD, MI 48076 248.447.2000	
I HITHER STATES AND	SECTION 16	TOWN 2 SOUTH, RANGE 6 EAST	ANN ARBOR TOWNSHIP	WASHTENAW COUNTY, MICHIGAN	
	CLIENT ROBERTSON BROTHERS COMPANY	BOUNDARY & TOPOGRAPHIC SURVEY		LOCATED IN	
		2020 SUF 2021 ADD 2021 REV. 2022 REV 2022 ADD 2022 ADD		0 S OPO W TITLE NT CMNTS W PARCEL FOPO TOPO	
	SCALE 1" DR. P.M. N BOOK JOB SHEET	0 = 5 JR <u>1. EME</u> <u>1800</u> NO.	SIONS 25 0 FE сн. 3REE А 2264 F 7		CAD FILE: 18002264-TP-01.DWG






VEY TEMP\18002264 - ANN ARBOR PONTIAC TRAIL\18002264-TP-01.DWG 6/15/2022 3:33 PM JULIE REINCK



 \bigcirc



HWY 2

