PETITION TO THE WATER RESOURCES COMMISSIONER OF WASHTENAW COUNTY

The undersigned public corporation hereby petitions for the cleaning out, relocating, widening, deepening, straightening, tiling, extending or relocating along a highway, constructing branches, relief drains or connections to the Leslie Park Golf Course of the Traver Creek Drain as described in Exhibit A to serve the area described in Attachment 1, which storm drain improvements better described in the attached Memorandum and Resolution, are necessary to reduce downstream flooding and improve water quality to increase the public health benefit. The Traver Creek Drainage District is located within the limits of the City of Ann Arbor, the petitioner herein.

This petition is filed by the City pursuant to the provisions of Section 463 of Chapter 20 of Acts No. 40 of the Public Acts of 1956, as amended.

It is understood that none of the proposed drain project attributable to the part of the project in the City will be paid for by a special assessment levied against persons in the City.

A certified copy of the resolution of the governing body of the City of Ann Arbor authorizing execution of this petition is attached hereto.

CITY OF ANN ARBOR

sy:_______ onn Hieftje, Mayor

acqueline Beaudry, Clerk

Dated

DRAIN NAME Traver Creek

PROJECT NAME:

Leslie Park Golf Course Streambank Stabilization Project

PROJECT DESCRIPTION:

Design and Construct Stormwater Management Control Measures on Traver Creek, at the Leslie Park Golf Course

DRAIN ROUTE AND COURSE:

Beginning at the intersection of existing Traver Creek with the Huron River, said point of beginning being approximately 850 ft. NE of the Wall Street bridge; thence northwesterly approximately 1500 feet along the centerline of the existing creek bed of Traver Creek to its intersection with Broadway Street, said point of intersection being approximately 400 ft. SW of Jones Drive; thence continuing northeasterly approximately 2300 feet along the centerline of the existing creek bed of Traver Creek to its intersection with Plymouth Road, said point of intersection being approximately 300 ft. SW of Barton Drive; thence northwesterly approximately 100 feet along the centerline of the existing creek bed of Traver Creek to its intersection with the Ann Arbor Railroad Co. railroad tracks; thence northerly approximately 600 feet along the centerline of the existing creek bed of Traver Creek to its intersection with Barton Drive, said point of intersection being approximately 400 ft. SE of Traver Road; thence northeasterly approximately 2 500 feet along the centerline of the existing creek bed of Traver Creek to its intersection with Traver Road, said point of intersection being on the North line of Section 22, T2S, R6E, Washtenaw County, Michigan, and approximately 1300 feet west of the NE corner of said section; thence northerly approximately 6600 feet along the centerline of the existing creek bed of Traver Creek to its intersection with Dhu Varren Road, said point of intersection being on the North line of Section 16, T2S, R6E, Washtenaw County, Michigan, and approximately 700 feet west of the NE corner of said section; thence northwesterly approximately 3100 feet along the west line of the Ann Arbor Railroad right-of-way and the existing creek bed of Traver Creek to its intersection with the North line of the right-of-way of the US-23 Expressway for a place of ending of the above described storm drain route, said point of ending being approximately 150 feet west of the centerline of the Ann Arbor Railroad Right-of -Way and approximately 1000 feet East of Pontiac Trail and approximately 2200 feet North of the South line of section 9, T2S, R 6E, Washtenaw County, Michigan. This segment is inclusive of the basin immediately south of M-14 and approximately 850 feet SW of the Ann Arbor Railroad right-of-way, and the diversion to and from said basin.

The above described drain route is approximately 16,700 feet in length generally following the centerline of the existing creek bed of Traver Creek from the Huron River Northerly to an intersection with the US-23 expressway, all being in Sections 9, 15, 16 and 21, Town 2 South, Range 6 East, Washtenaw County, Michigan.

DISTRICT BOUNDARY DESCRIPTION:

The Drainage Boundary for the Traver Creek Drain comprises approximately 4280 acres of land in the City of Ann Arbor, and Ann Arbor Township (T2S, R6E); and in Northfield Township (T1S, R6E) Washtenaw County Michigan, all of which is tributary to a point on the Huron River approximately 2600 feet East and 700 feet North of the Southwest corner of Section 21, T2S, R6E; and comprised of the following areas:

- 1) That part of the South ½ of Section 32, T1S, R6E Northfield Twp., Washtenaw County, Michigan described as follows: Beginning at the Southeast corner of said Section 32, thence North 1600 feet in the East line of said Section 32; thence West parallel to the South line of Section 32 to the center line of US-23 expressway; thence northwesterly 1500 feet to a point 1900 feet North of the South line of Section 32; thence Southwesterly to a point in the South line of the Section, said point being 3700 feet West of the Southeast corner of Section 32; thence East 3700 feet in the South line of Section 32 to the place of beginning.
- 2) That part of the South ½ of Section 33, T1S, R6E Northfield Twp., Washtenaw County Michigan described as follows: Beginning at the Southwest corner of said Section 33, thence North 1600 feet in the West line of said Section 33; thence East 1800 feet parallel to the South line of Section 33, thence southeasterly to a point on the South line of Section 33, said point being 4700 feet East of the Southwest corner of Section 33; thence West 4700 feet in the South line of Section 33 to the place of beginning.
- 3) That part of Section 3, T2S, R6E, Ann Arbor Township, Washtenaw County, Michigan described as follows: Beginning at the Northwest corner of said Section 3, thence southeasterly 2000 feet to a point 400 feet South of the North line of Section 3; thence South 3000 feet parallel to the West line of Section 3; thence southeasterly to a point in the South line of Section 3 said point being 3000 feet East of the Southwest corner of Section 3; thence West 3000 feet in the South line of Section 3; thence North in the West line of Section 3 to the place of beginning.
- 4) All of Section 4, T2S, R6E Ann Arbor Township Washtenaw County Michigan.
- 5) That part of Section 5, T2S, R6E Ann Arbor Township, Washtenaw County Michigan described as follows: Beginning at the Northeast corner of said Section 5, thence South in the East line of Section 5 to the Southeast corner; thence West 4600 feet in the South line of Section 5; thence North 2500 feet parallel to the East line of Section 5; thence northeasterly to a point on the North line of Section 5 said point being 3250 feet West of the Northeast corner of Section 5; thence East 3250 feet in the North line of Section 5 to the Place of Beginning.
- 6) That part of Section 8, T2S, R6E Ann Arbor Township Washtenaw County Michigan described as follows: Beginning at the Northeast corner of said Section 8, thence South in the East line of Section 8 to the Southeast corner; thence West 400 feet in the South line of Section 8; thence northwesterly 2300 feet to a point which is 1300 feet West of the East line of Section 8; thence northwesterly 1300 feet to a point which is 2500 feet West of the East line of Section 8; thence North parallel to the East line of Section 8 to the center line of Stein Road; thence westerly 1700 feet in the center line of Stein Road; thence northwesterly to a point on the North line of Section 8 said point being 4600 feet West of the Northeast corner of Section 8; thence East 4600 feet in the North line of Section 8 to the Place of Beginning.
- 7) All of Section 9, T2S, R6E City of Ann Arbor and Ann Arbor Township Washtenaw County, Michigan except beginning at the Southwest corner of said Section 9, thence North 500 feet in the West line of Section 9; thence East 900 feet parallel to the South line of Section 9; thence southwesterly to a point on the South line of Section 9 said point being 700 feet East of the Southwest corner of Section 9; thence West 700 feet in the South line of Section 9 to the Place of Beginning.

- 8) All of Section 10, T2S, R6E City of Ann Arbor and Ann Arbor Township Washtenaw County Michigan except beginning at the Northeast corner of said Section 10, thence South 2000 feet in the East line of Section 10; thence northwesterly 2050 feet to a point which is 1080 feet South of the North line of Section 10; thence Northwesterly to a point on the North line of Section 10 said point being 2250 feet West of the Northeast corner of Section 10; thence East 2250 feet along the North line of Section 10 to the Place of Beginning.
- 9) That part of the West ½ of Section 11, T2S, R6E City of Ann Arbor and Ann Arbor Township Washtenaw County, Michigan described as follows: Beginning at the Southwest corner of said Section 11, thence North 3300 feet in the West line of Section 11; thence southeasterly 1350 feet to a point 1100 feet East of the West line of Section 11; thence South parallel to the West line of Section 11 to the center line of the eastbound lane of US 23 expressway; thence westerly 500 feet in the center line of said eastbound road; thence South 200 feet parallel to the West line of Section 11; thence southeasterly 900 feet to a point which is 1300 feet East of the West line of Section 11; thence South parallel to the West line of Section 11 to the South line of Section 11; thence West in the South line of Section 11 to the Place of Beginning.
- 10) That part of Section 14, T2S, R6E City of Ann Arbor, Washtenaw County Michigan described as follows: Beginning at the Northwest corner of said Section 14, thence East 1300 feet in the North line of Section 14; thence South 650 feet parallel to the West line of Section 14; thence West parallel to the North line of Section 14 to the West line of Section 14; thence North 650 feet in the West line of Section 14 to the Place of Beginning.
- 11) All of Section 15, T2S, R6E City of Ann Arbor and Ann Arbor Township, Washtenaw County Michigan except beginning at the Southeast corner of said Section 15, thence West in the South line of Section 15 to the center line of Nixon Road; thence North 2850 feet in the center line of Nixon Road; thence northeasterly to a point on the East line of Section 15, said point being 3850 feet North of the Southeast corner of Section 15; thence South 3850 feet in the East line of Section 15 to the Place of Beginning.
- 12) That part of Section 16, T2S, R6E City of Ann Arbor and Ann Arbor Township Washtenaw County Michigan described as follows: Beginning at the Northeast corner of said Section 16, thence South in the East line of Section 16 to the Southeast corner; thence West in the South line of Section 16 to the S ¼ corner; thence North 1370 feet in the N & S ¼ line; thence northwesterly 3950 feet to a point which is 500 feet East of the West line of Section 16; thence Northeasterly to a point on the North line of Section 16 said point being 700 feet East of the Northwest corner of Section 16; thence East in the North line of Section 16 to the Place of Beginning.
- 13) That part of Section 21, T2S, R6E City of Ann Arbor, Washtenaw County Michigan described as follows: Beginning at the Northeast corner of said Section 21; thence West in the North line of Section 21 to the N ¼ corner; thence continuing West 300 feet in the North line of Section 21; thence southwesterly approximately 1600 feet to a point in the center line of Taylor Street, said point being 100 feet easterly of the center line of Pontiac Street; thence South 1380 feet parallel to Pontiac Street; thence deflecting 90° to the right approximately 450 feet to the West property line of Wright Street; thence southerly in the West line of Wright Street to the South property line of Longshore; thence easterly in the South line of Longshore and Moore Streets, and their South lines extended, to the easterly line of Broadway; thence northeasterly in the easterly line of Broadway to the northerly line of Maiden Lane; thence southeasterly 450 feet in the northerly line of Maiden Lane; thence northeasterly 250 feet to a point on the westerly line of Nielsen Court, thence southeasterly 200 feet parallel to Maiden Lane; thence deflecting 90° to the left 270 feet; thence deflecting 90° to the right approximately 680 feet to the westerly property line of Island Drive; thence northeasterly 250 feet along the westerly property line of island Drive; thence Northwesterly approximately 1060 feet to a point which is 50 feet

- southeasterly of the southerly property line of Broadway and 300 feet northeasterly of the northeasterly property line of Jones Drive; thence northeasterly 2,950 feet parallel to Broadway; thence southeasterly to a point on the East line of Section 21 said point being 2700 feet South of the Northeast corner of Section 21; thence North 2700 feet in the East line of Section 21 to the Place of Beginning.
- 14) That part of the West ½ of Section 22, T2S, R6E City of Ann Arbor Washtenaw County Michigan described as follows: Beginning at the Northwest corner of said Section 22, thence East in the North line of Section 22 approximately 2950 feet to the center line of Plymouth Road; thence southwesterly 1350 feet in the center line of Plymouth Road; thence Southeasterly approximately 1100 feet to the intersection of the center lines of Beal and Bishop Streets; thence Southwesterly 1450 feet to a point which is 2700 feet South of the North line of Section 22; thence West parallel to the North line of Section 22 to the West line of Section 22, thence North 2700 feet in the West line of Section 22 to the Place of Beginning.



City of Ann Arbor

301 E. Huron St. Ann Arbor, MI 48104 http://a2gov.legistar.com /Calendar.aspx

Certified Copy

Resolution: R-12-009

File Number: 11-1513 Enactment Number: R-12-009

Resolution to Petition the Washtenaw County Water Resources Commissioner for the Leslie Park Golf Course Streambank Stabilization Project in the Traver Creek Drainage District (Total Cost: \$1,050,000.00; City's Apportionment: \$981,540.00)

Whereas, There is a Total Maximum Daily Load (TMDL) for phosphorus and E. coli reduction within the Huron River;

Whereas, Traver Creek Drainage District is within the area covered by the phosphorus and E. coli TMDLs;

Whereas, The City Council intends to file with the Washtenaw County Water Resources Commissioner a petition to clean out, relocate, widen, deepen, straighten, extend, tile, interconnect, or otherwise improve the Traver Creek Drainage District pursuant to Section 482 of Chapter 20 of the Drain Code of 1956 (MCL 280.482);

Whereas, It is the desire of the City Council to have the Mayor and Clerk sign and file the necessary petition with the Washtenaw County Water Resources Commissioner; and

Whereas, A suggested form of such petition is now presented to the City Council;

RESOLVED, The City Council hereby determines to proceed with the proposed drain project for the Traver Creek Drainage District as more fully described in the petition attached hereto as Attachment 1;

RESOLVED, The Mayor and Clerk be hereby authorized and directed to execute such petition for and on behalf of the City and to file the same with the Water Resources Commissioner of the County of Washtenaw;

RESOLVED, The City Council hereby consents to the location of the proposed clean out, relocation, widening, deepening, straightening, extending, tiling, interconnecting or otherwise improving the Traver Creek Drainage District within the limits of the City and the assessment of a portion of the cost of such improvements, so located, against the City; and

RESOLVED, That the assessment (approximately \$981,540.00, plus interest) will be paid in twenty annual installments not to exceed \$62,415.00/annum from the Operating Budget of the Stormwater Fund (Fund 0069), beginning in FY13.

I, Jacqueline Beaudry, Clerk of the City of Ann Arbor, Michigan, certify that this is a true copy of Resolution R-12-009, passed by the Ann Arbor City Council on 1/9/2012.

Attest:

Anissa R. Bowden

January 10, 2012

Date Certified