UNIFIED DEVELOPMENT CODE (DIMENSIONAL STANDARDS TABLE)

AN ORDINANCE TO AMEND SECTION 5.17.4 OF CHAPTER 55 (UNIFIED DEVELOPMENT CODE) OF TITLE V OF THE CODE OF THE CITY OF ANN ARBOR

The City of Ann Arbor ordains:

<u>Section 1.</u> That Section 5.17.4, Table 5:17-4, of Chapter 55 (Unified Development Code) of Title V of the Code of the City of Ann Arbor is amended as follows:

5.17.4 Mixed Use Zoning Districts

Dimensional standards for mixed use zoning districts are provided in Table 5:17-4.

TABLE 5:17-4: MIXED USE ZONING DISTRICT DIMENSIONS

NOTE: The requirements in this table may be superseded by the standards in Section Error! Reference source not f ound.

DISTRICT	MAXIMUM FAR (% OF LOT AREA)		MAXIMUM FLOOR AREA PER NON RESIDENTIAL USE (SQ. FT.)	REQUIRED SETBACK (FT.)				MINIMUM / MAXIMUM HEIGHT		MINIMUM GROSS LOT DIMENSIONS	
	NORMAL	WITH PREMIUMS (SEE SEC. ERROR! REFERENCE SOURCE NOT FOUND.)		MINIMUM FRONT	MAXIMUM FRONT	MINIMUM SIDE	MINIMUM REAR	(FT.) <u>Min</u>	STORIES Max	AREA (SQ. FT.)	WIDTH (FEET)
0	75	N/A	None	15	40 [A]	[B]_[C]		[D] None	[D]	6,000	50
C1	100	N/A	8,000 [E]	10	25 <u>[A]</u>	[B]_[C]		35 None	35 ft, 3 stories	2,000	20
C1B	150	N/A	None	10	25 <u>[A]</u>	[B]_[C]		None 50	50 ft, 4 stories	3,000	20
C1A	200	400	None	None	None	[F]		None	None	None	None
C1A/R	300	600	None	10	None	[F]		None	None	None	None
C2B	200	N/A	None	10	25 <u>[A]</u>	[B]_[C]		55 None	55 ft, 4 stories	4,000	40
СЗ	200	N/A	None	10	[B][C][G] 25 [A]	[B]_[C]	20 [B][C]	None 55	55 ft, 4 stories	6,000	60
D1	400	700; 900 with affordable housing premimums	None	See Table 5:17-7		See Table 5:17-6		24 ft and 2 stories (H)/	Table 5:17-6	None	None
D2 (I)	200	400	None	See Table 5:17-7		See Table 5:17-6		24 ft and 2 stories (H)/	Table 5:17-6	None	None

NOTES:

- [A] Applies only to new detached Buildings constructed or for which a site plan was approved after January 16, 2011, otherwise none. For Lots with more than one Front Lot Line, Required Setbacks shall only apply to one Front Lot Line.
- [B] 30 ft. where abutting residentially zoned land, otherwise none.
- [C] Plus one foot of additional setback for each foot of Building Height above 30 feet when abutting residentially zoned land.
- [D] No minimum. No maximum except in any area on a parcel extending 300 feet from an abutting residentially zoned land, the maximum height limits shall be 55 feet and 4 stories.
- [E] Maximum Floor Area for each nonresidential use in a Principal or Accessory Building.

TABLE 5:17-4: MIXED USE ZONING DISTRICT DIMENSIONS

NOTE: The requirements in this table may be superseded by the standards in Section Error! Reference source not f ound.

DISTRICT	MAXIMUM FAR (% OF LOT AREA)		MAXIMUM FLOOR AREA PER NON RESIDENTIAL USE (SQ. FT.)	REQUIRED SETBACK (FT.)				MINIMUM / MAXIMUM HEIGHT		MINIMUM GROSS LOT DIMENSIONS	
	NORMAL	WITH PREMIUMS (SEE SEC. ERROR! REFERENCE SOURCE NOT FOUND.)		MINIMUM FRONT	MAXIMUM FRONT	MINIMUM SIDE	MINIMUM REAR	(FT.) <u>Min</u>	STORIES Max	AREA (SQ. FT.)	WIDTH (FEET)

[[]F] Equal to the minimum side and mimimumminimum rear setback for the abutting district when abutting a residential district.

<u>Section 2.</u> That cross-references be reestablished or renumbered consistent with this ordinance and other contemporaneous ordinances amending these sections.

<u>Section 3.</u> This ordinance shall take effect and be in force on and after ten days from legal publication.

[[]G] 30 ft where abutting residentially zoned land.

[[]H] The minimum height is 24 ft. and 2 stories. This Minimum height requirement shall apply only to new principal use buildings constructed after December 26, 2009; otherwise none. The Floor Area of the required second Story must be a minimum of 75 % of the Floor Area of the first Story.

[[]I] All Development in the D2 district shall provide a minimum of 10% of the Lot Area as Open Space, and no Development shall have Building Coverage greater than 80% of the Lot Area.